

INSPECTION & WORK LIGHTS



LUCECO
LIGHTING



TRADE



MOTORING



OUTDOORS



DIY

Inspection & Work Lights

Luceco's comprehensive range of LED Inspection & Work Lights provide durable, high-output portable lighting for trades, DIY, motoring, sports and leisure.

If you want additional temporary and portable lighting options ... from mains powered tripods and work lights, to rechargeable torches, clamps and magnetic options, our Inspection and Work Light Range has something for everyone.



5W USB Rechargeable Tilt Torch with Power Bank (450 Lumens)
04



5W USB-C Rechargeable Torch with Power Bank (500 Lumens)
05



1.5W USB Rechargeable Mini Tilt Torch (150 Lumens)
06



3W USB Rechargeable Swivel Torch (300 Lumens)
07



3W USB Rechargeable Inspection Head Torch (150 Lumens)
08



5W USB Rechargeable Flexible Torch (350-150 Lumens)
08



30W Foldable Compact Work Light (2400 Lumens)
10



10W USB Rechargeable Multifunctional Cage Work Light (600 Lumens)
11



9W USB Rechargeable Mini Clamp Work Light (900 Lumens)
12



15W Rechargeable Clamp Work Light (1300 Lumens)
13



66W Herculous Open area High Output Work Light (7150 Lumens)
14



7.5W USB Rechargeable Compact Magnetic Work Light (750 Lumens)
16



10W Rechargeable Magnetic Work Light (1000 Lumens)
17



20,30 & 50W Castra Slimline Work Light (2200, 3300, 5500 Lumens)
18



10W USB-C Rechargeable High Output Torch (1000 Lumens)
20



30 & 50W Castra Tripod Work Light (2x3300, 2x5500 Lumens)
22

2
LIGHT MODES



4
LIGHT MODES



5W USB RECHARGEABLE TILT TORCH WITH POWER BANK

- Multi fixing - 360 degree folding hook and tilting magnetic base
- 2 working light modes
- Red flashing beacon
- Durable hard wearing housing
- Inbuilt 2000mAh USB powerbank for charging devices
- Supplied with USB charging cable



Cat No.	Lumens	Battery Life	Battery Charge Time
LILT45T65	450	2hr (On Max)	Up to 3.5 hours charging

Dimensions: 77mm x 320mm

5W SLIM RECHARGEABLE TORCH WITH POWER BANK

- Single source light source prevents multi shadowing – ideal for professionals
- Inbuilt USB Power bank
- 4 light output modes including UV light
- 180° rotating, 360° swivelling light body for multi-angle illumination, fold-able for easy storage
- Strong magnetic base and retractable metal hanging hook
- Supplied with USB-C charging cable
- IK07 impact rating
- 500lm, 250lm and 30lm light output modes



Cat No.	Lumens	Battery Life	Battery Charge Time
LILT50TT65	500	1.5 - 9hr	Up to 2.5 hours charging

Dimensions: 36mm x 300mm


1.5W USB RECHARGEABLE MINI TILT TORCH

- IP20 Rating
- 6500K COOL WHITE
- 2Hrs On Max
- USB Charged
- STRONG Magnet
- GREEN FINISH

- Single source light source prevents multi shadowing – ideal for professionals
- USB Rechargeable Tilt Torch
- 2 working light modes
- Durable hard wearing housing
- Multi fixing – 180° tilting magnetic base
- Supplied with USB charging cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILT15T65	150	2hr (On Max)	Up to 2 hours charging

Dimensions: 28mm x 178mm



3W USB RECHARGEABLE SWIVEL TORCH

WITH POWER BANK

- Single source light source prevents multi shadowing – ideal for professionals
- Inbuilt 2000 mAh USB power bank for charging devices
- 2 working light modes
- Durable hard wearing housing
- Multi fixing – 360° folding hook
- 360° rotate and tilt magnetic base
- Supplied with USB charging cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILT30R65	300	3hr (On Max)	Up to 3.5 hours charging

Dimensions: 58mm x 245mm

-
-
-
-

- IP20 Rating
- 6500K COOL WHITE
- 2Hrs On Max
- USB Charged
- STRONG Magnet
- POWER BANK

2
LIGHT MODES

-
-
-
-

3W INSPECTION HEAD TORCH WITH MOTION SENSOR

Cat No.	Lumens	Battery Life	Battery Charge Time
LILH15P65	150	3-20 hours	2.5 hours

MOTION SENSOR CONTROL

IP20 Rating

6500K COOL WHITE

USB Charged


GREEN FINISH



4 LIGHT MODES

MOTION SENSOR CONTROL

FEATURES



5W FLEXIBLE TORCH WITH MOTION SENSOR

- Switch or PIR motion sensing on/off function for hands free operation
- Wide light beam angle
- Type-C USB rechargeable – 1200mA battery
- Durable & Lightweight
- 4 Lighting settings
- Working time: 3-6 hours
- Charging time: 3.5 hours

Cat No.	Lumens	Battery Life	Battery Charge Time
LILHF35P65	350+150lm	3-6 hours	3.5 hours



5W LED

6500K COOL WHITE

3Hrs On Max

USB Charged




30W FOLDABLE COMPACT WORK LIGHT

WITH 13A POWER SOCKET

- LED work light with foldable stand and cable storage
- IP54 with UK socket
- Material: aluminium body & plastic frame
- Beam angle: 110°
- Separate On/Off socket and light switch
- With 1.5m H05RN-F 3G1.5mm² cable and plug

Cat No.	Lumens	Wattage	Lifespan
EFLDS30B50UK	2400	30W	25,000 hours

Dimensions: 205mm x 277mm





10W MULTIFUNCTIONAL CAGE WORK LIGHT

RECHARGABLE

- 360° handheld lamp with tripod
- Metal cage protection net around the lamp
- 2 light modes – 600lm work light & 80lm top torch
- Including hook, hidden in tripod leg
- Battery: 3.7V 3000mAh 18650 Li-ion rechargeable battery
- Working time: 7-8 hours for torch light, 2-3 hours for work light
- With USB input 5V 1A max
- Including 60cm USB cable, stored in tripod

Cat No.	Lumens	Battery Life	Battery Charge Time
LILTP60S65	600	2-3 hours	3.5 hours

Dimensions: 90mm x 360mm



2
LIGHT
MODES




2
LIGHT
MODES



9W MINI CLAMP WORK LIGHT

RECHARGEABLE

- Portable work light with with heavy duty clamp, stand and carry handle
- Robust polycarbonate construction for increased durability
- Supplied with USB charging cable
- 2hr battery duration at full output
- 2 Mode Weather Proof Power Switch
- 360° Rotation and 180° Vertical Adjustment



Cat No.	Lumens	Battery Life	Battery Charge Time
LCWR9G60	900	2hrs at max	4 hours

Dimensions: 189mm x 264mm

15W CLAMP WORK LIGHT

RECHARGEABLE

- Portable work light with with heavy duty clamp, stand and carry handle
- Robust polycarbonate construction for increased durability
- Supplied with charging adaptor
- 4hr battery duration at full output – 100%, 50%, OFF Power Button
- 2 Mode Weather Proof Power Switch
- 360° Rotation and 180° Vertical Adjustment



Cat No.	Lumens	Battery Life	Battery Charge Time
LCWR13G60	1300	4hrs at max	5 hours

Dimensions: 189mm x 304mm



2
LIGHT
MODES



**66W HERCULOUS OPEN AREA
HIGH OUTPUT WORK LIGHT**
WITH 13A POWER SOCKET

- 2 working light modes
- USB-A and USB-C socket entry
- UK Socket input for on-site power extension
- Storable 3m HO7RN-F 3C 1.5mm cable with UK plug
- Easy grip carry handle and hanging hook


Cat No.	Lumens	Wattage	Battery Charge Time
LWHA070G65UK	7150	66W	20,000 hours

Dimensions: 200mm x 277mm





2
LIGHT
MODES




7.5W COMPACT MAGNETIC USB WORK LIGHT
RECHARGEABLE

- Compact design with stand/carry handle, hook and magnetic function
- USB charging port and charging indicator
- High and low power modes
- 2 mode Weatherproof power switch
- Toughened IK07 ABS constructed body with rubber trim for added protection

Cat No.	Lumens	Battery Life	Battery Charge Time
LWR7G65	750	3/10 hours	3 hours

Dimensions: 116mm x 130mm



SINGLE SOURCE COB LED - NO MULTI SHADOWING



3X LIGHT MODE SWITCH




3
LIGHT
MODES

10W MAGNETIC WORK LIGHT
RECHARGEABLE

- Portable work light with magnetic function, stand and carry handle
- Robust polycarbonate construction for increased durability
- Supplied with charging adaptor
- 3hr battery duration at full output
- Variable light output and flashing mode
- 180° Vertical Adjustment

Cat No.	Lumens	Battery Life	Battery Charge Time
LMWR10C65	1000	3/10 hours	4 hours

Dimensions: 127mm x 209mm



SUPER EFFICIENT
110LM/W
PERFORMANCE



20, 30 & 50W CASTRA SLIMLINE WORK LIGHT

IP65 WEATHER PROOF

- Comfortable carry grip handle
- Corrosion resistance die cast aluminium housing
- 2m of H05RN-F rubber cable
- Tempered frosted glass - high strength, low glare
- Sturdy steel stand



Cat No.	Lumens	Wattage	Lifespan
LSW20G250	2200	20W	30,000 hours
LSW30G250	3300	30W	30,000 hours
LSW50G250	5500	50W	30,000 hours

LSW20G250
Dimensions: 176mm x 211mm

LSW30G250
Dimensions: 193mm x 222mm

LSW50G250
Dimensions: 230mm x 268mm



2
LIGHT
MODES



IP20
Rating

6500K
COOL
WHITE

2.5Hrs
On Max

STRONG
Magnet

10W

USB
Charged


10W USB C RECHARGEABLE HIGH OUTPUT INSPECTION TORCH

INSPECTION TORCH

- Multi fixing – 360 degree folding hook and tilting magnetic base
- 2 working light modes and red flashing beacon
- Durable hard wearing housing
- Supplied with USB-C cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILW100U6SUC	1000	2.5 hrs on max	Up to 5 hours charging

Dimensions: 50mm x 500mm



30,50W CASTRA TRIPOD WORK LIGHT

WEATHERPROOF

- LED portable tripod work light
- IP65 weather proof
- Corrosion resistance die cast aluminium housing
- Tempered frosted glass - high strength, low glare

Cat No.	Lumens	Wattage	Lifespan
LSWT230G350	2x3300	2x30W	30,000
LSWT250G350	2x5500	2x50W	30,000

Dimensions: 1080mm x 1710mm

SUPER EFFICIENT
110LM/W
PERFORMANCE



5000K
NEUTRAL
WHITE



LIGHT & POWER

LED Worklight Extension Reel

NOW AVAILABLE
FROM YOUR LOCAL
ELECTRICAL WHOLESALER

Light up your workspace with our PRO-XT LED Extension Reel; providing both light and power for heavy duty applications with a 5W 550lm LED light. The 4 power sockets with switch give you power control where you are working. The LED reel is fitted with 5m of cable with a handy store. You will never have insufficient light or power again.



For more information contact Sales on:
Tel: 01952 238 100 Email: sales@bgelectrical.co.uk Web: www.bgelectrical.co.uk
BG Electrical Ltd. Stafford Park 1, Telford, Shropshire TF3 3BD.



BG is a registered trademark and member of the Luceco plc group of companies.

www.masterplug.com

LUCECO

L I G H T I N G

UK

HEAD OFFICE

Email: info@luceco.com
Luceco plc, Caparo House,
103 Baker Street, London
England, W1U6LN

DISTRIBUTION CENTRE:

Tel: +44 (0) 1952 238 100
Email: uk_sales@luceco.com
Luceco plc
Luceco Distribution Centre
Stafford Park 1, Telford
Shropshire, England, TF3 3BD

ITALY:

Tel: +39 0434 1696795
Email: it_sales@luceco.com
Luceco Southern Europe,
S.L. Via Amman 10
33170 Pordenone, Italy

SPAIN:

Tel: +34 93 829 55 75
Email: es_sales@luceco.com
Luceco Southern Europe,
S.L. C/ Bobinadora 1 Local 7
08302 Mataró
Barcelona (SPAIN)

MIDDLE EAST:

Tel: +971 4 609 1867
Email: mea_sales@luceco.com
Luceco Middle East FZCO
Bldg. 5EB, Office 342
PO Box 371128, DAFZA
Dubai, UAE

ASIA PACIFIC

JIAXING:

Tel: +86 (0) 573 8357 0200
Email: asia_sales@luceco.com
No 1438, Jiachuang Road
Xiuzhou Industrial Park, Jiaxing
Zhejiang, China, P.C. 314031

MEXICO & LATIN AMERICA:

Tel: + 52 (81) 4737 0765
Email: ventas@luceco.com
Luceco México
Av. Lázaro Cardenas #318 int 201, Col Real
San Agustín, San Pedro Garza García
N.L. México CP 66278
(Torre MX, Piso #2, Oficina 201)

TECHNICAL SUPPORT:

Tel: 0330 0249 279
Email: technical@luceco.com
Lines open Monday to Friday
8.30am to 5pm, with answer
phone service outside
these hours.

LUCECO
G R O U P

