

:

Safety Data Sheet according to Regulation (EC) No. 453/2010

Date of issue: 13/01/2015 Revision date:

Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: P&G Professional Deepio power degreaser
Product code	: PA00186821
Product group	: Trade product
1.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Function or use category	: Washing and cleaning products (including solvent based products)
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the same	afety data sheet
Procter & Gamble UK Brooklands, Weybrid	
Tel: 01932 896000 Fax: 01932 896200	
Professional: customerservice@pgprof.cor	n
1.4. Emergency telephone number	
Emergency number	: (UK) Emergency Tel: 0800 328 8304(IRL) Emergency Tel: 1800 509 497
SECTION 2: Hazards identificati	on
2.1. Classification of the substance	
Classification according to Directive 67/ Xi; R36/38 Full text of R-phrases: see section 16 Adverse physicochemical, human healt No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) Hazard pictograms (CLP)	
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (CLP)	 P102 - Keep out of reach of children P101 - If medical advice is needed, have product container or label at hand P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P302+P352 - IF ON SKIN: Wash with plenty of water P260 - Do not breathe spray
2.3. Other hazards	
Other hazards not contributing to the classification	: No presence of PBT and vPvB ingredients.
SECTION 3: Composition/inform	hation on ingredients
3.1. Substance	
Not applicable	
13/01/2015	EN (English)

Safety Data Sheet according to Regulation (EC) No. 453/2010

3.2. Mixture				
Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium C14-17 Alkyl Sec Sulfonate	(CAS No) 85711-69-9 (EC no) 288-330-3	10 - 20	Xi; R41 Xi; R38	Skin Irrit. 2, H315 Eye Dam. 1, H318
Tetrapotassium Pyrophosphate	(CAS No) 7320-34-5 (EC no) 230-785-7	5 - 10	Xi; R36	Eye Irrit. 2, H319
Sodium Cumenesulfonate	(CAS No) 15763-76-5 (REACH-no) 01-2119489411-37	5 - 10	Xi; R36	Eye Irrit. 2, H319
Butyloctanol	(CAS No) 3913-02-8 (EC no) 223-470-0	< 1	N; R50	Aquatic Acute 1, H400

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get immediate medical advice/attention. Discontinue use of product.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/injuries after inhalation	: Coughing. sneezing. Headache. Drowsiness. Dizziness. Shortness of breath.
Symptoms/injuries after skin contact	: Redness. Swelling. dryness. Itching.
Symptoms/injuries after eye contact	: Pain. Redness. Swelling.
Symptoms/injuries after ingestion	: Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.
4.3. Indication of any immediate medical	attention and special treatment needed
Refer to section 4.1.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: No fire hazard. Non combustible.
Explosion hazard	: Product is not explosive.
Reactivity	: No dangerous reactions known.
5.3. Advice for firefighters	
Firefighting instructions	: No specific firefighting instructions required.
Protection during firefighting	: In case of inadequate ventilation wear respiratory protection.
SECTION 6: Accidental release meas	
6.1. Personal precautions, protective equ	
6.1.1. For non-emergency personnel	Wear autable glaves and avallace protection
Protective equipment	: Wear suitable gloves and eye/face protection.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable gloves and eye/face protection.
6.2. Environmental precautions	
Consumer products ending up down the drain aft	er use. Prevent soil and water pollution. Prevent spreading in sewers.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Scoop absorbed substance into closing containers.
Methods for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	
Refer to Sections 8 and 13.	

Safety Data Sheet according to Regulation (EC) No. 453/2010

SECTION 7: Handling and sto	rage
7.1. Precautions for safe handlin	ng sa
Precautions for safe handling	: Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood.
7.2. Conditions for safe storage,	including any incompatibilities
Storage conditions	: Store in original container. Refer to section 10.
Incompatible products	: Refer to section 10.
Incompatible materials	: Not applicable.
Prohibitions on mixed storage	: Not applicable.
Storage area	: Store in a cool area. Store in a dry area.
7.3. Specific end use(s)	
Cleaning/washing agents and additives.	

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

National limit values 8.1.1.

No additional information available

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Tetrapotassium Pyrophosphate (7320-34-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation 44.08 mg/m ³	
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	10.87 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.05 mg/l
PNEC aqua (marine water)	0.005 mg/l
PNEC aqua (intermittent, freshwater)	0.5 mg/l
PNEC (STP)	
PNEC sewage treatment plant	50 mg/l
Sodium Cumenesulfonate (15763-76-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	7.6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation 53.6 mg/m ³	
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	3.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	13.2 mg/m ³
Long-term - systemic effects, dermal	3.8 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.23 mg/l
PNEC aqua (intermittent, freshwater)	2.3 mg/l
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

8.2. **Exposure controls**

8.2.1. Appropriate engineering controls Not applicable.

:

8.2.2.	Personal protective equipment Protective personal equipment only required	in ca	ase of professional use or for large packs (not for household packs).
	Hand protection	:	Wear suitable gloves.
	Eye protection	:	Wear eye/face protection.
	Skin and body protection	:	Not applicable.
	Respiratory protection	:	Not applicable.

8.2.3. Environmental exposure controls

Not available

Safety Data Sheet according to Regulation (EC) No. 453/2010

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1.

Property	Value	Unit	Test method/Notes	
Appearance	Liquid.			
Physical state	Liquid			
Colour	Coloured.			
Odour	pleasant (perfume).			
Odour threshold	No data available			
рН	11.3			
Melting point	No data available			
Freezing point	No data available	No data available		
Boiling point	No data available			
Flash point	≥ 60	°C		
Relative evaporation rate (butylacetate=1)	No data available			
Flammability (solid, gas)	No data available			
Explosive limits	No data available			
Vapour pressure	No data available			
Relative density	No data available			
Solubility	Soluble in water.	•		
Log Pow	No data available			
Auto-ignition temperature	No data available			
Decomposition temperature	No data available			
Viscosity	1	сР		
Explosive properties	No additional information available			
Oxidising properties	No additional information available			

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
No dangerous reactions known.	No dangerous reactions known.		
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
Refer to section 10.1 on Reactivity.			
10.4. Conditions to avoid			
Not required for normal conditions of use.			
10.5. Incompatible materials			
Not applicable.			
10.6. Hazardous decomposition products			
None under normal use.			
SECTION 11: Toxicological information	on		
11.1. Information on toxicological effects			
Acute toxicity : Not classified			
P&G Professional Deepio power degreaser			
LD50 oral calculated	> 2000 mg/kg		
Tetrapotassium Pyrophosphate (7320-34-5)			
LD50 oral rat	2440 mg/kg bodyweight		

> 2000 mg/kg bodyweight //OECD 402

LD50 dermal rabbit LC50 inhalation rat (mg/l)

> 1.1 mg/l/4h OECD 403

Safety Data Sheet according to Regulation (EC) No. 453/2010

Tetrapotassium Pyrophosphate (7320-34-5)	
ATE CLP (oral)	2440 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium Cumenesulfonate (15763-76-5)	
LD50 oral rat	7000 mg/kg OECD 401
LD50 dermal rabbit	2001 mg/kg OECD 402
LC50 inhalation rat (mg/l)	6.41 mg/l/4h
ATE CLP (oral)	7000 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
ATE CLP (vapours)	6.410 mg/l/4h
ATE CLP (dust,mist)	6.410 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation. pH: 11.3
Serious eye damage/irritation	: Causes serious eye irritation. pH: 11.3
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Mutagenicity: based upon available data of the substances, classification criteria are not met. Irritation: based upon available preparation data and bridging principles, classification criteria are not met.
Other information	: Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.
SECTION 12: Ecological information	

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Tetrapotassium Pyrophosphate (7320-34-5)		
LC50 fishes 1	> 100 mg/l OECD 203; Oncorhynchus mykiss	
LC50 other aquatic organisms 1	> 1000 mg/l OECD 209	
EC50 Daphnia 1	> 100 mg/l Daphnia magna	
ErC50 (algae)	> 100 mg/l OECD 201; Desmodesmus subspicatus	
NOEC chronic crustacea	1000 mg/l OECD 209	
NOEC chronic algae	> 100 mg/I OECD 201; Desmodesmus subspicatus	
Sodium Cumenesulfonate (15763-76-5)		
LC50 fishes 1	> 1000 mg/l Oncorhynchus mykiss	
LC50 other aquatic organisms 1 > 1000 mg/l OECD 209		
EC50 Daphnia 1	nia 1 > 1000 mg/l Daphnia magna	
ErC50 (algae)	230 mg/l Pseudokirchnerella subcapitata	
NOEC chronic algae	31 mg/l	

12.2. Persistence and degradability

Sodium Cumenesulfonate (15763-76-5)		
Persistence and degradability The substance is biodegradable. Unlikely to persist.		
BOD (% of ThOD)	103 % ThOD OECD 301 B
12.3.	Bioaccumulative potential	

Safety Data Sheet according to Regulation (EC) No. 453/2010

Tetrapotassium Pyrophosphate (7320-34-5)		
Bioaccumulative potential	Not measured.	
Sodium Cumenesulfonate (15763-76-5)		
Log Pow	-1.1 OECD 107; 23 C; pH 6.9-7.2	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).	
12.4. Mobility in soil		

Tetrapotassium Pyrophosphate (7320-34-5)	
Mobility in soil	149
2.5. Results of PBT and vPvB assessment	
P&G Professional Deepio power degreaser	
Results of PBT assessment	No presence of PBT and vPvB ingredients
Component	
Ethanolamine (141-43-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Tetrapotassium Pyrophosphate (7320-34-5)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
Sodium Cumenesulfonate (15763-76-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects Other information

: No other effects known.

SECT	ON 13: Disposal considerations	
13.1.	Waste treatment methods	
13.1.1.	Regional legislation (waste)	: Disposal must be done according to official regulations.
13.1.2	Disposal recommendations	 The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.
13.1.3	EURAL Waste code product	 20 01 29* - detergents containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECT	ION 14: Transport information
14.1.	UN number
Not app	licable
14.2.	UN proper shipping name
Not app	licable
14.3.	Transport hazard class(es)
Not app	licable
14.4.	Packing group
Not app	licable
14.5.	Environmental hazards
Not app	licable
14.6.	Special precautions for user
Not app	licable
14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not app	licable

SECTIO	ON 15: Regulatory information	
Ingredien	t label :	5-15% Anionic surfactants, Phosphates; <5% Soap.
15.1.	Safety, health and environmental regu	lations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Contains no substance on the REACH candidate list

Safety Data Sheet according to Regulation (EC) No. 453/2010

CESIO recommendations	: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteri as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
15.1.2. National regulations No additional information available	
15.2. Chemical safety assessment	
No chemical safety assessment has been ca	arried out
SECTION 16: Other information	
16.1. Indication of changes	
Indication of changes	: Not applicable
10.0 Abbreviations and consume	
16.2. Abbreviations and acronyms	
No additional information available	
16.3. Classification and procedure us	sed to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]
Classification according to Regulation ((EC) No. 1272/2008 [CLP] classification procedure
Skin Irrit. 2	Calculation method
Eye Irrit. 2	On basis of test data
,	On basis of test data tatements (number and full text) for mixture and substances
,	tatements (number and full text) for mixture and substances
16.4. Relevant R-phrases and/or H-sta	
16.4. Relevant R-phrases and/or H-sta Aquatic Acute 1	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1
16.4. Relevant R-phrases and/or H-state Aquatic Acute 1 Eye Dam. 1	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1
16.4. Relevant R-phrases and/or H-state Aquatic Acute 1 Eye Dam. 1 Eye Irrit. 2 Eye Irrit. 2	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2
16.4. Relevant R-phrases and/or H-state Aquatic Acute 1 Eye Dam. 1 Eye Irrit. 2 Skin Irrit. 2	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation, Category 2
Relevant R-phrases and/or H-sta Aquatic Acute 1 Eye Dam. 1 Eye Irrit. 2 Skin Irrit. 2 H315	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation, Category 2 Causes skin irritation
16.4.Relevant R-phrases and/or H-staAquatic Acute 1Eye Dam. 1Eye Irrit. 2Skin Irrit. 2H315H318H319H400	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation, Category 2 Causes skin irritation Causes serious eye damage Causes serious eye irritation Very toxic to aquatic life
16.4.Relevant R-phrases and/or H-staAquatic Acute 1Eye Dam. 1Eye Irrit. 2Skin Irrit. 2H315H318H319H400R36	Interview of the advance of the advanc
16.4.Relevant R-phrases and/or H-staAquatic Acute 1Eye Dam. 1Eye Irrit. 2Skin Irrit. 2H315H318H319H400R36R36/38	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation, Category 2 Causes skin irritation Causes serious eye damage Causes serious eye damage Causes serious eye damage Irritation Very toxic to aquatic life Irritating to eyes Irritating to eyes and skin
16.4.Relevant R-phrases and/or H-staAquatic Acute 1Eye Dam. 1Eye Irrit. 2Skin Irrit. 2H315H318H319H400R36R36/38R38	Interview of the second secon
Instruction Relevant R-phrases and/or H-state Aquatic Acute 1 Eye Dam. 1 Eye Irrit. 2 Skin Irrit. 2 H315 H318 H319 H400 R36 R36/38 R38 R41	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation, Category 2 Causes skin irritation Causes serious eye damage Causes serious eye damage Causes serious eye damage Causes serious eye damage Causes serious eye irritation Very toxic to aquatic life Irritating to eyes and skin Irritating to skin Risk of serious damage to eyes
16.4. Relevant R-phrases and/or H-state Aquatic Acute 1 Eye Dam. 1 Eye Irrit. 2 Skin Irrit. 2 H315 H318 H319 H400 R36 R36/38 R38 R41 R50 Radia and acute an	Latements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation, Category 2 Causes skin irritation Causes serious eye damage Irritation Very toxic to aquatic life Irritating to eyes Irritating to eyes and skin Irritating to skin Risk of serious damage to eyes Very toxic to aquatic organisms
16.4. Relevant R-phrases and/or H-state Aquatic Acute 1 Eye Dam. 1 Eye Irrit. 2 Skin Irrit. 2 H315 H318 H319 H400 R36 R36/38 R38 R41	tatements (number and full text) for mixture and substances Hazardous to the aquatic environment — AcuteHazard, Category 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Skin corrosion/irritation, Category 2 Causes skin irritation Causes serious eye damage Irritation Very toxic to aquatic life Irritating to eyes and skin Irritating to skin Risk of serious damage to eyes

16.6. **Further information**

Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex V

SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product