

2025/2



**PROMOTION VALID FROM
01/09/2025 TO 28/02/2026**

All Prices Exclude VAT - Subject to availability

Beta Worker is the tool line designed to cater to professionals' requirements, providing essential, functional solutions, based on an excellent quality/price ratio.

100%
MADE
By
Beta

BETA'S NEW RATCHET



The range has been further improved, thus reaching increasingly high quality standards, based on the introduction of **BETA'S NEW RATCHET** into the assortments. Manufactured in Beta's Italian-based factories, the ratchet stands out for its high performance and new design with bent lever and ergonomic handle. These hallmarks ensure comfort and ease of use everywhere, including in small spaces.

100%
MADE
By
Beta

Furthermore, the range of mobile roller cabs complete with assortments has become even more unique, following the introduction of **BETA'S ICONIC WRENCH**, ART. 42, to provide the best possible solutions in terms of both quality and performance.

BETA'S ICONIC WRENCH



INDEX

BITS AND TOOL WALLET



3-4

CASES WITH SOCKETS



4-9

TOOL CASES, TOOL BOXES AND TROLLEYS



10-19

TROLLEYS AND MOBILE ROLLER CABS WITH ASSORTMENTS



20-37

ASSORTMENT C45PRO 2.0



38

012566122

4 mm

BW 1256/C21-1

Set of 21 bits with magnetic bit holder, in plastic case

X
22

£15.00



⬮	BW 1256LP	1,5-2-2,5 mm
⬮	BW 1256PH	PH0-PH1
⬮	BW 1256PZ	PZ0-PZ1
⬮	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⬮	BW 1256TX	T4-T5-T6-T7
⬮	BW 1256RTX	T8-T10-T15
4 mm		99 mm

008606992

1/4

BW 860EA/31

Set of 30 bits with magnetic bit holder, in plastic case

X
31

£17.00



⬮	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
⬮	BW 861PH	1-2-3
⬮	BW 861PZ	1-2-3
⬮	BW 861PE	2-3-4-5-6-8 mm
⬮	BW 861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
⬮	BW 861PQ	1-2-3 mm
	BW 882M1	⬮ 1/4 - ⬮ 1/4

008616961

1/4

BW 861/C61

Set of 60 bits with magnetic bit holder, in pocket-size case

X
61

£27.00



⬮	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
⬮	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
⬮	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
⬮	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⬮	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	⬮ 1/4 - ⬮ 1/4

008616998

1/4

861/C100

Set of 98 bits with 2 bit holders, in case

X
100

£43.00



⬮	861LP	3-4-4,5-5,5(x3)-6,5(x2)-8(x2) mm
⬮	861PH	PH0(X2)-PH1(X3)-PH2(X3)-PH3(X2)-PH4
⬮	861PZ	PZ1(X3)-PZ2(X3)-PZ3(X2)-PZ4
⬮	861PE	2-2,5(x2)-3(x2)-4(x2)-5(x2)-6(x2)-8-10 mm
⬮	861TX	T6-T7-T8-T9-T10(X2)-T15-T20(X2)-T25(X2)-T27-T30(X2)-T40(X2)
⬮	861RTX	T6-T7-T8-T10-T15-T20-T25-T27-T30-T40
⬮	861XZN	M5-M6-M8
⬮	861TQS	0-1-2-3-4-5-6-8-10
⬮	861TRW	1-2-3-4-5-6
⬮	861SP	4-6-8-10-12
⬮	861SQ	0-1(x2)-2(x2)-3
		⬮ - ⬮ (X2)

020026920

BW 2002/B20
Fabric roll-up tool wallet,
with assortment of 20 tools

NEW

**X
20**



£54.00

600x300 mm

	BW 42		7-8-10-13-17-19 mm
	BW 96/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1150BM		180 mm
	1201E		0,8x4x100 mm
	1202E		PH1x80 - PH2x100 mm
	BW 1128BMX		150 mm

009036142

BW 903E/C42
Assortment of 13 hexagon sockets,
18 bits, 4 offset hexagon key wrenches
and 7 accessories, in plastic case

**X
42**



£41.00

190x160x60 mm

	BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55		125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/42		115 mm
	BW 900/30		150 mm
	BW 96		1,3-1,5-2-2,5 mm
	BW 895/1		□ 1/4 - ○ 1/4
	BW 861LP		0,6x4-0,8x5,5-1,2x6,5 mm
	BW 861PH		PH1-PH2-PH3
	BW 861PZ		PZ1-PZ2-PZ3
	BW 861PE		3-4-5-6 mm
	BW 861TX		T10-T15-T20-T25-T30

009136133

BW 913E/C33
Assortment of 28 hexagon sockets
and 5 accessories, in plastic case

**X
33**

	BW 910A		6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
	BW 910AL		8-9-10-12-13-14-17-19 mm
	BW 956C		16 mm (5/8") 21 mm (13/16")
	910E/55		204 mm
	BW 910/25		
	BW 910/20		75 mm
	BW 910/22		150 mm
	BW 920/15F		□ 1/2" - ■ 3/8"

£56.00

285x210x84 mm



009236125

BW 923E/C25
Assortment of 20 hexagon sockets
and 5 accessories, in plastic case

**X
25**

	BW 920A		8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
	920E/55		267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F		□ 3/8" - ■ 1/2"

£68.00

285x210x84 mm



009236028 **1/2"**

BW 923E-PE/C18

Assortment of 18 sockets drivers
for hexagon screws, in plastic case

£60.00

X
18



285x210x84 mm

	BW 920PE	○ 4-5-6-7-8-10-12-14-17-19 mm
	BW 920PE-L	○ 4-5-6-7-8 mm
	BW 920PE-XL	○ 10-12-14 mm

009236018 **1/2"**

BW 923E-TX/C18

Assortment of 18 sockets drivers
for Torx® head screws, in plastic case

£54.00

X
18



285x210x84 mm

	BW 920TX	⊗ T20-T25-T27-T30-T40-T45-T50-T55-T60-T70
	BW 920TX-L	⊗ T20-T25-T27-T30-T40
	BW 920TX-XL	⊗ T45-T50-T55

009236017 **1/2"**

BW 923E-FTX/C17

Assortment of 17 hand sockets
for Torx® head screws, in plastic case

£38.00

X
17



285x210x84 mm

	BW 920FTX	⊗ E10-E12-E14-E16-E18-E20-E22-E24
	BW 920TX	⊗ T20-T25-T27-T30-T40-T45-T50-T55-T60

009286017 **3/4"**

BW 928E/C17

Assortment of 12 hexagon sockets
and 5 accessories, in plastic case

X
17

£186.00



555x370x92 mm

	BW 928A	○ 22-24-27-30-32-34-36-38-41-46-50-55 mm
	BW 928/55	⊗ 500 mm
	BW 928/25	
	BW 928/21	100 mm
	BW 928/22	200 mm
	BW 928/42	455 mm

009036198 **1/4"** **1/2"**

BW 903E/C98

Assortment of 45 hexagon sockets,
35 bits, 4 offset hexagon key
wrenches and 14 accessories,
in plastic case

£115.00

X
98



375x295x84 mm

	BW 900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○ 6-7-8-9-10-11-12-13 mm
	900E/55	⊗ 125 mm
	BW 900/25	
	BW 900/20	50 mm
	BW 900/20L	100 mm
	BW 900/30	150 mm
	BW 900/42	115 mm

	BW 920A	○ 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	BW 920AL	○ 14-15-17-19-22 mm
	BW 956C	○ 16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗ 267 mm
	BW 920/25	
	BW 920/21	125 mm
	BW 920/22	250 mm

	BW 910/16F	□ 3/8" - ■ 1/2"
	BW 895/6	□ 1/2" - ○ 5/16"
	BW 895/1	□ 1/4" - ○ 1/4"
	BW 892/0	● 1/4" - ■ 1/4"
	BW 861PH	⊗ PH1-PH2
	BW 861PZ	⊗ PZ1-PZ2
	BW 861PE	○ ⊗ 3-4-5-6 mm
	BW 861LP	⊗ 0,6x4-0,8x5,5-1,2x6,5 mm
	BW 861TX	⊗ T10-T15-T20-T25-T27-T30
	BW 866LP	⊗ 1,6x8-1,6x10-2,0x12 mm
	BW 866PH	⊗ PH3-PH4
	BW 866PZ	⊗ PZ3-PZ4
	BW 866PE	○ ⊗ 7-8-10-12-14 mm
	BW 866TX	⊗ T40-T45-T50-T55-T60-T70
	BW 96	○ 1,3-1,5-2-2,5 mm

009036070 **1/4" 3/8" 1/2"**

BW 903E/C170

Assortment of 74 hexagon sockets, 42 bits, 30 socket drivers, 7 offset hexagon key wrenches and 17 accessories, in plastic case

X
170

£195.00

453x375x90 mm



1/4"

	BW 900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○	4-5-6-7-8-9-10 mm
	900E/55	⊗	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	BW 900/42		115 mm
	BW 900FTX	⊗	E4-E5-E6-E7-E8
	BW 900LP	●	0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm
	BW 900PH	⊕	PH0-PH1-PH2
	BW 900PZ	⊕	PZ0-PZ1-PZ2
	BW 900ME	○	3-4-5-6 mm
	BW 900TX	⊗	T08-T09-T10-T15-T20-T25-T27-T30
	BW 900RTX	⊗	T08-T09-T10-T15-T20-T25-T27-T30

3/8"

	BW 910A	○	10-11-12-13-14-15-16-17-18-19 mm
	BW 910AL	○	10-11-12-13-14-15 mm
	BW 910FTX	⊗	E10-E11-E12-E14-E16
	BW 956E	○	18 mm (11/16")
	910E/55	⊗	204 mm
	BW 910/25		
	BW 910/22		150 mm

1/2"

	BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	BW 920AL	○	16-17-18-19-22 mm
	BW 920FTX	⊗	E18-E20-E24
	BW 956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F	□ 3/8" - ■ 1/2"	

	BW 96	○	0,9-1,5-2-2,5-3-4-5 mm
	BW 895/4	□ 3/8" - ○ 5/16"	
	BW 895/6	□ 1/2" - ○ 5/16"	
	BW 895/1	○ 1/4" - □ 1/4"	
	BW 892/0	● 1/4" - ■ 1/4"	
	BW 861RTX	⊗	T9-T10-T15-T20-T25-T27-T30-T40
	BW 861TX	⊗	T6-T7-T8
	BW 861RIBE	⊗	7-8-9 mm
	BW 861XZN	○	5-6-8 mm
	BW 866LP	●	1,6x8-1,6x10-2,0x12 mm
	BW 866PH	⊕	PH3-PH4
	BW 866PZ	⊕	PZ3-PZ4
	BW 866PE	○	7-8-10-12-14 mm
	BW 866TX	⊗	T40-T45-T50-T55-T60-T70
	BW 866RTX	⊗	T40-T45-T50-T55-T60-T70

020466316 **1/2" 1/4"**

BW 2046E/C116

Tool case with assortment of 116 general maintenance tools, in plastic case

X
116

£186.00

453x375x90 mm



1/4"

	BW 900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○	6-7-8-9-10-11-12-13 mm
	900E/55	⊗	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	BW 900/42		115 mm

1/2"

	BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	BW 920AL	○	14-15-17-19-22 mm
	BW 956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F	□ 3/8" - ■ 1/2"	
	BW 895/6	□ 1/2" - ○ 5/16"	

	BW 895/1	□ 1/4" - ○ 1/4"	
	BW 892/0	● 1/4" - ■ 1/4"	
	BW 861PH	⊕	PH1-PH2
	BW 861PZ	⊕	PZ1-PZ2
	BW 861PE	○	3-4-5-6 mm
	BW 861LP	●	0,6x4-0,8x5,5-1,2x6,5 mm
	BW 861TX	⊗	T10-T15-T20-T25-T27-T30
	BW 866LP	●	1,6x8-1,6x10-2,0x12 mm
	BW 866PH	⊕	PH3-PH4
	BW 866PZ	⊕	PZ3- PZ4
	BW 866PE	○	7-8-10-12-14 mm
	BW 866TX	⊗	T40-T45-T50-T55-T60-T70
	BW 42	⊗	7-8-9-10-11-12-13-14-15-16-17-18-19 mm
	BW 96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm

020476308 1/4" 12"

BW 2047E/C108

Tool case with assortment
of 108 general maintenance tools,
in plastic case

£233.00



555x370x92 mm

X
108

1/4"

	BW 900	○	4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm
	900E/55	⊗	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	BW 900/42		115 mm

BW 860EA/31

●	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
+	BW 861PH	1-2-3
+	BW 861PZ	1-2-3
○	BW 861PE	2-3-4-5-6-8 mm
⊗	BW 861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
○	BW 861PQ	1-2-3 mm
○	BW 882M1	○ 1/4 - ● 1/4



12"

	BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	BW 956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F		□ 3/8" - ■ 1/2"

	BW 895/1	□ 1/4" - ○ 1/4"
	BW 42	⊗ 7-8-9-10-11-12-13-14-15-16-17-18-19 mm
	BW 96/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1048	250 mm
	BW 1082BM	160 mm
	BW 1150BM	180 mm
	BW 1166BM	160 mm
	1201E	3x75-4x100-5,5x125 6,5x150mm
	1202E	PH1-PH2
	BW 1370	300 g

020546011 1/4"

BW 2054E-100

Tool case with assortment
of 100 GENERAL MAINTENANCE TOOLS
• Integrated soft foam tray

£220.00

400x300x140 mm



X
100



	BW 42	⊗ 6-7-8-9-10-11-12-13-14-15-16-17-19 mm
	BW 96BPC/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1048	250 mm
	BW 1082BM	160 mm
	BW 1150BM	180 mm
	BW 1166BM	160 mm
	1201E	3x75-5,5x100-6,5x150 mm
	1202E	PH0x60-PH1x80-PH2x100 mm
	BW 1253	3,5x100 mm
	BW 1370	300 g
	BW 1692/3	3 m
	1770A	9 mm
	BW 1770RL	10x
	BW 1778SCL	170 mm
	BW 1725CR	150 mm

BW 860EA/31

●	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
+	BW 861PH	1-2-3
+	BW 861PZ	1-2-3
○	BW 861PE	2-3-4-5-6-8 mm
⊗	BW 861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
○	BW 861PQ	1-2-3 mm
○	BW 882M1	○ 1/4 - ● 1/4



1/4"

	BW 882P/80	○ 1/4 - ● 1/4
	BW 895/1	□ 1/4 - ○ 1/4
	BW 900	○ 4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm
	BW 900/20	50 mm
	BW 900/20L	100 mm
	BW 900/25	
	BW 900/30	150 mm
	BW 900/42	115 mm
	900E/55	⊗ 125 mm

020546012 1/4" 3/8"

BW 2054E-128
Tool case with assortment
of 128 GENERAL MAINTENANCE TOOLS
• Integrated soft foam tray


£254.00

BW 860EA/31 1/4"

●	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
+	BW 861PH	1-2-3
+	BW 861PZ	1-2-3
○	BW 861PE	2-3-4-5-6-8 mm
⊗	BW 861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
○	BW 861PQ	1-2-3 mm
○	BW 882M1	○ 1/4 - ● 1/4

BW 1256/C21-1 4 mm

●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm

	BW 42	7-8-9-10-11-12-13-14-15-16-17-19 mm
	BW 96BPC/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1048	250 mm
	BW 1082BM	160 mm
	BW 1150BM	180 mm
	BW 1166BM	160 mm
	1201E	● 3x75-5,5x100-6,5x150 mm
	1202E	⊕ PH0x60-PH1x80-PH2x100 mm
	BW 1128BMX	150 mm
	BW 1370	300 g
	BW 1692/3	3 m
	1771	18 mm
	BW 1771RL	10x
	BW 1833S	105 mm Batteries: 1xAA (not included)

1/4"

	BW 895/1	○ 1/4 - □ 1/4
	BW 900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm
	BW 900/20L	100 mm
	BW 900/25	
	BW 900/30	150 mm
	BW 900/42	115 mm
	900E/55	⊗ 125 mm

3/8"

	BW 910A	○ 14-15-17-18-19-22-24 mm
	BW 910/22	150 mm
	BW 910/25	
	910E/55	⊗ 204 mm
	BW 920/15F	□ 1/2" - ■ 3/8"

020546380 1/4"

BW 2054EL-106
Tool case with assortment of 106
tools for ELECTRONIC AND
ELECTROTECHNICAL MAINTENANCE
• Integrated soft foam tray

NEW

£229.00

BW 860EA/31 1/4"

●	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
+	BW 861PH	1-2-3
+	BW 861PZ	1-2-3
○	BW 861PE	2-3-4-5-6-8 mm
⊗	BW 861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
○	BW 861PQ	1-2-3 mm
○	BW 882M1	○ 1/4 - ● 1/4

	BW 96/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1253	●
	BW 1777BMT	
	BW 1772RL/2	10x
	1128FXS	145 mm
	1150MQ	180 mm
	1272MQF	⊕ PH1X80-PH2x100 mm
	1274MQF	● 0,6x3,5x100-1,0x4,5x100-1,0x5,5x125-1,2x6,5x150 mm
	BW 111	200 mm
	BW 1692/3	3 m
	1695XS	50 mm

1000 V

X
106



400x300x140 mm

BW 1256/C21-1 4 mm

●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm

1/4"

	BW 895/1	○ 1/4 - □ 1/4
	BW 900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900/20	50 mm
	BW 900/20L	100 mm
	BW 900/25	
	BW 900/30	150 mm
	BW 900/42	115 mm
	900E/55	⊗ 125 mm
	BW 882P/80	80 mm

020566000 1/4" 1/2"
BW 2056E

Tool case with assortment
of 163 GENERAL MAINTENANCE TOOLS

- Removable interior tool panel
- Integrated soft foam tray

465x330x170 mm

£331.00



020566120 1/4" 1/2"
BW 2056T/E

Tool trolley with assortment
of 163 GENERAL MAINTENANCE
TOOLS

- Adjustable telescopic handle
- Removable interior tool panel
- Integrated soft foam tray

£365.00

465x330x225 mm

**SUITCASE WITH
163 TOOLS**



	BW 42		8-9-10-11-12-13-14-15-16-17-18-19 mm		1202E		PH1x80-PH2x100 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm		1209E/PZ		PZ1x80-PZ2x100 mm
	BW 111		250 mm		BW 1128BMX		150 mm
	BW 1048		250 mm		BW 1253		3,5x100 mm
	BW 1082BM		160 mm		BW 1370		300 g
	BW 1150BM		180 mm		BW 1692/5		5 m
	BW 1166BM		160 mm		BW 1725CR		150 mm
	1201E		2,5x50-3x75-4x125-5,5x150-6,5x150-8x150 mm		1771		18 mm

1/4"		BW 895/1		1/4 - 1/4
		BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
		BW 900/20		50 mm
		BW 900/20L		100 mm
		BW 900/25		
		BW 900/30		150 mm
		BW 900/42		115 mm
		900E/55		125 mm

1/2"		BW 920A		10-11-12-13-14-15-16-17-18-19-21-22-24 mm
		BW 920/21		125 mm
		BW 920/22		250 mm
		BW 910/16F		3/8" - 1/2"
		BW 920/25		
		920E/55		267 mm

BW 861/C61 1/4"

	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	1/4 - 1/4



BW 1256/C21-1 4 mm

	BW 1256LP	1,5-2-2,5 mm
	BW 1256PH	PH0-PH1
	BW 1256PZ	PZ0-PZ1
	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
	BW 1256TX	T4-T5-T6-T7
	BW 1256RTX	T8-T10-T15
	4 mm	99 mm



020566032 1/4"
BW 2056E 12V/19P

Tool case with assortment of 147 tools
for general maintenance and 12V
ultracompact drill

- Removable interior tool panel
- Integrated soft foam tray

£365.00



X
147

	BW 42		8-9-10-11-12-13-14-15-16-17-18-19 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	BW 111		250 mm
	BW 1048		250 mm
	BW 1082BM		160 mm
	BW 1150BM		180 mm
	BW 1166BM		160 mm
	1201E		2,5x50-3x75-4x125-5,5x150-6,5x150-8x150 mm
	1202E		PH1x80-PH2x100 mm
	1209E/PZ		PZ1x80-PZ2x100 mm
	BW 1128BMX		150 mm
	BW 1253		3,5x100 mm
	BW 1370		300 g
	BW 1692/5		5 m
	BW 1725CR		150 mm
	1771		18 mm
	BW 1696		300 mm

	1972/12V-10	
	1994BL 12V-2AH	
	1994CB 12V	
	410/SEL19	Ø 1÷10x0,5 mm

1/4"		BW 895/1		1/4 - 1/4
		BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
		BW 900/20		50 mm
		BW 900/20L		100 mm
		BW 900/25		
		BW 900/30		150 mm
		BW 900/42		115 mm
		900E/55		125 mm

BW 861/C61 1/4"

	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	1/4 - 1/4



021206921 12"

BW 2120L-E/T91

Cantilever tool box with assortment of 91 general maintenance tools, made of sheet metal, integrated ABS thermoformed tray

£280.00



X
91



550x200x210 mm

12"



BW 920A	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
920E/55	267 mm
920/25	



BW 920/21	125 mm
BW 920/22	250 mm
BW 910/16F	3/8" - 1/2"
BW 1048	250 mm
1771	18 mm



BW 42	8-9-10-11-12-13-14-15-16-17-19 mm
BW 96/SC9	1,5-2-2,5-3-4-5-6-8-10 mm



1201E	2,5x50-3x75-4x100-5,5x125-6,5x150 mm
1201EN	4x30 mm



BW 860EA/31	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 895/1	1/4" - 1/4"
BW 900/30	150 mm
1202E	PH0x60-PH1x80-PH2x100 mm
1202EN	PH1x30 mm



BW 1082BM	160 mm
BW 1150BM	180 mm
BW 1166BM	160 mm

022006130

BW C22E

Portable tool chest with 3 drawers

- 3 drawers (435x210x50 mm), with ball bearing slides
- Upper compartment (505x256x60 mm)
- Front centralized lock
- Handle on lid
- Retractable side handles for ease of handling

n°	h	max
3	50 mm	5 kg

£110.00

510x268x350 mm



20 kg

022006211 12" 14"

BW 2200E/N

Portable tool chest with assortment of 159 tools, integrated soft foam tray


X
159

£353.00



510x268x350 mm

BW 1048	250 mm
BW 1128BMX	150 mm
BW 1370	300 g
BW 1692	5 m



BW 96BPC/SC9	1,5-2-2,5-3-4-5-6-8-10 mm
1201E	2,5x50-3x75-4x100-5,5x125 mm
1201EN	4x30
1202E	PH1X80-PH2X100
1202EN	PH1X30 mm
BW 1253	3,5x100 mm



BW 42	8-10-11-12-13-14-15-17-19 mm
BW 1082BM	160 mm
BW 1150BM	180 mm
1770A	9 mm
BW 1770RL	10x



BW 861/C61	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 1256/C21-1	4 mm
900E/55	125 mm
920E/55	267 mm
BW 900/25	115 mm
BW 900/42	115 mm
BW 895/1	115 mm
BW 900	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900/20	50 mm
BW 900/20L	100 mm
BW 920/25	125 mm
BW 920/22	250 mm
BW 910/16F	3/8" - 1/2"
BW 920A	13-14-15-16-17-18-19-21-22 mm


043006003

BW C43

Three-module tool trolley

- Sheet metal frames and plastic tops
- 3 detachable modules:
 - 1 upper tool box, 220 mm high
 - 1 central module, 165 mm high, with 2 drawers, 60 mm high
 - 1 lower module, 330 mm high, with up-and-over door, 280 mm high, with castors
- Castors Ø 128 mm
- Telescopic handle, can be adjusted in 4 positions
- Module release system with access to all tool compartments
- Upper tool box with removable interior object compartment and 2 tote-trays built into cover

£149.00



3 stackable modules



043006301

BW 4300E

Three-module tool trolley C43 with assortment of 251 general maintenance tools

NEW

	BW 42		7-8-9-10-11-12-13-14-15-16-17-18-19-22 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	BW 111		200 mm
	BW 1048		250 mm
	BW 1052		240 mm
	BW 1082BM		160 mm
	BW 1150BM		180 mm
	BW 1166BM		160 mm
	1201E		2,5x50-3x75-4x100-5,5x150-6,5x150 mm
	1201EN		4x30 mm
	1202E		PH0x60-PH1x80-PH2x100 mm
	1202EN		PH1x30 mm
	BW 1128BMX		150 mm
	BW 1253		3,5x100 mm
	BW 1370		300 g
	BW 1390		Ø 35 mm
	BW 1692		3 m
	BW 1696		300 mm
	1771		18 mm
	BW 1771RL		10x
	BW 1725CR		150 mm
	BW 1098		220 mm
	BW 1719BMA...P		200 mm
	BW 1719BMA...M		200 mm
	BW 1719BMA...R		200 mm
	BW 1833S		105 mm Batteries: 1xAA (not included)

BW 923E/C25 1/2"

	BW 920A		8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
	920E/55		267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F		□ 3/8" - ■ 1/2"

£489.00

X
251



BW 1256/C21-1 4 mm

	BW 1256LP		1,5-2-2,5 mm
	BW 1256PH		PH0-PH1
	BW 1256PZ		PZ0-PZ1
	BW 1256PE		0,7-0,9-1,3-1,5-2-2,5-3 mm
	BW 1256TX		T4-T5-T6-T7
	BW 1256RTX		T8-T10-T15
	4 mm		99 mm



BW 903E/C42 1/4"

	BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55		125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/42		115 mm
	BW 900/30		150 mm
	BW 96		1,3-1,5-2-2,5 mm
	BW 895/1		□ 1/4 - □ 1/4
	BW 861LP		0,6x4-0,8x5,5-1,2x6,5 mm
	BW 861PH		PH1-PH2-PH3
	BW 861PZ		PZ1-PZ2-PZ3
	BW 861PE		3-4-5-6 mm
	BW 861TX		T10-T15-T20-T25-T30



861/C100 1/4"

	861LP		3-4-4,5-5,5(x3)-6,5(x2)-8(x2) mm
	861PH		PH0(X2)-PH1(X3)-PH2(X3)-PH3(X2)-PH4
	861PZ		PZ1(X3)-PZ2(X3)-PZ3(X2)-PZ4
	861PE		2-2,5(x2)-3(x2)-4(x2)-5(x2)-6(x2)-8-10 mm
	861TX		T6-T7-T8-T9-T10(X2)-T15-T20(X2)-T25(X2)-T27-T30(X2)-T40(X2)
	861RTX		T6-T7-T8-T10-T15-T20-T25-T27-T30-T40
	861XZN		M5-M6-M8
	861TQS		0-1-2-3-4-5-6-8-10
	861TRW		1-2-3-4-5-6
	861SP		4-6-8-10-12
	861SQ		0-1(x2)-2(x2)-3
			1/4" - 1/4" (X2)



BW 5000S/3M

Service trolley with three drawers and assortment of 189 tools

- Thermoplastic worktop
- 3 drawers 588x367 mm height 70 mm, with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized safety lock
- Practical side screwdriver holder included
- Two side screwdriver holders integrated in the structure
- Large lower shelf protected with oil and petrol-proof rubber mat
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 400 kg
- Static load capacity: 15 kg evenly distributed

X
189

400 kg

£764.00

LARGE LOWER SHELF



050006341



050006342



050006343



Sturdy nylon front



Castors with metal cores for enhanced sturdiness



n°	h	max
3	70 mm	15 kg



- 42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm
 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
 1201EN 4x30 mm
 1202EN PH1x30 mm

Beta



- BW 32 Ø 4 mm
 BW 34 150 mm
 BW 36 150 mm
 BW 1048 250 mm
 BW 1082BM 160 mm
 BW 1150BM 180 mm
 BW 1166BM 200 mm
 BW 1370 500 g
 BW 1390 Ø 35 mm
 1032 Ø 180 mm
 1034 Ø 170 mm
 1036 Ø 175 mm
 1038 Ø 175 mm



- 14 BW 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
 BW 900ME 3-4-5-6-7-8 mm
 BW 900TX T06-T07-T08-T09-T10-T15-T20-T25
 BW 900/20 50 mm
 BW 900/20L 100 mm
 BW 900/25 150 mm
 BW 900/30 115 mm
 BW 900/42 125 mm
 900E/55 125 mm
 BW 895/1 1/4" - 1/4"

- BW 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
 BW 111 250 mm

- 12 BW 920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
 BW 920PE 5-6-7-8-9-10-12-14 mm
 BW 920TX T27-T30-T40-T45-T50-T55-T60
 BW 920/21 125 mm
 BW 920/22 250 mm
 BW 910/16F 3/8" - 1/2"
 BW 920/25 267 mm
 920E/55 267 mm

BW 861/C61 14

1	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
2	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
3	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
4	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
5	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
6	BW 882M1	1/4 - 1/4



024006301

BW C04BOX-A VU

Mobile roller cab with
6 drawers with assortment of 196
tools for universal use,
in soft EVA foam trays

- 6 drawers 570x410 mm, with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm:
2 fixed and 2 steering with brake
- Front centralized safety lock
- Static load capacity: 150 kg


X
196

150 kg

£654.00




ABS worktop with 6 tool trays



Castors with metal cores
for enhanced sturdiness



n°	h	max
1	80 mm	20 kg
4	110 mm	20 kg
1	160 mm	25 kg



BW 42 6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm
BW 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
BW 1719BMA8/P 200 mm
BW 1719BMA8/M 200 mm
BW 1719BMA8/R 200 mm
BW 1128BMX 1201E 150 mm
1201EN 3,5x100-5,5x150-6,5x150 mm
1202E 4x30 mm
1202EN PH1x80-PH2x100 mm
PH1x30



BW 31 Ø 2-3-4-5-6 mm
1771 18 mm
BW 1048 250 mm
BW 1082BM 160 mm
BW 1150BM 180 mm
BW 1166BM 160 mm
BW 1692/3 3 m
BW 1370 300 g
BW 1390 Ø 35 mm
BW 1771RL 10x18 mm



14" **BW 900** 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L 6-7-8-9-10-11-12-13 mm
BW 895/1 1/4 - 1/4
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm

BW 861/C61 14

⊖	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
+	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
+	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
⊖	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊖	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
⊖	BW 882M1	1/4 - 1/4

12" **BW 920A** 12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
BW 920AL 14-15-17-19 mm
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F 3/8" - 1/2"
BW 920/25 267 mm
920E/55 16-20,8 mm
BW 956C

BW 1256/C21-1 4 mm

⊖	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
⊖	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊖	BW 1256TX	T4-T5-T6-T7
⊖	BW 1256RTX	T8-T10-T15
4 mm		99 mm

BW 2400S 7/E-S

Mobile roller cab with 7 drawers, with assortment of 240 tools

- 7 drawers (588x367 mm), with ball bearing slides: 5 drawers, 70 mm high 1 drawer, 140 mm high 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

NEW

800 kg

X
240



NEW
IMPROVED
ASSORTMENT



£1,019.00





Sturdy nylon front



Castors with metal cores for enhanced sturdiness




n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



- 42
BW 55
BW 90
BW 111
- 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm
6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
250 mm

Beta



- BW 96BPC/SC9
1201E
1201EN
1202E
1202EN
1207E/TX
- 1,5-2-2,5-3-4-5-6-8-10 mm
2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
4x30 mm
PH0x60-PH1x80-PH2x100-PH3x150 mm
PH1x30 mm
T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40



- 14" BW 900
BW 900L
BW 900ME
BW 900TX
BW 895/1
BW 900/20
BW 900/20L
BW 900/25
BW 900/30
BW 900/42
900E/55
- 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
3-4-5-6-7-8 mm
T6-T7-T8-T9-T10-T15-T20-T25
1/4 - 1/2
50 mm
100 mm
150 mm
115 mm
125 mm

- 12" BW 920A
BW 920AL
BW 920PE
BW 920TX
BW 920/21
BW 920/22
BW 910/16F
BW 920/25
920E/55
- 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
10-12-13-14-15-16-17-18-19-21-22 mm
5-6-7-8-9-10-12-14 mm
T27-T30-T40-T45-T50-T55-T60
125 mm
250 mm
3/8" - 1/2"
267 mm

BW 861/C61 14

1	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
2	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
3	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
4	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
5	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
6	BW 882M1	1/4 - 1/2



- BW 32
BW 34
BW 36
1032
1034
1036
1038
- Ø 4 mm
150 mm
150 mm
19+60 mm
19+60 mm
19+60 mm
19+60 mm
- BW 1048
BW 1082BM
BW 1150BM
BW 1166BM
BW 1370
BW 1390
- 250 mm
160 mm
180 mm
200 mm
500 g
Ø 35 mm

13

NEW

**X
262**

800 kg

BW 2400S 7/AUTO

Mobile roller cab with 7 drawers, with assortment of 262 tools




- 7 drawers (588x367 mm), with ball bearing slides: 5 drawers, 70 mm high 1 drawer, 140 mm high 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder



**NEW
AUTOMOTIVE
ASSORTMENT**

£1,215.00

n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



024006851



024006852



024006853

Sturdy nylon front




Castors with metal cores for enhanced sturdiness



42
BW 96BPC/SC9

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
1,5-2-2,5-3-4-5-6-8-10 mm

Beta



BW 720
BW 720L
BW 720TX
BW 720/21
BW 720/25
952

10-12-13-15-17-19-21-24-27-30 mm
10-12-13-15-17-19-21-24-27-30 mm
T30-T40-T45-T50-T55
125 mm
7-8-10-12-13-14-17 mm

Beta



BW 32 Ø 4 mm
BW 34 150 mm
BW 36 150 mm
1032 19+60 mm
1034 19+60 mm
1036 19+60 mm
1038 19+60 mm
BW 1048 250 mm
BW 1082BM 160 mm
BW 1150BM 180 mm
BW 1166BM 200 mm
BW 1370 500 g
BW 1390 Ø 35 mm



1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1x30 mm
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
BW 1253 0,5x100 mm



159

1/4"

BW 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900ME 3-4-5-6-7-8 mm
BW 900TX T6-T7-T8-T9-T10-T15-T20-T25
BW 895/1 1/4 - 1/4
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm

1/2"

BW 920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 920AL 10-12-13-14-15-16-17-18-19-21-22 mm
BW 920PE 5-6-7-8-9-10-12-14 mm
BW 920TX T27-T30-T40-T45-T50-T55-T60
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F 3/8" - 1/2"
BW 920/25 267 mm
920E/55 267 mm

BW 861/C61 1/4"

⊖	BW 861LP	0,5x3 (2)-0,5x4 (2)-0,6x4,5 (2)-0,8x5 (2)-1,0x5,5 (2)-1,0x6 (2)-1,6x8 (2) mm
+	BW 861PH	PH0 (2)-PH1 (7)-PH2 (7)-PH3 (2)
+	BW 861PZ	PZ0 (2)-PZ1 (3)-PZ2 (3)-PZ3 (2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25-T27-T30-T40
⊗	BW 862M1	1/4 - 1/4



BW 2400S 7/E-M



Mobile roller cab with 7 drawers,
with assortment of 309 tools

- 7 drawers (588x367 mm),
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high
- Drawer bases protected
by foamed rubber mats
- Four castors Ø 125 mm:
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder


800 kg

X
309

£1,249.00



n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



Sturdy nylon front



Castors with metal cores
for enhanced sturdiness



42
BW 96BPC/SC9
6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
1,5-2-2,5-3-4-5-6-8-10 mm

Beta



BW 32 Ø 4 mm
BW 34 150 mm
BW 36 150 mm
1032 Ø 19+60 mm
1034 Ø 19+60 mm
1036 Ø 19+60 mm
1038 Ø 19+60 mm
BW 1048 250 mm
BW 1082BM 160 mm
BW 1150BM 180 mm
BW 1166BM 200 mm
BW 1370 500 g
BW 1390 Ø 35 mm



159
BW 900 Ø 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L Ø 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900ME Ø 3-4-5-6-7-8 mm
BW 900TX T6-T7-T8-T9-T10-T15-T20-T25
BW 895/1 1/4 - 1/4
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm


12
BW 920A Ø 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 920AL Ø 10-12-13-14-15-16-17-18-19-21-22 mm
BW 920PE Ø 5-6-7-8-9-10-12-14 mm
BW 920TX T27-T30-T40-T45-T50-T55-T60
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F 3/8" - 1/2"
BW 920/25 267 mm
920E/55 267 mm

BW 861/C61 1/4

●	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
+	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
+	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
□	BW 882M1	1/4 - 1/4



3/8
BW 55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
BW 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
BW 910A Ø 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
BW 910AL Ø 8-10-11-12-13-14-17-19 mm
BW 910PE Ø 4-5-6-7-8-9-10 mm
BW 910TX T15-T20-T25-T27-T30-T40-T45
BW 910/20 75 mm
BW 910/22 150 mm
BW 910/25 204 mm
910E/55 1/2" - 3/8"



1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1201EN 4x30 mm
1202EN PH1x30 mm
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
BW 1256/C21-1 4 mm
BW 1256LP 1,5-2-2,5 mm
BW 1256PH PH0-PH1
BW 1256PZ PZ0-PZ1
BW 1256PE 0,7-0,9-1,3-1,5-2-2,5-3 mm
BW 1256TX T4-T5-T6-T7
BW 1256RTX T8-T10-T15
4 mm 99 mm

X
398

BW 2400S 8/E-L

Mobile roller cab with 8 drawers,
with assortment of 398 tools

- 8 drawers (588x367 mm),
with ball bearing slides:
7 drawers, 70 mm high
1 drawer, 210 mm high
- Drawer bases protected
by foamed rubber mats
- Four castors Ø 125 mm:
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

800 kg



£1,665.00




024006341




024006342



024006343



n°	h	max
7	70 mm	25 kg
1	210 mm	30 kg



31



42
BW 96BPC/SC9
6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
1,5-2-2,5-3-4-5-6-8-10 mm

Beta

30



BW 55
6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
BW 90
6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
BW 97TX/SC8
T9-T10-T15-T20-T25-T27-T30-T40

25



1201E
1201EN
1202E
1202EN
1207E/TX
BW 1253
2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
4x30 mm
PH0x60-PH1x80-PH2x100-PH3x150 mm
PH1x30 mm
T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
0,5x100 mm

78



1201E
1201EN
1202E
1202EN
1207E/TX
BW 1253
2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
4x30 mm
PH0x60-PH1x80-PH2x100-PH3x150 mm
PH1x30 mm
T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
0,5x100 mm

196



14

BW 900

BW 900L

BW 900FTX

BW 900ME

BW 900TX

BW 900LP

BW 900PH

BW 895/1

BW 900/20

BW 900/20L

BW 900/25

BW 900/30

BW 900/42

900E/55

4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
E4-E5-E6-E7-E8-E10
3-4-5-6-7-8 mm
T6-T7-T8-T9-T10-T15-T20-T25
0,8x4-1x5,5-1,2x6,5-1,2x8 mm
PH0-PH1-PH2-PH3
1/4" - 1/4"
50 mm
100 mm
150 mm
115 mm
125 mm

38

BW 910A

BW 910AL

BW 910FTX

BW 910PE

BW 910TX

BW 910/21

BW 910/22

BW 910/25

910E/55

BW 920/15F

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
8-10-11-12-13-14-17-19 mm
E6-E7-E8-E10-E11-E12-14
4-5-6-7-8-9-10 mm
T15-T20-T25-T27-T30-40-T45
125 mm
150 mm
204 mm
1/2" - 3/8"

BW 861/C61

●	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
+	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
+	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
□	BW 882M1	1/4 - 1/4

BW 1256/C21-1

●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm

13



1032
1034
1036
1038
BW 1048
BW 1052
19+60 mm
19+60 mm
19+60 mm
19+60 mm
250 mm
190 - 240 mm
BW 1098
BW 1082BM
BW 1150BM
BW 1166BM
BW 1168BM
BW 1128BMX
220 mm
160 mm
180 mm
200 mm
200 mm
150 mm

25



BW 30
BW 31
BW 32
BW 34
BW 36
BW 1370
BW 1390
BW 1692/3
Ø 2-3-4 mm
Ø 2-3-4-5-6-8 mm
Ø 4 mm
125-150-175 mm
150 mm
500 g
Ø 35 mm
3 m
BW 1712T
BW 1719BMA8/Q
BW 1719BMA8/T
BW 1719BMA8/P
BW 1719BMA8/M
BW 1719BMA8/R
BW 1737NX
1771
150+590 mm
200 mm
200 mm
200 mm
200 mm
200 mm
270 mm
18 mm

X
487**BW 2400S XL9/E-XL**

Mobile roller cab with 9 drawers,
with anti-tilt system, long model,
with assortment of 487 tools

- 9 drawers (882x367 mm),
with ball bearing slides:
8 drawers, 70 mm high
1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected
by foamed rubber mats
- Four castors Ø 125 mm:
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder

1000 kg



£2,422.00





024006361

024006362

024006363



n°	h	max
8	70 mm	30 kg
1	140 mm	35 kg



1/4"	BW 900	○ 4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○ 4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900FTX	⊗ E4-E5-E6-E7-E8-E10
	BW 900ME	○ 3-4-5-6-7-8 mm
	BW 900TX	⊗ T6-T7-T8-T9-T10-T15-T20-T25
	BW 900LP	● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
	BW 900PH	⊕ PH0-PH1-PH2-PH3
	BW 895/1	○ 1/4" - □ 1/4"
	BW 900/20	50 mm
	BW 900/20L	100 mm
	BW 900/25	
	BW 900/30	150 mm
	BW 900/42	115 mm
	900E/55	⊗ 125 mm

3/8"	BW 910A	○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
	BW 910AL	○ 8-10-11-12-13-14-17-19 mm
	BW 910FTX	⊗ E6-E7-E8-E10-E11-E12-14
	BW 910PE	○ 4-5-6-7-8-9-10 mm
	BW 910TX	⊗ T15-T20-T25-T27-T30-40-T45
	BW 910/20	75 mm
	BW 910/22	150 mm
	BW 910/25	
	910E/55	⊗ 204 mm
	BW 920/15F	□ 1/2" - ■ 3/8"

BW 861/C61

●	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-0,8x5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
⊕	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
⊕	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25-T27-T30-T40
□	BW 882M1	○ 1/4 - ● 1/4

BW 1256/C21-1

●	BW 1256LP	1,5-2-2,5 mm
⊕	BW 1256PH	PH0-PH1
⊕	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm



42	⊗ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 96BPC/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm

Beta



1032	○ 19+60 mm	BW 1098	220 mm
1034	○ 19+60 mm	BW 1082BM	160 mm
1036	● 19+60 mm	BW 1150BM	180 mm
1038	● 19+60 mm	BW 1166BM	200 mm
BW 1048	250 mm	BW 1168BM	200 mm
BW 1052	190 - 240 mm	BW 1128BMX	150 mm



1201E	● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN	● 4x30 mm
1202E	⊕ PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN	⊕ PH1x30 mm
1207E/TX	⊗ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
BW 1253	● 0,5x100 mm



BW 30	Ø 2-3-4 mm	BW 1719BMA8/T	▲ 200 mm
BW 31	Ø 2-3-4-5-6-8 mm	BW 1719BMA8/P	▲ 200 mm
BW 32	Ø 4 mm	BW 1719BMA8/M	● 200 mm
BW 34	125-150-175 mm	BW 1719BMA8/R	● 200 mm
BW 1692/3	3 mm	BW 1719BMA8/Q	● 200 mm
BW 1712T	150+590 mm	1771	18 mm
BW 1725	420 mm	BW 1833S	200 lumen



BW 55	⊗ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
BW 90	⊗ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
BW 97TX/SC8	⊗ T9-T10-T15-T20-T25-T27-T30-T40



BW 920A	○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 920AL	○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
BW 920FTX	⊗ E10-E12-E14-E16-E18-E20-E22-E24
BW 920PE	○ 5-6-7-8-9-10-12-14 mm
BW 920PE-L	○ 5-6-7-8-9-10-12-14 mm
BW 920TX	⊗ T27-T30-T40-T45-T50-T55-T60
BW 920TX-L	⊗ T30-T40-T45-T50-T55-T60-T70
BW 920/21	125 mm
BW 920/22	250 mm
BW 910/16F	□ 3/8" - ■ 1/2"
BW 920/25	
920E/55	⊗ 267 mm




BW 720	○ 10-12-13-15-17-19-21-24 mm
BW 720L	○ 17-19-21-22 mm
BW 720/21	125 mm
BW 900/16	□ 1/4" - ■ 3/8"
BW 910/15	□ 3/8" - ■ 1/4"
BW 910/16F	□ 3/8" - ■ 1/2"
BW 920/15F	□ 1/2" - ■ 3/8"
BW 920/16	□ 1/2" - ■ 3/4"
BW 943FL	⊗ 6-7-8 mm
BW 1687D	153 mm
BW 1687U	153 mm
BW 1687A	153 mm
BW 1687AC	153 mm



BW 1370	500 g
BW 1380	1000 g
BW 1390	Ø 35 mm
BW 1737NX	




BW 141	⊗ 8-9-10-11-12-13-14-15-17-19 mm
BW 410/SP19	Ø 1+10 mm x 0,5 mm
BW 1725CR	260 mm




BW 97TTX	⊗ T8-T9-T10-T15-T20-T25-T27-T30-T40
BW 1682	300 mm
BW 1650	150 mm



BW 1149F	175 mm
BW 1602	0,75+6 mm²
BW 1603	1,25+5,5 mm²
BW 1606T	0,1+10 mm²
BW 1608	0,5+6 mm²



943E	○ 6-7-8-9-10-11-12-13 mm
-------------	--------------------------



BW 96T	○ 2-2,5-3-4-5-6-7-8 mm
---------------	------------------------

YOUR WORKSHOP ON WHEELS!

X
716

BW 2400S XL9/E-XXL

Mobile roller cab with 9 drawers, with anti-tilt system, long model, with assortment of 716 tools

- 9 drawers (882x367 mm), with ball bearing slides: 8 drawers, 70 mm high 1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder

1000 kg




£2,804.00



024006364

024006365

024006366



n°	h	max
8	70 mm	30 kg
1	140 mm	35 kg



BW 97TX/SC8
BW 97TTX

38"	BW 910A	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm	BW 910/20	75 mm
	BW 910AL	8-10-11-12-13-14-17-19 mm	BW 910/22	150 mm
	BW 910FTX	E6-E7-E8-E10-E11-E12-E14	BW 910/25	
	BW 910PE	4-5-6-7-8-9-10 mm	910E/55	204 mm
	BW 910TX	T15-T20-T25-T27-T30-T40-T45	BW 920/15F	1/2" - 3/8"

14"	BW 900	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	BW 900PH	PH0-PH1-PH2-PH3
	BW 900L	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	BW 895/1	1/4"
	BW 900FTX	E4-E5-E6-E7-E8-E10	BW 900/20	50 mm
	BW 900ME	3-4-5-6-7-8-10 mm	BW 900/20L	100 mm
	BW 900TX	T6-T7-T8-T9-T10-T15-T20-T25	BW 900/25	
	BW 900LP	0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm	BW 900/30	150 mm
			BW 900/42	115 mm
			900E/55	125 mm

BW 861/C61 1/4

●	BW 861LP	0,5x3 (2)-0,5x4(2)-0,6x4,5(2)-1,0x5,5(2)-1,0x6(2)-1,6x8(2) mm
+	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
+	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25-T27-T30-T40
□	BW 882M1	1/4 - 1/4

BW 1256/C21-1 4 mm

●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm



12"	BW 720L	10-12-13-15-17-19-21-24-27-30 mm
	BW 720/21	125 mm
	BW 720/25	64 mm
	BW 910/16F	3/8" - 1/2"
	BW 920/16	1/2" - 3/4"
	BW 920A	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
	BW 920AL	10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
	BW 920FTX	E10-E12-E14-E16-E18-E20-E22-E24
	BW 920PE	5-6-7-8-9-10-12-14 mm
	BW 920PE-L	5-6-7-8-9-10-12-14 mm
	BW 920PE-XL	10-12-14 mm
	BW 920TX	T27-T30-T40-T45-T50-T55-T60
	BW 920TX-L	T30-T40-T45-T50-T55-T60-T70
	BW 920TX-XL	T45-T50-T55
	BW 920/21	125 mm
	BW 920/22	250 mm
	BW 920/25	
	920E/55	267 mm



BW 96BPC/SC9	1,5-2-2,5-3-4-5-6-8-10 mm	BW 867RTX/L	T20-T25-T30-T40-T45-T50-T55
BW 410/SP19	1+10 mm x 0,5 mm	BW 867/1	10 mm - 3/8"
BW 666N/20	40+20 Nm	BW 867/2	10 mm - 1/2"
BW 720	10-12-13-15-17-19-21-24-27-30 mm	BW 867RIBE	5-6-7-8-9-10-11-12-13 mm
BW 867PE	4-5-6-7-8-10-12 mm	BW 867RIBE/L	5-6-7-8-9-10-11-12-13 mm
BW 867PE/L	4-5-6-7-8-10-12 mm	BW 1253	0,5x100 mm
BW 867XZN	4-5-6-7-8-10-12 mm	BW 1257LP	2,0-2,5-3,0 mm
BW 867XZN/L	5-6-8-10-12 mm	BW 1257PH	PH00-PH0-PH1
BW 867TX	T20-T25-T30-T40-T45-T50-T55	BW 1257TX	T5-T6-T7-T8-T9-T10
BW 867TX/L	T20-T25-T30-T40-T45-T50-T55	BW 1728BM	
BW 867RTX	T20-T25-T30-T40-T45-T50-T55	BW 1728LA	



BW 90	6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	BW 192	8x10/12x13 mm
BW 96T	2-2,5-3-4-5-6-7-8-10 mm	BW 192	16x17/18x19 mm
BW 1098	220 mm	BW 1719BMA8/Q	200 mm
BW 1650	150 mm	BW 1719BMA8/T	200 mm
BW 1682	300 mm	BW 1719BMA8/P	200 mm
BW 1687/S4		BW 1719BMA8/M	200 mm
		BW 1719BMA8/R	200 mm



42	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 55	6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
BW 141	8-9-10-11-12-13-14-15-16-17-18-19 mm



943E	5-5,5-6-7-8-9-10-11-12-13-14 mm
1201E	2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1202E	PH0x60-PH1x80-PH2x100-PH3x150 mm
1201EN	4x30 mm
1202EN	PH1x30 mm
1207E/TX	T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45



BW 30	2-3-4 mm	1034	19+60 mm	BW 1150BM	180 mm
BW 31	2-3-4-5-6-8 mm	1036	19+60 mm	BW 1166BM	200 mm
BW 32	4 mm	1038	19+60 mm	BW 1168BM	200 mm
BW 34	150-175 mm	BW 1048	250 mm	BW 1370	300 g
BW 36	150 mm	BW 1052	190-240 mm	BW 1380	1000 g
1032	19+60 mm	BW 1082BM	160 mm	BW 1390	35 mm



BW 943FL	6-7-8 mm	1771	18 mm
BW 1692/5	5 mm	BW 1771RL	18 mm
BW 1712T	148+665 mm	BW 1833S	200 lumen
BW 1606T	0,08+6 mm²	BW 1715	
BW 1608	0,5+6 mm²	BW 1720/B6	
BW 1725	420 mm	BW 1128BMX	150 mm
BW 1725CR	250 mm	BW 1149F	0,2+6 mm²
BW 1737NX	270 mm	BW 1602	0,75+6 mm²
		BW 1603	1,25+5,5 mm²

NEW

BW 2400 RSC24AXXL

Mobile roller cab with 8 drawers and anti-tilt system, long model, with assortment of 1061 tools

- 1 fully removable drawer (1,176x367 mm), with ball bearing slides
- 7 fully removable drawers (882x367 mm), with ball bearing slides:
- 6 drawers 70 mm high
- 1 drawer 140 mm high
- Worktop made from stainless steel coated MDF, with holes for vice item 1599F/125 or 1599GI/125 (to be ordered separately) and 6 tote trays
- Removable side compartment, with ball bearing slides, with shelf and lock
- 4 castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 3 safety locks
- Built-in paper roll holder
- Built-in bottle holder
- Static load capacity: 1,100 kg
- Following trays can be added:
- up to 8 EVA foam or ABS thermoformed trays in drawer 1,176x367 mm
- up to 6 EVA foam or ABS thermoformed trays in drawer 882x367 mm

1100 kg

X
1061



£3,222.00

**THE ALL-TIME MOST
COMPREHENSIVE
ASSORTMENT!**


n°		Max
1	70 mm (1.176x367 mm)	40 kg
6	70 mm (882x367 mm)	30 kg
1	140 mm (882x367 mm)	35 kg



024006381

024006387

024006383



42
BW 55
BW 94
BW 141

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
8x10-10x11-11x13-12x14-17x19-19x22-22x24 mm
8-9-10-11-12-13-14-15-16-17-18-19 mm



943E
1201E
1202E
1201EN
1202EN
1207E/TX

5-5,5-6-7-8-9-10-11-12-13-14 mm
2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
PH0x60-PH1x80-PH2x100-PH3x150 mm
4x30 mm
PH1x30 mm
T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45



BW 720L
BW 720/21
BW 720/25
BW 910/16F
BW 920/15
BW 920/16
BW 920A

10-12-13-15-17-19-21-24-27-30 mm
125 mm
3/8" - 1/2"
1/2" - 3/8"
1/2" - 3/4"
8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
E10-E12-E14-E16-E18-E20-E22-E24
5-6-7-8-9-10-12-14 mm
5-6-7-8-9-10-12-14 mm
10-12-14 mm

BW 920TX
BW 920TX-L
BW 920TX-XL
BW 920AL
BW 920/20
BW 920/21
BW 920/22
BW 920/25
BW 920M/35
BW 920M/35L
920E/55

T27-T30-T40-T45-T50-T55-T60
T30-T40-T45-T50-T55-T60-T70
T45-T50-T55
10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
75 mm
125 mm
250 mm
375 mm
600 mm
267 mm



BW 96BPC/SC9
BW 1719BMA8/Q
BW 1719BMA8/T
BW 1719BMA8/P
BW 1719BMA8/M
BW 1719BMA8/R
BW 440
BW 435/0
BW 435/1,5
BW 444/1A
BW 1430
BW 430

1,5-2-2,5-3-4-5-6-8-10 mm
200 mm
200 mm
200 mm
200 mm
200 mm
M3-M4-M5-M6-M7-M8-M9
M1-M8
M3-M10
25x9 mm
M5 + M50
M2-M3-M4-M5-M6-M7-M8-M9-M10-M12-M14-M16-M18-M20

BW 1687D
BW 1687U
BW 1687A
BW 1687AC
BW 666N/20
BW 720
BW 1253
BW 1257LP
BW 1257PH
BW 1728BM
BW 1728LA
BW 1257TX

40÷200Nm
10-12-13-15-17-19-21-24-27-30 mm
0,5x100 mm
1,5-2,0-2,5-3,0 mm
PH00-PH0-PH1
300 mm
150 mm
T5-T6-T7-T8-T9-T10



BW 30
BW 31
BW 32
BW 32AU
BW 34
BW 36
1032
1034
1036
1038
BW 1048
BW 1047

Ø 2-3-4 mm
Ø 2-3-4-5-6-8 mm
Ø 4 mm
150-175 mm
150 mm
19÷60 mm
19÷60 mm
19÷60 mm
19÷60 mm
250 mm
240 mm

BW 1052
BW 1082BM
BW 1150BM
BW 1166BM
BW 1168BM
BW 1370
BW 1380
BW 1390
BW 990
BW 991
BW 993
BW 994

190 - 240 mm
160 mm
180 mm
200 mm
200 mm
300 g
1000 g
Ø 35 mm
130 mm
130 mm
145 mm
150 mm



861/C100
BW 410/SP19
BW 861MIX/C62
1620-M
1620-M
1628-C
2080/V6-U

1 + 10 mm x 0,5 mm
0,25÷1,5 mm²
1,5÷2,5 mm²
1,5÷2,5 mm²



BW 97TX/SC8
BW 96/SC9
BW 862F/A7
BW 96T
BW 1256/C21-1

T9-T10-T15-T20-T25-T27-T30-T40
1,5-2-2,5-3-4-5-6-8-10 mm
5,5-6-7-8-10-12-13 mm
2-2,5-3-4-5-6-7-8-10 mm
4 mm

14" BW 900
BW 900L
BW 900FTX
BW 900ME
BW 900TX
BW 900LP
BW 900PH
BW 895/1
BW 900/20
BW 900/20L
BW 900/21
BW 900/22
BW 900/25
BW 900/30
BW 900FL
BW 900/42
900E/55

4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm
4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm
E4-E5-E6-E7-E8-E10
3-4-5-6-7-8-10 mm
T6-T7-T8-T9-T10-T15-T20-T25
0,8x4-1,0x5,5-1,1x6,5-1,2x8 mm
PH0-PH1-PH2-PH3
1/4 - 1/4
50 mm
100 mm
150 mm
250 mm
150 mm
150 mm
115 mm
125 mm

3/8" BW 910A
BW 910AL
BW 910FTX
BW 910PE
BW 910TX
BW 910/20
BW 910/21
BW 910/22
BW 910/22L
BW 910/25
BW 910M/35
910E/55
BW 920/15F
BW 910/15
BW 910/16

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
8-10-11-12-13-14-17-19 mm
E6-E7-E8-E10-E11-E12-E14
4-5-6-7-8-9-10 mm
T15-T20-T25-T27-T30-T40-T45
75 mm
125 mm
150 mm
250 mm
204 mm
1/2" - 3/8"
3/8" - 1/4"
3/8" - 1/2"



BW 943FL
BW 1692/5
BW 1712T
BW 1606T
BW 1608
BW 1725
BW 1725CR
BW 1737NX
1771
BW 1771RL

6-7-8 mm
5 m
665 mm
0,08÷6 mm²
0,8÷6 mm²
420 mm
260 mm
270 mm
18 mm
18 mm

1770A
BW 1770RL
BW 1650
BW 1833S
BW 1715
BW 1720/B6
BW 1128BMX
BW 1149F
BW 1602
BW 1603

9 mm
9 mm
150 mm
200 lumen
530 mm
150 mm
0,2÷6 mm²
0,75÷6 mm²
1,25÷5,5 mm²

867/C52 10mm

867PE	4-5-6-7-8-10-12 mm
867PE/L	4-5-6-7-8-10-12 mm
867XZN	M5-M6-M8-M10-M12
867XZN/L	M5-M6-M8-M10-M12
867TX	T20-T25-T30-T40-T45-T50-T55
867TX/L	T20-T25-T30-T40-T45-T50-T55
867RTX	T20-T25-T30-T40-T45-T50-T55
867RTX/L	T20-T25-T30-T40-T45-T50-T55
867/1	10 mm - 3/8"
867/2	10 mm - 1/2"




059456302

BW 5945/2024

Assortment of 268 tools for universal use,
in soft EVA tray

£842.00

X
268



for **C45PRO 2.0**



BW 96BPC/SC9 $\odot$ 1,5-2-2,5-3-4-5-6-8-10 mm
BW 42 $\odot$ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm



BW 97TTX $\odot$ T10-T15-T20-T25-T30
1038 $\bullet$ 19+60 mm
1036 $\bullet$ 19+60 mm
1034 $\odot$ 19+60 mm
1032 $\odot$ 19+60 mm
BW 1166BM $\bullet$ 160 mm
BW 1150BM $\bullet$ 180 mm
BW 1082BM $\bullet$ 160 mm
BW 1052 240 mm
BW 1048 250 mm

BW 1256/C21-1 $\odot$ 4 mm

$\odot$	BW 1256LP	1,5-2-2,5 mm
$\oplus$	BW 1256PH	PH0-PH1
$\oplus$	BW 1256PZ	PZ0-PZ1
$\odot$	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
$\oplus$	BW 1256TX	T4-T5-T6-T7
$\oplus$	BW 1256RTX	T8-T10-T15
4 mm		99 mm



BW 96T $\odot$ 2-2,5-3-4-5-6-7-8 mm
BW 34 150-175 mm
BW 1370 300 g
BW 1390 $\odot$ 35 mm
BW 1719BMA8/Q $\blacksquare$ 200 mm
BW 1719BMA8/T $\blacksquare$ 200 mm
BW 1719BMA8/P $\blacksquare$ 200 mm
BW 1719BMA8/M $\blacksquare$ 200 mm
BW 1719BMA8/R $\bullet$ 200 mm



1202E $\odot$ PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN $\odot$ PH1x30 mm
1207E/TX $\odot$ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
1201EN $\bullet$ 4x30 mm
1201E $\bullet$ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
BW 1253 $\bullet$ 3x100 mm



14" BW 900 $\odot$ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L $\odot$ 5-6-7-8-9-10-11-12-13 mm
BW 900LP $\bullet$ 0,8x4-1,0x5,5-1,2x6,5-1,2x8,0 mm
BW 900PH $\bullet$ PH1-PH2-PH3
BW 900ME $\odot$ 3-4-5-6-7 mm
BW 900TX $\odot$ T10-T15-T20-T25-T27-T30
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 $\odot$ 1/4" - $\square$ 1/4"
BW 895/1 115 mm
BW 900/42 $\odot$ 125 mm
BW 900E/55 $\odot$ 115 mm
BW 900/42 115 mm

BW 861/C61 $\odot$ 1/4 - 1/4

$\odot$	BW 861LP	0,5x3 (2)-0,5x4 (2)-0,6x4,5 (2)-0,8x5 (2)-1,0x5,5 (2)-1,0x6 (2)-1,6x8 (2) mm
$\oplus$	BW 861PH	PH0(2)-PH1(7)-PH2(7)-PH3(2)
$\oplus$	BW 861PZ	PZ0(2)-PZ1(3)-PZ2(3)-PZ3(2)
$\odot$	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
$\oplus$	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
$\oplus$	BW 862M1	$\odot$ 1/4 - $\bullet$ 1/4

12" BW 895/6 $\odot$ 5/16" - $\square$ 1/2"
BW 956C $\odot$ 16 mm - 20,8 mm
BW 920/15F $\square$ 1/2" - $\blacksquare$ 3/8"
BW 910/22 150 mm
910E/55 $\odot$ 204 mm
920E/55 $\odot$ 267 mm
BW 920A $\odot$ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
BW 920/25 125 mm
BW 920/21 125 mm
BW 920/22 255 mm

3/8" BW 910A $\odot$ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
BW 910/20 75 mm
BW 910/22 150 mm
BW 910/25 $\square$ 3/8" - $\blacksquare$ 1/2"
BW 910/16F $\odot$ 1/4" - $\square$ 3/8"
BW 895/3 $\odot$ 204 mm
BW 910E/55 $\odot$ 204 mm

Beta
WORKER



The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice



Beta WORKER

Beta
WORKER

Beta Tools (UK) Limited | Unit D - Horton Enterprise Park
Hortonwood 50, Telford | Shropshire, TF1 7GZ
Sales: Tel. (01952) 677977

www.beta-tools.com/uk | sales@beta-tools.com