

Laserliner

INNOVATION TECHNOLOGY

INNOVATIONS

PROMOTIONS

TOPSELLER



**READY
FOR WORK
2025**

Valid from 01.07. – 31.12.2025

LASER DISTANCE MEASUREMENT

TOPSELLER

DistanceMaster 50

Multi-functional laser distance meter

- Distances, areas, volumes, min. / max. / continuous measurement, addition / subtraction, pythagoras 1 + 2 + 3



auto



Automatic addition of wall surfaces with the same height



Infos

£70.00*

Part No. 080.982A
EAN 4 021563 732012



PROMOTION

DistanceMaster Plus 100

Universal laser distance meter

- Distances, areas, volumes, min. / max. / continuous measurement, addition / subtraction, angle function 1 + 2 + 3
- Digital tilt measurement
- Digital Connection



FREE APP
Commander

auto



Automatic addition of wall surfaces with the same height



Infos

£101.40*

£89.00**

Part No. 080.983A
EAN 4 021563 732029



PROMOTION



LaserRange-Master Gi8 Pro

Extremely compact laser rangefinder

- Distances, areas, volumes, min. / max. / continuous measurement, pythagoras 1 + 2



75 mm



Infos

£79.00*

£59.00**

Part No. 080.842A
EAN 4 021563 735143



PROMOTION

LaserRange-Master Gi8 Pro

Robust, water jet-protected laser distance meter with large display

- Distances, areas, volumes, min. / max. / continuous measurement, addition / subtraction, angle function 1 + 2 + 3, digital spirit level
- Digital tilt measurement
- Digital Connection




FREE APP
Commander

auto



Automatic addition of wall surfaces with the same height



Infos

£204.00*

£169.00**

Part No. 080.848A
EAN 4 021563 732173



[1] See operating instructions for specific measuring ranges and accuracies

CROSSLINE- / 3D-LASERS

PROMOTION


PocketCross-Laser 2G

Cross-line laser with PocketWallHolder

- Self-levelling range 3,5°
- Battery status indicator

→ 0.3
mm/m

300 lx 55m



WORK + CHARGE



LI-ION POWER



Infos

£ 152.70 *

£ 129.00 **

Part No. 036.710A
EAN 4 021563 725212



TOPSELLER


PocketPlane-Laser 3G

Handy 3D line laser with a horizontal and two vertical 360° laser circles, PocketWallHolder

- Self-levelling range 3,5°
- Battery status indicator

→ 0.3
mm/m

300 lx 30m



WORK + CHARGE



LI-ION POWER



Infos

£ 255.30 *

Part No. 036.700A
EAN 4 021563 724574



PROMOTION

PocketPlane-Laser 4G set 150 cm


Practical 3D laser with two horizontal and two vertical green laser circles, SpiderStand 150 cm, PocketWallHolder, TopHolder

- Self-levelling range 3,5°
- Battery status indicator

WORK + CHARGE
LI-ION POWER




SPIDER STAND



→ 0.3
mm/m

300 lx 30m



Infos

£ 378.00 *

£ 299.00 **

Part No. 036.705-1
EAN 4 021563 743667



+4 LASER LINES

UpsideDown function

for applications close to the ground

Laserliner

3D-LASER

HIGH POWER in 18V

Battery systems from leading manufacturers

Compatible with
Bosch
Professional,
DeWalt,
Festool,
Hikoki,
Makita,
Metabo,
Milwaukee



£429.00*
Part No. 036.380-1
EAN 4 021563 743193

**POWER
ADAPTER
SET**



x7

SUITABLE ACCESSORIES

**VARIO
STAND L
200 CM**

PROMOTION
~~£ 69.00*~~
£ 40.00**
Part No. 080.23
EAN 4 021563 742394



INNOVATION PowerPlane-Laser 3G Multi-18V

3D laser with one horizontal and two vertical laser circles, 7x PowerAdapter, L-BOXX

- Can be used with 18V battery or in USB-C mains power
- Precise fine adjustment mechanism without changing the center point
- Self-levelling range 3,5°
- Battery status indicator

 **0.2**
mm/m

 **60m**
300 lx



Infos

Bosch is a registered trademark of Robert Bosch GmbH, Dewalt by Stanley Black & Decker, Festool by Festool GmbH, Hikoki by Hikoki Power Tools, Makita by Makita Corporation, Metabo from Metabo GmbH, Milwaukee from Technomic Industries Co. Ltd.

3D-LASER / PENDULUM LASER

PROMOTION


X3-Laser Pro

3D line laser with a horizontal and two vertical 360° laser circles, clamp and wall bracket CrossGrip Pro, L-BOXX

■ Self-levelling range 3°

→|| 0.2
mm/m

300 lx 60m



Infos



£ 573.00 *

£499.00 **

Part No. 036.800L
EAN 4 021563 705221



AUTOMATIC
LEVEL



PROMOTION

PowerCross-Laser 8G

High-precision cross-line laser with 8 laser lines, plumb function, L-BOXX

■ Self-levelling range 3°

■ Anti-shake function

■ Digital Connection:

App-controlled fine adjustment

→|| 0.1
mm/m

300 lx 55m



Infos



ANTI
SHAKE



FREE APP
Commander



£ 747.20 *

£699.00 **

Part No. 032.090L
EAN 4 021563 718122



SENSOR
AUTOMATIC



+ WORK+
CHARGE
2x LI-ION
POWER



+ LI-ION
POWER



ON STAND

Aluminium tripod with crank height adjustment and flexible tripod feet




HYBRID AND ROTARY LASERS

PROMOTION Duraplane Plus G360 set 175 cm

Robust 360°-hybridlaser with two additional vertical lines, laser receiver RangeXtender M70, compact tripod 175 cm, telescopic levelling staff 4 m, complete in a set case

- Self-levelling range 3.5°
- Work efficiently and charge the battery at the same time



Millimeter-accurate display
max. 70 m radius

ADS
Tilt



Infos

~~£ 549.00 *~~
£ 429.00 **
Part No. 052.600A
EAN 4 021563 739004



WORK + CHARGE
2x LI-ION
POWER



AUTOMATIC
LEVEL



PROMOTION Cubus 210 S set 150 cm

Rotary laser with laser receiver SensoLite 210, wall/stand bracket, lightweight tripod 150 cm, telescopic levelling staff 4 m, complete in a set case

- Self-levelling range 4°
- Reference beam up
- With remote control

ADS
Tilt



max. 200 m radius



Infos



~~£ 649.00 *~~
£ 499.00 **
Part No. 052.205A
EAN 4 021563 715015

SENSOR
AUTOMATIC



PROMOTION Quadrum Compact 210 S set 165 cm

Rotary laser with laser receiver SensoLite 210, lightweight tripod 165 cm, telescopic levelling staff 4 m, complete in a set case

- Digital inclination adjustment
- Self-levelling range 4°
- Reference beam up, plumb laser down
- With remote control

ADS
Tilt



max. 200 m radius



Infos



~~£ 819.00 *~~
£ 559.00 **
Part No. 053.510A
EAN 4 021563 732005

SENSOR
AUTOMATIC



Quadrum Compact M350 S set 165 cm

PROMOTION

Very easy-to-use, robust rotary laser with laser receiver SensoMaster M350, lightweight tripod 165 cm, telescopic levelling staff 4 m, complete in a set case

- Digital inclination adjustment
- Self-levelling range 4°
- Reference beam up, plumb laser down
- With remote control

ADS
«Tilt»



Infos



Graphic display on both sides / Millimeter-accurate display of the height difference to the laser level
max. 350 m radius

WORK + CHARGE
2x LI-ION
POWER



→ 0.15
mm / m

£ 949.00 *

£ 599.00 **

Part No. 053.520A
EAN 4 021563 736485

SENSOR
AUTOMATIC

Control

IP 66

5/8"

Quadrum M350 S set 1/2 (175 cm)

PROMOTION

Rotary laser with laser receiver SensoMaster M350, crank tripod P 175 cm, flexi levelling staff Plus red or telescopic levelling staff 5 m

- Self-levelling range 5°
- Reference beam up, plumb laser down
- With remote control


ADS
«Tilt»



Infos




max. 350 m radius



Millimetre exact distance reading for laser level

WORK + CHARGE



→ 0.1
mm / m

£ 1,262.00 *

£ 949.00 **

Part No. 053.00.09-1
EAN 4 021563 712625

£ 1,262.00 *

£ 949.00 **

Part No. 053.00.09-2
EAN 4 021563 712632

SENSOR
AUTOMATIC

Control

IP 66

5/8"

ELECTRONIC MEASURING TOOLS

TOPSELLER

DigiLevel Laser G40 / G80

Digital electronic spirit level

- 180° flip-display, reference function for transferring angles
- Strong magnets

Extremely bright green wall line-laser



40 cm

£ 92.40*

Part No. 081.255A
EAN 4 021563 704064

80 cm

£ 111.80*

Part No. 081.257A
EAN 4 021563 704088



360°

max. 0.1°



Info 40 cm



Info 80 cm

PROMOTION

DigiLevel Pro 80

Digital electronic spirit level

- 180° flip-display, reference function for transferring angles
- Strong magnets
- Digital Connection



360°

max. 0.05°



**FREE APP
MeasureNote**

80 cm

£ 163.00*

£ 149.00**

Part No. 081.272A
EAN 4 021563 706495



IP 54



Infos



PROMOTION

ArcoMaster 40

Electronic angle measuring device

- Display on each side (front and rear)
- 180° flip-display
- Automatic calculation of angle bisection

40 cm

£ 132.20*

£ 119.00**

Part No. 075.130A
EAN 4 021563 664016

220°

max. 0.2°



Infos

[1] See operating instructions for specific measuring ranges and accuracies

VIDEOINSPECTION


INNOVATION VideoPocket HDM Duo

High-resolution, compact video inspection system with large display, multi-functional holder, micro-SD-card

- Including front and side view
- Compare image function
- Camera head and probe resistant to petrol and diesel

HD CAMERA
1280 x 720
Pixel

DISPLAY
480 x 272
Pixel



1 m
DOF 3...8 cm
ø 5,5 mm

£279.00*
Part No. 082.264A
EAN 4 021563 735051



PROMOTION VideoInspector XXL

Professional video inspection system with InspectorCamera XXL 5 m, magnetic stands, TopClip, micro-SD-card

- Camera head and probe resistant to petrol and diesel

HD CAMERA
1280 x 720
Pixel

DISPLAY
640 x 480
Pixel



5 m
DOF 3...8 cm
ø 7,9 mm

£499.00*

£459.00**
Part No. 082.238A
EAN 4 021563 737796



PROMOTION VideoFlex HD Micro

Professional, high-resolution video inspection system with HD MicroCamera 2 m, magnetic stands, micro-SD-card

- Small camera head, ideal for places that are hard to reach
- Camera head and probe resistant to petrol and diesel



HD CAMERA
1280 x 720
Pixel

DISPLAY
1280 x 720
Pixel

£899.00*

£799.00**
Part No. 082.281A
EAN 4 021563 723324

2 m
DOF 3...8 cm
ø 3,9 mm



THERMAL ANALYSIS

PROMOTION

ThermoVisualizer Pro

Innovative thermal camera

- Visualisation of temperature curves, energy losses
- Thermal bridge warning
- For locating thermal bridges and condensation moisture to prevent mould and mildew
- Humidity / dew point / temperature measurement
- Display mode: infrared / digital / mixed image



CAMERA

- INFRARED
- DIGITAL
- HYGROMETER

IR-SENSOR
96 x 96 Pixel

—20°C ...400°C

£ 359.00 *

£299.00 **

Part No. 082.078A
EAN 4 021563 735426

2.4" colour TFT | Li-Ion Accu pack | 1/4" | USB | Camera 320 x 240 Pixel | Micro | REC bmp | IP 54 | Infos

INNOVATION

ThermoCamera Pocket

Extremely practical thermal image camera

- High-resolution infrared microbolometer sensor enables highly detailed analyses, even with the smallest temperature differences
- Versatile: Practical measuring device for quick infrared image analyses in the construction industry, electrical engineering and mechanical engineering



With radiometric software

IR-SENSOR
160 x 120 Pixel

—20°C ...550°C

£459.00 *

Part No. 082.079A
EAN 4 021563 740314

2.8" colour TFT | Li-Ion Accu | USB | Camera 640 x 480 Pixel | Micro | REC bmp | IP 54 | Infos

PROMOTION

ThermoCamera Connect

Thermal camera with WLAN interface

- Analysis of flat areas
- Digital Connection: Data transfer and control via WLAN
- Measuring range: -20°C...350°C

IR-Sensor
220 x 160 pixels



CONNECT
IP 192.168.230.1

IR-SENSOR
220 x 160 Pixel

—20°C ...350°C

£ 921.50 *

£799.00 **

Part No. 082.086A
EAN 4 021563 706730

3.2" colour TFT | Li-Ion Accu pack | USB | Camera 640 x 480 Pixel | Micro | REC jpg | IP 54 | Infos

TOPSELLER

ThermoCamera HighSense Pro

Thermal imaging camera

- Ideal for image analysis and identifying extremely small temperature differentials using high-resolution infrared microbolometer sensors and electrical overloads
- Simple control by touchscreen and buttons



FREE APP HighSense

With radiometric software

IR-SENSOR
384 x 288 Pixel

—20°C ...650°C

£2.357.00 *

Part No. 082.076A
EAN 4 021563 719358

3.5" colour TFT | 2x Li-Ion Accu pack | 1/4" | USB | Camera 640 x 480 Pixel | Micro | REC bmp | IP 54 | Infos

DAMP AND CONDENSATION

TOPSELLER MultiWet-Finder Plus

Material moisture measuring device with climate sensor

- Locating and evaluating moisture distribution and moisture damage in walls, floors and ceilings
- Quick overview of the severity of moisture damage as part of a building survey
- Non-destructive measuring process



Wet Alarm

%rH
Temp
Dew



FREE APP
MeasureNote

3
Materials
CM / mass %

40 mm
DeepScan



Infos

£ 185.00 *

Part No. 082.091A
EAN 4 021563 699858




TOPSELLER DampMaster Compact Plus

Material moisture measuring device

- Fast and precise measurement of wood and building moisture
- High measuring accuracy thanks to selectable material groups and material-specific measurements



SELF-TEST FUNCTION



FREE APP
MeasureNote

108
Wood types

31
Building materials



Infos

£ 232.60 *

Part No. 082.321A
EAN 4 021563 699858



PROMOTION MoistureMaster Compact Plus

Material moisture measuring device

- CM mode for evaluating anhydrite screed and cement screed
- Wet / dry indicator



Wet Alarm

The non-destructive, electronic measuring method indicates the comparative value in CM %



FREE APP
MeasureNote

56
Wood types

6
Building materials



Infos

£ 265,50 *

£ 199.00 **

Part No. 082.334A
EAN 4 021563 699865



TOPSELLER MultiWet-Master Compact Plus

Material moisture and humidity measuring device

- Ambient, dew point temperature, relative air humidity
- 3 measuring methods: climate sensor, test prods and surface-scan



FREE APP
MeasureNote

108
Wood types


31
Building materials



Infos

£ 378.30 *

Part No. 082.390A
EAN 4 021563 694440



3 IN 1

ROTARY LASER

INNOVATION Quadrum Compact GT M300 S

Very easy-to-use, robust rotary laser with tracking function and SensoMaster laser receiver M300 with millimetre display

- Self-levelling range 4°
- Reference beam up, plumb laser down
- With remote control

→ 0.15 mm / m

WORK + CHARGE
2x LI-ION POWER



£999.00*

Part No. 053.650A
EAN 4 021563 740178



Infos

TRACKING FUNCTION



TRACKING FUNCTION: AUTOMATIC ALIGNMENT
of the rotary laser to the millimetre receiver by radio transmission, ideal for precise horizontal and vertical levelling.

Whilst stock lasts * Retail price without VAT ** Action price without VAT *** Approx. 6 times brighter than a typical red 630 - 660 nm laser



Devices have a warranty of 4 years from purchase date.
Rechargeable batteries and accessories are excluded.
Further information on www.laserliner.com/garantie



YOUR DEALER

Rev25W22
020.25.052UK 3.000

