

# Contents

Cleaners	3
Lubricants	11
Protecting & Finishing	24
Speciality Lubricants	37
Industrial Lubricants	43
Metal Working & Fabrication	52
Anti-Corrosion Fluids	54
Anti-Sieze Compounds	56
Industrial Cleaners & Degreasers	<b>59</b>
Greasing Equipment	62







# Dashboard Renovator

TYGRIS Dashboard Renovator is a light duty, pleasantly fragranced cleaner and polish for internal plastics and trim in automotive applications. It cleans and shines dashboards, fascias and other interior panels, restoring to original appearance without the need for manual buffing. It is fast acting with nearly instantaneous evaporation.

#### **CHERRY**

PRODUCT CODE	SIZE	PRICE
R199	400ml	
APPLE PRODUCT CODE	SIZE	PRICE
R200	400ml	
CRANBERRY PRODUCT CODE	SIZE	PRICE
R205	400ml	

### **BENEFITS:**

- Silicone based for good cleaning and finish
- Easy to use, no buffing required
- Restores original appearance
- Fast acting and evaporation
- Pleasant fragrance



# **Carburettor Cleaner**

TYGRIS R201 is a strong solvent based cleaner used for the removal of oil, grease and stubborn gum deposits from carburettors and injection systems. Suitable also for cleaning brake parts and automatic chokes without dismantling in order to prevent stalling and to smooth out rough idling.

## **BENEFITS:**

- Strong solvent for stubborn deposits
- Dissolves grease and oil
- Helps to restore engine performance
- Removes combustion deposits from nail gun mechanisms
- Safe for use with catalytic convertors and oxygen sensors.

PRODUCT CODE SIZE PRICE

R201 400ml



# **Brake Cleaner**

TYGRIS R202 is a powerful cleaning fluid used to remove oil, grease, dirt and dust from brakes and clutches, aiding in the elimination of brake squeal and clutch slip caused by glazing and contamination. Can be used on many other surfaces as a powerful cleaning agent.

#### **BENEFITS:**

- Colourless non-staining
- Fast evaporating solvents
- Effective against grease, brake fluid, brake and clutch dust
- Can be used to remove tar spots from some surfaces
- Eliminates brake squeal

PRODUCT CODE	SIZE	PRICE

R202 400ml



# **Engine Degreaser**

TYGRIS R203 is a powerful, heavy duty emulsifiable solvent degreaser and de-waxer which simply sprays on and washes off, quickly removing oil, grease and tar deposits from engines and other surfaces.

#### **BENEFITS:**

- Use on any metallic surface
- Removes grease, tar stains, oil, bitumen, waxes etc.
- Dissolves and emulsifies for easy removal
- Can be used on most plastic and painted surfaces
- Suitable for spot removal on concrete

PRODUCT CODE	SIZE	PRICE

R203 400ml




# Dashboard Cleaner Non-Silicone

TYGRIS R270 is a light duty, perfumed cleaner and polish for internal plastic, wood and veneered trim in automotive applications. It cleans as well as shines dashboards, fascias, and other interior panels, restoring to original appearance without the need for manual buffing. It is fast acting with nearly instantaneous evaporation and, being silicone-free, can be used in areas where painting and re-finishing takes place.

- Silicone-free for use in areas where re-finishing takes place
- Easy to use, no buffing required
- Restores original appearance
- Fast acting and evaporation
- Pleasant fragrance

PRODUCT CODE	SIZE	PRICE
R270	400ml	







# **Brake Cleaner High Power**

TYGRIS R274 is a high power spray cleaning fluid used to remove oil, grease, dirt and dust from brakes and clutches, aiding in the elimination of brake squeal and clutch slip caused by glazing and contamination. Can be used on many other surfaces as a powerful cleaning agent.

#### **BENEFITS:**

- Very powerful spray
- Colourless non-staining
- Fast evaporating solvents
- Effective against grease, brake fluid, brake and clutch dust
- Can be used to remove tar spots from some surfaces
- Eliminates brake squeal

PRODUCT CODE	SIZE	PRICE	
R274	480ml		



## **PRECISION Electro Clean**

TYGRIS IS20 is a very fast evaporating solvent cleaner for use on electrical components, making maintenance quick and safe on switchgear, fork lift electrics and where equipment will be used soon after this is carried out. Requiring no rinsing or cleaning off, grease and dirt are quickly and efficiently removed.

## **BENEFITS:**

- Very fast evaporating
- Non-conductive
- Efficient removal of grease and dirt
- Requires no further processing
- Safe on most plastics and painted

PRODUCT CODE	SIZE	PRICE
IS20	400ml	



# **PRECISION Mould & Tool Cleaner Xtra**

TYGRIS IS25 effectively removes surface rust, grease and oil from injection moulds, dies and other metal components, with a fast-drying solvent which leaves no residue, for minimal down time. High powered spray effectively flushes debris from difficult to reach areas.

#### **BENEFITS:**

- Non-flammable CO2 propellant
- Propellant mixes fully with product which means that the can contains a full 480ml of usable fluid
- Fast evaporating

DRODUCT CODE

• High powered cleaning

DDICE

- Leaves no residue
- Is also a very effective general purpose solvent cleaner

TRODUCT CODE	SIZE	TRICE
IS25	480ml	

CIZE



# **PRECISION Mould & Tool Cleaner Supa**

TYGRIS IS27 is used for the removal of difficult to dislodge deposits on injection moulds and metal components. Slow evaporation means that it can be used on warm moulds and can be left to work before wiping off.

#### **BENEFITS:**

- Slow evaporating
- Effectively removes difficult and burnt other solvents evaporate too quickly. on deposits
- Works even on warm moulds where

PRODUCT CODE	SIZE	PRICE	
IS27	480ml	,	



# **Electrical Cleaner**

TYGRIS R235 Electrical Cleaning Solvent is an alcohol based cleaning solvent designed for use in the electronics and switchgear industries and is suitable for cleaning most electrical apparatus. Safe to use with most plastics, it effectively cleans and degreases electrical contacts, circuit boards and print heads, leaving no residue.

#### **BENEFITS:**

- Powerful, effective cleaner Removes stains, coatings, printing aids, oil, grease, dirt and most fluxes
- Leaves no residue
- Controlled drying time
- Safe with most plastics and on delicate instruments
- Does not cause corrosion of metals
- Low toxicity

PRODUCT CODE	SIZE	PRICE	
R235	400ml		



# **Industrial Cleaner Fast Drying**

TYGRIS R207 is a fast drying industrial cleaner which is used to break down grease, dirt, oil and other workshop contaminants quickly and easily without the need of subsequent rinsing, saving time and maintaining a clean environment.

- Powerful solvent cleaning
- Breaks down workshop contaminants quickly No need for rinsing leaves
- Solvent evaporates quickly, leaving a clean surface
- Non-chlorinated
- no residue.

PRODUCT CODE	SIZE	PRICE
R207	400ml	







# **Circuit Freezer Spray Low GWP**

TYGRIS R240 is a rapid cooling agent used in a number of applications where lowering the temperature quickly is beneficial, including the detection of electronic equipment faults, working on small bore water pipes, and shrink fitting of close-tolerance metal parts. A non-flammable, inert, liquefied gas.

#### **BENEFITS:**

- F-GASES II (EC) REGULATION 517/2014 Compliant Product. Low GWP (Global Warming Potential) with NO ozone depletion potential
- Rapidly cools components to freezing point
- Detects faults in electronic circuits by reducing the temperature
- Use to shrink fit metal parts
- Quickly freezes small bore pipes for safe working
- Can be used to freeze gum toffee candle wax and other soft deposits

PRODUCT CODE	SIZE	PRICE
R240	400ml	



# **Micro Air Duster Low GWP**

TYGRIS R241 is designed to physically remove dust, dirt and other loose-adhering contaminants, where the use the wet chemical products would be prohibited or impractical, TYGRIS R241 is suitable for use on electrical / electronic devices and equipment commonly found at home, work or play. Ideal for removing dust and debris from those hard-to-reach places.

#### **BENEFITS:**

- F-GASES II (EC) REGULATION 517/2014 Compliant Product
- Low GWP (Global Warming Potential) with NO ozone depletion potential
- Highly pressurised discharge for rapid and effective dust & debris removal
- Immediate evaporation
- Extension nozzle for accurate application and accessing difficult-to-reach areas
- Non-flamable

PRODUCT CODE	SIZE	PRICE
R241	400ml	



TYGRIS R244 is a specially formulated aqueous, alcohol based cleaner which gives streak free cleaning of glass and mirrors, plastic, stainless steel and chrome. It is powerful enough to remove nicotine, finger marks, insects, lipstick and much more, making it ideal for car valeters, hospitals, hotels, airports, jewellers, window installers and cleaning contractors.

- Dries streak-free
- Effective cleaning & degreasing
- Fast acting
- Low foaming
- Virtually residue free
- Abrasive free

- Safe for use on all glass and plastic surfaces
- High level of detergency
  will remove hair spray deposits, lipstick, nicotine etc.

PRODUCT CODE	SIZE	PRICE
R244	400ml	





# **Anti-Static Foaming Cleaner**

TYGRIS R245 is a foaming action cleaner designed for use around the workplace where the build up of dust is undesirable, its anti-static properties dissipate static electrical charges effectively. For use on all water resistant, non porous surfaces, the foaming action aids in clinging to vertical surfaces.

#### **BENEFITS:**

- Dissolves grease and grime
- Foaming action for use on vertical surfaces
- Minimises wetting on fabrics
- Residual anti-static effect

• For use on most surfaces including plastics

- Streak free finish
- Lemon fragrance

PRODUCT CODE	SIZE	PRICE
R245	400ml	



# **Air Freshener Cranberry**

TYGRIS R248 is a powerful action air freshener that clears unwanted odours and leaves a long-lasting freshness to large and small areas. Its dry formulation makes it safe for use in the home and is ideal for hospitals, care homes, changing rooms and community centres.

#### **BENEFITS:**

- Powerful deodoriser
- Use in large and small areas
- Dry formulation
- Long lasting

PRODUCT CODE	SIZE	PRICE	
R248	400ml		



# **Graffiti Remover**

TYGRIS R251 is a powerful solvent and wetting agent based formulation making the removal of unwanted markings quick and effective, with minimal effect on the substrate. Will remove graffiti from plastics, wood, metal, glass, and most painted surfaces.

- Use on a wide range of surfaces including many plastics
- Wetting agents make for effective penetration
- Methylene Chloride free
- Easy to apply
- Rapid penetration
- Fast drying

PRODUCT CODE	SIZE	PRICE
R251	400ml	_







# **Graffiti Remover Viscous**

TYGRIS R252 – This thickened powerful graffiti remover is effective in the removal of paint graffiti, ink and felt tip, particularly on vertical surfaces or areas where the slow evaporation aids in penetration for erasure of unwanted marks.

#### **BENEFITS:**

- Thixotropic to aid in clinqing to vertical surfaces
- Water washable
- Slow drying for better penetration
- Removes paint, biro, felt tip pen
- Easily applied
- Non-chlorinated
- Also effective in the removal of old gaskets.

PRODUCT CODE SIZE	PRICE
-------------------	-------

R252

400ml



# **Ink & Gum Remover Citrus Based**

TYGRIS R255 is an effective means of removing old and stubborn ink marks and gum deposits, leaving a pleasant citrus smell.

#### **BENEFITS:**

- Reasonably fast evaporation rate
- Leaves no residue
- Effective in delicate applications
- May also be used for heavier duty cleaning
- Easy to use with integral directional nozzle
- Removes stains, oil, grease, and printing inks.

PRODUCT CODE	SIZE	PRICE



400ml



# **Stainless Steel Cleaner**

TYGRIS R258 maintains a sparkling appearance to stainless steel, chrome and aluminium surfaces. Its non-abrasive formulation cleans without scratching, leaving a protective film to aid in future maintenance.

- Non-abrasive leaves no scratches
- Effective on stainless steel, chrome and aluminium
- Use on supermarket checkouts, window surrounds and kitchen equipment (not including food preparation surfaces)
- Removes grease
- Inert composition, acid and alkali free
- Silicone free
- Leaves a protective clear film
- Lemon fragrance

PRODUCT CODE	SIZE	PRICE	
R258	400ml		



# **Super Power Air Freshener Cranberry**

TYGRIS R261 is a powerful room air freshener that will counter unpleasant odours across large areas, replacing them with a fresh and pleasant aroma. Its extra power nozzle propels the product over a significant distance.

#### **BENEFITS:**

- High power nozzle for extra propulsion community, leisure and commercial locations.
- Pleasant cranberry aroma

• Dry formulation for use in healthcare,

PRODUCT CODE	SIZE	PRICE	
R261	750ml		



# **Sticky Label Remover**

TYGRIS R267 is a solvent based blend for the removal of sticky labels from most substrates including many plastics, metals, rubbers, painted surfaces and other impervious materials, leaving no residue or markings.


#### **BENEFITS:**

- Dissolves gums and adhesives from self adhesive labels
- Suitable for most surfaces
- Leaves no residues
- High penetrating power

**PRODUCT CODE PRICE** SIZE

400ml R267





# Lubricants Who doesn't love a smooth operation? Here at TYGRIS, we take pride in providing industries with powerful solutions, and our range of industrial greases and lubricants give the best results, even in extreme conditions.



# PRECISION Looz-n-It Penetrating Oil

TYGRIS IS1 is a premium release fluid providing a powerful penetrating action which releases and lubricates metal components which have seized through corrosion, remaining effective even under water. Giving effective penetration and lubrication without damaging paintwork, it also actively displaces moisture and does not dry off.

## **BENEFITS:**

- Fast penetration of rust and corrosion deposits
- Works effectively in wet and damp conditions
- Water repellent

- Displaces moisture
- Excellent lubrication properties
- Cleans and degreases
- Removes moisture from ignition systems

PRODUCT CODE	SIZE	PRICE
IS1	400ml	



# PRECISION Mould Release Medium


TYGRIS IS5 contains a special blend of 10% silicone and PTFE, resulting in a very effective, proven mould release agent for the Plastic Injection Moulding Industry. Being colourless, it is non-staining and is heat stable up to 300°C.

- 10% silicone
- Added PTFE for an effective release agent increasing the number of releases
- No other additives

- Maximum surface slip
- Colourless and non-marking
- Virtually odourless
- Stable up to 300°C

PRODUCT CODE	SIZE	PRICE	
IS5	400ml		







# PRECISION Mould Release Light

TYGRIS IS9 Mould Release is ideal for the release of delicate plastic mouldings. This is particularly useful where marking of the plastic might otherwise occur. Used to give fine and lasting lubrication in a wide range of industrial applications, it is stable up to 300°C.

#### **BENEFITS:**

- 8% silicone for delicate and small mouldings
- No other additives
- Good flow properties
- Colourless and non-marking
- Safe and odourless
- Gives lasting lubrication
- Heat stable up to 300°C

PRODUCT CODE	DUCT CODE
--------------	-----------

SIZE

**PRICE** 

159

400ml



# PRECISION Mould Release Heavy

TYGRIS IS10 is a heavy duty mould release agent with a 15% silicone content used for the release of more difficult plastic mouldings. Safe, colourless and non-staining it is useful as a lubricant around the workplace, and is temperature stable up to 300°C.

#### **BENEFITS:**

- 15% silicone content for larger mouldings
- Excellent release properties
- Very high surface slip

- Odourless and inoffensive
- Effective as a general lubricant
- Heat stable up to 300°C

DD	$\sim$				г,		$\cap$		
PR	u	יע	u	u		u	u	v	Е

SIZE

**PRICE** 

IS10

400ml



# PRECISION Mould Release Non-Silicone

TYGRIS IS13 is an excellent alternative to silicone spray for use in the Plastic Moulding industry. It is a quick drying solvent and oil blend with a vegetable oil base, stable up to 220°C. It is non-chlorinated and is easily removed by ordinary washing, facilitating further product finishing.

## **BENEFITS:**

- Non-silicone content to allow for overpainting - lacquering overprinting - gluing or welding;
- Effective where a high gloss finish is desirable:
- Quick drying;
- Easily cleaned off with conventional detergents

**PRODUCT CODE** 

SIZE

**PRICE** 

IS13

400ml



# PRECISION Ceramic Release Agent

PRECISION Ceramic Release Agent is a ceramic / boron nitride spray for use as a dry film protective coating on MIG welding torches, jigs, fittings and cables etc to prevent the adhesion of welding spatter. Also used as an excellent lubricant on moulds and dies used in aluminium extrusion processes.

#### **BENEFITS:**

- Effective up to 1100°C
- Water and acid resistant
- Use on a wide range of metals
- Prevents seizure of threaded parts
- Will not burn or wash off

• Eliminates brake squeal

Assists in assembly and disassembly of components

PRODUCT CODE

SIZE

**PRICE** 

**IS35** 

400ml



# PRECISION Clear Forklift Chain Lubricant

TYGRIS IS75 is a premium-grade oil based product that gives clear lubrication to chains and other moving parts where a dark coloured lubricant would be undesirable. Its anti-fling properties make it very effective when used on moving parts, penetrating into the mechanism and depositing a film of extreme pressure additives which will withstand pressure washing.

## **BENEFITS:**

- Clear, non-staining
- Extreme pressure additives for heavy use
- Effective on fork lift chains, sprockets, pins and bushes
- Tenacious will not fling off
- Penetrates deeply
- Withstands pressure washing
- 150°C Continuous 300°C Intermittent

PRODUCT CODE

SIZE

PRICE



400ml



# **Metal Working Spray**

TYGRIS R208 Metal Working Spray has been developed specifically to meet the cutting lubrication demands of harder metals such as stainless steel. Its enhanced extreme pressure additives and non-solvent, high mineral oil contents make R208 a consistently high performing lubricant which cools and penetrates to enable a clean cutting action and increase tool life.

#### **BENEFITS:**

- Proven performance on stainless steel
- Fast flowing and penetrating formula
- Enhanced extreme pressure additives
- Solvent free
- Developed for hard materials
- Suitable for cutting, tapping, drilling and reaming
- Reduces heat build up
- Prolongs tool life and improves machined finish

PRODUCT CODE


SIZE

**PRICE** 

R208

400ml







# **Graphite Penetrating Oil**

A graphite reinforced penetrating fluid, designed for use in semihostile environments, lubricating in temperatures of up to 150°C, and penetrating to free seized and corroded metallic components. The presence of micronized graphite particles provides extended lubrication intervals and is also useful for anti seize applications.

#### **BENEFITS:**

- Contains micronized graphite particles
- Enhanced load bearing performance
- Good anti-scuff properties
- Fast penetration of rust
- Higher temperature range than conventional oils
- Excellent for freeing seized and corroded parts
- Leaves a residual lubricating film.

PRODUCT CODE	SIZE	PRICE
R209	400ml	



# **Clear Fine Oil**

TYGRIS R211 is a general purpose, light duty lubricant and penetrant designed to release seized components and lubricate small, delicate mechanisms.

#### **BENEFITS:**

- Releases seized and rusted parts
- Effective on small and delicate components
- Rapid penetrating action
- Use on metallic components
- Low viscosity

PRODUCT CODE	SIZE	PRICE
R211	400ml	



# **Clear Penetrating Oil**

TYGRIS R212 is a clear 'low-viscosity' oil based product used to aid the removal and freeing of seized nuts and bolts, hinges, locks, tools and fittings with a fast penetrating capillary action. Leaves a clear protective film to quard against further corrosion.

- Low viscosity for maximum penetration
- Easy to apply and works quickly
- De-watering capability
- Leaves a protective film against corrosion
- Also suitable for light lubrication duties

PRODUCT CODE	SIZE	PRICE
R212	400ml	



# **Water Displacing Anti-Rust Agent**

TYGRIS R213 is a high performance water displacement spray which actively drives out moisture, even from hard-to-reach areas, leaving a fine lubricating film which protects against corrosion. This film enables future dismantling of equipment. Also an effective cleaner and degreaser.

## **BENEFITS:**

- Silicone free
- Powerful water displacement properties
- Leaves a shield against further moisture ingress
- Leaves a protective film, quarding against corrosion
- Good general lubrication for most components
- A rapid penetrant for seized fixings

**PRICE** 

**PRODUCT CODE** 

SIZE

R213

400ml



# **Cutting & Tapping Fluid**

TYGRIS R214 is a ready to use cutting and tapping fluid specially formulated to improve tool performance and extend tool life. It contains additives to prevent pitting, galling and metal seizure and is suitable for use on hard to work metals including stainless steel, titanium, aluminium and tool steel.

#### **BENEFITS:**

- For cutting, tapping, reaming and turning
- Extreme pressure additives for difficult Reduces heat build up materials
- High pressure, frothy discharge to aid penetration
- Prolongs tool life and improves machined finish
- Suitable for use on all metals
- Incorporates corrosion inhibitors

**PRODUCT CODE** 


SIZE

**PRICE** 

R214

400ml







# **Open Gear Lubricant**

TYGRIS R216 is a bituminous reinforced heavy duty lubricant formulated to protect and lubricate exposed gears, wire ropes and other moving parts. Exceptional penetrating and water resistance properties make it ideal for situations where exposure to weather is experienced and its tenacity resists throwing off during use.

#### **BENEFITS:**

- Highly resistant to throw off
- Water resistant for use in adverse weather conditions
- Good penetrating qualities
- Excellent lubricating power
- High pressure foaming discharge imparts excellent penetrative power
- Protects against corrosion, wear and salt
- Resistant to embrittlement over long usage

PRODUCT CODE	SIZE	PRICE
R216	400ml	



# Silicone Lubricant

TYGRIS R217 provides clean, low odour, non-staining lubrication for many applications, especially plastic parts and seals. Non-toxic in character.

#### **BENEFITS:**

- Excellent lubricating properties
- Non-staining, low odour
- Effective on plastic, metal, wood, vinyl, rubber and other surfaces
- Non-toxic in character.
- Used for mould release in the plastics industry
- An effective surface polish

• Use on seals	, slide	s, bearings,
textile equip	ment	etc.

- High temperature stability up to 200°C
- Water repellent

PRODUCT CODE	SIZE	PRICE
R217	400ml	



# **Moly Dry Film Lubricant**

TYGRIS R218 is a molybdenum disulphide based lubricant for use where conventional wet oils would be undesirable. Particularly suitable for the assembly and running-in of gears, bearings, spindles and valves, it is effective for use where high temperatures occur, drying to a tough, matt black high slip coating.

#### **BENEFITS:**

- Dry Lubricant does not attract dirt
- Durable coating
- Outstanding adhesion

team101@tygrisindustrial.com

• Extended service life

- Withstands high loads
- Working temperature to at least 350°C
- Water and chemical resistant
- Anti static properties

**PRODUCT CODE** SIZE **PRICE** R218 400ml





# **Food Safe Lubricant**

TYGRIS R219 is a vegetable oil based lubricant, H1-approved for use in and around food processing areas where incidental food contact may occur. It is odourless, colourless, contains anti-throw additives and is formulated to penetrate cable cores.

#### **BENEFITS:**

- NSF: H1 registered for use in food environments
- No animal derivatives
- Silicone free

R219

- Odourless, colourless and non-staining
- Penetrates cable cores

- Anti-throw properties for moving chains
- Use on chains, slides, gears and linkages etc.
- 180°C Continuous 200°C Intermittent

**PRODUCT CODE** 

SIZE

**PRICE** 

400ml





# **Chain & Wire Lubricant**

TYGRIS R220 is a heavy duty, additive-reinforced lubricant which penetrates deeply into drive chains and wire ropes to give long lasting lubrication, preventing corrosion, wear and chain elongation. It gives outstanding performance under extreme load and is resistant to fling off.

#### **BENEFITS:**

- Use on chain blocks, drive chains, fork Resistant to flinging off lift chains and wire ropes
- Extreme pressure additives for heavy loads
- Excellent lubrication properties
- Penetrates deeply
- Only a thin film is left on the surface for corrosion prevention
- High resistance to wash off

**PRODUCT CODE** 

SIZE

**PRICE** 

R220

400ml



# **Weld Spatter Release Spray Solvent Based**

TYGRIS R221 is a special non-silicone formulation ideal for use on all types of welding equipment to prevent the adhesion of welding spatter. It can be applied to workpieces, nozzles, shrouds, jigs and tools and enables free gas flow in inert gas welding.

#### **BENEFITS:**

- Non-silicone can be used with products that require finishing
- Rapid drying
- Prevents adhesion spatter easily removed
- Colourless non-staining
- Does not gum up when subject to heat
- Non-flammable for maximum safety

**PRODUCT CODE** 


SIZE

**PRICE** 

R221

300ml







# Weld Spatter Release Spray Water Based

TYGRIS R222 is a water based solvent-free formulation for use on all types of welding equipment to prevent the adhesion of welding spatter. It can be applied to workpieces, nozzles, shrouds, jigs and tools. Its water based properties offer an environmentally friendly alternative to solvent based varieties.

#### **BENEFITS:**

- Prevents spatter adhesion
- Non-silicone can be used with products that require finishing
- Excellent non-stick finish

<ul> <li>Non-fla</li> </ul>	mma	ble
-----------------------------	-----	-----

- Water rinseable
- Dichloromethane free

	П	$\sim$			Г С	$\sim$		_
- 1	'ĸ		.,	u	 		,,,	_

SIZE

**PRICE** 

R222

400ml



# White Grease with PTFE

TYGRIS R223 is a premium quality anhydrous calcium based grease for use in applications requiring good water resistance. For use in anti-friction and plain bearing pumping equipment and in the lubrication of linkages, door latches, hinges, gears, springs, bearings, rubber components, 'O' rings, striker plates and sliding shackles.

#### **BENEFITS:**

- High water resistance for marine use
- Prevents corrosion in humid conditions Reinforced with PTFE for improved
- Prevention of seizure
- Good mechanical stability
- Wide temperature Range from -20°C to 110°C
- Reinforced with PTFE for improved slip properties
- Good Mechanical stability

**PRODUCT CODE** 

SIZE

PRICE

R223

400ml



# **Non-Silicone Mould Release**

TYGRIS R225 is a non-silicone release agent for use in the Plastic Moulding industry, where further finishing processes are to be carried out. With a non-chlorinated, solvent-free vegetable oil base, it is stable up to a temperature of 200°C. Conventional detergents easily remove any residue of this benign, non-toxic agent, allowing for further product finishing.

## **BENEFITS:**

- Non-silicone content to allow for overpainting, lacquering, overprinting, gluing or welding
- Excellent surface slip
- Effective where a high gloss finish is desirable
- Easily removed by conventional detergents

**PRODUCT CODE** 

SIZE

**PRICE** 

R225

400ml



## **Clear Grease**

TYGRIS R226 is used on chains and moving metal parts. This high performance grease penetrates rapidly before thickening to a tenacious grease which is highly resistant to throw off. The addition of extreme-pressure additives makes it particularly effective under heavy loads.

#### **BENEFITS:**

- Clear, non-staining
- Penetrates rapidly and thickens
- Extreme-pressure additives for high loadings
- Highly resistant to throw-off
- Use on chains and other moving parts

PRODUCT CODE	SIZE	PRICE	
R226	400ml		



# **Clear Polymer Chain Lubricant**

TYGRIS R228 is a clear, polymer based lubricant which is used on chains and sprockets, pins and bushes where its anti-fling performance is important and where a clear invisible film is necessary for cosmetic reasons. It penetrates into the chain, depositing a film of extreme pressure additives and polymers which will withstand pressure washing.

#### **BENEFITS:**

- Fortified with PTFE for improved load resistance
- Extends chain life
- Resists and prevents corrosion
- Clean to use
- Penetrates deep into chain links
- •150°C Continuous 300°C Intermittent

PRODUCT CODE	SIZE	PRICE	
R228	400ml	'	



# **Drive & Bearing Lubricant**

TYGRIS R229 is an effective lubricant for the lubrication of chains, bearings and wire ropes. Containing extreme pressure and anti-fling additives, this enhances chain and rope life whilst having minimal effect on rubber O-rings and components, and can be used at a wide range of temperatures.

#### **BENEFITS:**

- Anti-fling properties for moving chains
- Extreme pressure additives for long arduous service
- Not aggressive to rubber parts
- Wide temperature change
- Use on drive chains, wire ropes and bearings
- 100°C Continuous 150°C Intermittent

**PRODUCT CODE** 

SIZE

**PRICE** 

R229 400ml







# **Clear Silicone Grease**

TYGRIS R230 is waterproof silicone based grease which is very effective for the insulation of electrical components and parts as well as being an excellent sealant against moisture. Ideal for use on rubber seals and many other exterior applications.

#### **BENEFITS:**

- Effective moisture resistance
- Preserves rubber components
- Clear formulation
- Good electrical insulating properties
- Can be used for parts assembly and disassembly
- 80°C Continuous 150°C Intermittent

PRODUCT CODE	SIZE	PRICE	
R230	400ml	,	



# **Super Lube Extreme Pressure**

TYGRIS R232 is a PTFE reinforced lubricant with excellent penetrating properties. De-waters, lubricates, releases and protects.

#### **BENEFITS:**

- PTFE reinforced for excellent antifriction capabilities
- Extreme pressure additives
- PTFE is grafted onto wax particles for better substrate adhesion
- 60°C Continuous 80°C Intermittent
- De-watering additives
- Effective penetration and release
- Contains corrosion inhibitors

PRODUCT CODE	SIZE	PRICE
R232	400ml	



# **Aluminium Anti-Seize**

TYGRIS R233 is a high temperature multi purpose blend of heat stable lubricant and anti-seize compound used in a wide range of automotive, industrial, marine and construction applications, helping to eliminate seizure, pitting and rusting of components exposed to heat. Use on threaded components, flanges, chains and locks to facilitate in future dismantling.

- Assists in easy dismantling of threaded parts
- Effective lubrication at ambient temperatures
- High temperature resistance to melting
- Use also on flanges, chains and locks
- Facilitates easy re-use of dismantled components
- Temp. range: -30°C to +275°C
- Prevention of seizure

PRODUCT CODE	SIZE	PRICE
R233	400ml	



# **Copper Anti-Seize Advanced**

TYGRIS R234 is a high temperature lubricant providing outstanding overall metal protection against heat, rust, seizure and corrosion. Resistance to water and acids is high and it will not burn off under extreme stress. For use on threaded components, pins, valve stems in a range of materials including austenitic stainless steel. Used on brake callipers and the back of brake pads it will help eliminate brake squeal.

## **BENEFITS:**

- Effective up to 1100°C
- Water and acid resistant
- Use on a wide range of metals
- Prevents seizure of threaded parts
- Will not burn or wash off
- Eliminates brake squeal
- Assists in assembly and disassembly of components

	_	_		 	_	_	_
пг	) (	חו		ΓС			-
-	K W	,,,	.,	 		,,,	_

SIZE

PRICE

R234

400ml



# **Leak Detector**

TYGRIS R236 is an inoffensive, non-corrosive foam used in the inspection of pipework to prevent leaks passing unnoticed with potentially dangerous effects. It will detect any leaks instantly and is harmless to most materials as well as being safe to use with most gases.

#### **BENEFITS:**

- Non-flammable water based
- Completely inert
- Will detect the smallest leaks
- Will not form combustible mixture with other gases
- Can be used with oxy-acetylene and LPG gases
- Non-corrosive

- Nitrogen propellant
- Easily removed completely water soluble
- •Temp. range: -20°C to +200°C
- Conforms to BS EN ISO 14921 EU Regulations for use in Department of Transport testing stations

**PRODUCT CODE** 

SIZE

**PRICE** 

R236

300ml



# **PTFE Dry Film Lubricant**

TYGRIS R237 is an effective dry film non-staining lubricant for use where wet oils would be undesirable. For use in the assembly of metal components and the lubrication of machine slides, cams and cutting shears in engineering applications.

#### **BENEFITS:**

- PTFE dry film for very low friction
- Durable coating
- Non-toxic completely inert
- Anti-static
- High working temperature up to 275°C
- Withstands low temperatures
- Water and chemical resistant
- Rapid drying
- Non-greasy dry film does not attract dirt.

**PRODUCT CODE** 


SIZE

PRICE

R237

400ml







# **Wax Chain Lube**

TYGRIS R273 is a high performance lubricant particularly suited for motorcycle chains. It protects against corrosion and wear and its tenacious formulation forms a water-resistant film which is easy to apply and gives long-lasting protection. The lubricant is sprayed in a semi-liquid form, thereby penetrating the chain links and subsequently thickens to a waxy consistency which is not sticky. This ensures that road dirt does not adhere, reducing wear dramatically when compared to polymer chain lubricants.

#### **BENEFITS:**

- Highly tenacious-resistant to flinging off
- Protects against rust and wear
- Resistant to adherence of dirt
- Penetrates easily, then thickens
- Water resistant

PRODUCT CODE	SIZE	PRICE
R273	400ml	



# Seize Release Penetrating Oil

TYGRIS R275 Seize Release is an advanced formulation of Penetrating Oil with a shock freeze action which rapidly freezes seized components, causing micro-cracks in rust layers, and allowing rapid penetration of the lubricant.

- Tested to -31°C creating a shock effect, allowing active lubricant to penetrate
- Reduces costs through time saving
- 360° Spray system for all angle use
- Does not contain silicones
- Safe for use on most materials

PRODUCT CODE	SIZE	PRICE
R275	400ml	





# **Stripeline Marking Paint**

TYGRIS Line Marker is a solvent based paint used for applying semipermanent markings to most hard surfaces, inside or outside. Used inverted with a hand held or wheeled applicator, this paint is rapid drying and has good resistance to abrasion and chemicals. Available in 7 colours for safety and legal purposes.

- Easy to apply by hand or applicator
- Fast drying
- Lead and xylene free
- High opacity
- Anti-clogging nozzle
- UV-stable
- Excellent abrasion and chemical resistance
- Compatible with most applicators
- •7 colours available

R	ı	ı	J	F

PRODUCT CODE	SIZE	PRICE
LMBE	750ml	
BLACK PRODUCT CODE	SIZE	PRICE
		PRICE
LMBK	750ml	
GREEN		
PRODUCT CODE	SIZE	PRICE
LMGN	750ml	
ORANGE		
PRODUCT CODE	SIZE	PRICE
LMOE	750ml	
RED		
PRODUCT CODE	SIZE	PRICE
LMRD	750ml	
WHITE		
PRODUCT CODE	SIZE	PRICE
LMW	750ml	
YELLOW		
PRODUCT CODE	SIZE	PRICE
LMY	750ml	



# **Matt Black Paint RAL9005**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P300	400ml	



# **Satin Black Paint RAL9005**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

## **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P301	400ml	




# **Gloss Black Paint RAL9005**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE	
P302	400ml		







# **Grey Primer Paint**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation fo greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P303	400ml	



# **White Primer Paint**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE	
P304	400ml	,	



# **Red Primer Paint**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces

team101@tygrisindustrial.com

- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P305	400ml	



# **Gloss White Paint RAL9010**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

## **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P306	400ml	



# **Bright Silver Paint RAL9006**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE	
P307	400ml		




# **Black Primer Paint**

TYGRIS Acrylic-based paint and primer can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P308	400ml	







# **Self Etching Primer Grey**

TYGRIS P309 is an acrylic-based paint designed to prepare clean bare metal surfaces, aluminium and fibreglass for a topcoat finish. Specially formulated with inhibitors for effective corrosion prevention, and provides optimum adhesion to bare substrates.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P309	400ml	



# **Gloss Blue Paint RAL5010**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P310	400ml	



# **Gloss Green Paint RAL6001**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces

team101@tygrisindustrial.com

- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE	
P311	400ml		







# **Gloss Red Paint RAL3000**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

P312

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE SIZE PRICE	
-------------------------	--

400ml



# **Gloss Yellow Paint RAL1007**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Compatible with most materials
- Can be applied over previously painted surfaces
- Gives excellent adhesion
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE	
P313	400ml		



# **Gloss Orange Paint RAL2004**

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

- Acrylic formulation for greater flexibility
- Gives excellent adhesion
- Compatible with most materials
- Can be applied over previously painted surfaces
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P314	400ml	







# Gloss Dark Green Paint RAL6005

TYGRIS Acrylic-based top-coat paints and primers can be used for a professional finish on most substrates with exceptional ease of use, resulting in a high quality appearance.

#### **BENEFITS:**

- Acrylic formulation for greater flexibility
- Gives excellent adhesion
- Compatible with most materials
- Can be applied over previously painted surfaces
- High opacity
- Lead Free
- Excellent UV stability

PRODUCT CODE	SIZE	PRICE
P315	400ml	



# Black High Temperature Paint

TYGRIS P330 has a safe working temperature of 650°C and when applied as directed, requires no primer. This high-quality paint is suitable for use on engine blocks, exhaust manifolds, brake drums, wood burning stoves, boiler flue pipes and in many other instances. Based on a silicone modified alkyd, when cured, the resins burn off leaving a heat resistant silicone matrix.

- Very high temperature resistance
- No primer required
- Touch dry within 30 minutes

PRODUCT CODE	SIZE	PRICE
P330	400ml	



# **Heavy Duty Adhesive**

TYGRIS R210 is an easy to use adhesive for bonding most surfaces, including textile, foam, rubber, plastic, foil, cardboard and paper. Good for fixing down carpets, underlay and floor tiles. In a non-chlorinated form for maximum safety.

#### **BENEFITS:**

- Fast drying
- Bonds most surfaces
- High strength bond

PRODUCT CODE	SIZE	PRICE
R210	500ml	




# **Bright Zinc Galve Spray**

TYGRIS R224 is a bright zinc and aluminium powder based spray used for the cosmetic finishing and protection of previously galvanised surfaces where the component has been cut or welded, thereby exposing metal to the air. Zinc is a sacrificial metal and will prevent oxidisation and corrosion. Resins in the coating cause it to bond firmly to the substrate.

- Zinc content assists in corrosion prevention
- Resistant to salt spray and weathering
- Excellent heat resistance
- Aluminium powder gives a brighter finish to help blend with existing coatings
- Can be used on previously coated surfaces
- High purity powders
- Excellent adhesion
- Quick drying
- 150°C Continuous 400°C Intermittent

PRODUCT CODE	SIZE	PRICE	
R224	400ml		







# **Heavy Duty Zinc Galve Spray**

TYGRIS R239 is a high quality zinc spray providing active metal protection against corrosion and an excellent primer coat. The sacrificial properties of zinc contribute to an effective defence against oxidisation should the coating become damaged. Zinc Galvanising Spray can be used both on bare metal and previously galvanised surfaces, and is suitable for spraying onto acrylic or cellulose paints (not alkyd). It may be over-coated with acrylic, alkyd, p/u alkyd and epoxy.

## **BENEFITS:**

- High zinc content for maximum corrosion prevention, including salt spray
- Zinc powder in the product is of high purity
- Can be used on previously coated surfaces
- Can be over-coated

PRODUCT CODE	SIZE	PRICE
R239	400ml	



# **Battery Terminal Protector**

TYGRIS Battery Terminal Protector is an easily applied fine film spray which protects battery terminals by sealing them from air and moisture, prolonging battery life and increasing its efficiency. Corrosive deposits are prevented from building up and the coating contains a pH indicator to detect the incidence of leaks.

- Easily applied spray
- Protects battery terminals from deterioration
- Prolongs battery life
- Increases starting efficiency
- pH indicator dye detects battery acid leakage and turns from orange to red
- Dries to a thick non-slumping grease
- Water repellent

PRODUCT CODE	SIZE	PRICE
R204	400ml	



# **Clear Acrylic Lacquer**

TYGRIS R242 is a fast drying coating used to protect against mild acids, alkalis and general weathering. For sealing and protecting electronics, metal, wood, and paper documents, leaving a smooth, transparent, scratch resistant film with good durability and toughness.

#### **BENEFITS:**

- Fast drying
- Excellent resistance to weathering and sunlight
- High resistance to mild acids and alkalis
- Touch and scratch resistant
- Good resistance to water and salt spray
- Easy to apply
- Max. Temp. 50°C

PRICE

PRODUCT CODE

R242

400ml

SIZE



# PRECISION Clear Mould Protector

TYGRIS IS60 is a clear Metal Protector, used for the protection of moulds and tools, leaving a clear, invisible film which is easy to remove or mould off. Used extensively in the plastic moulding industry it is non-staining and an efficient de-watering agent.

#### **BENEFITS:**

- Removes water from the surface of all metals
- Clear, invisible film
- Non-staining

• Thin coating – easily removed or moulded off

**PRICE** 

• Up to 2 years inside storage protection

PRODUCT CODE SIZE

IS60 400ml



# PRECISION Green Mould Protector

TYGRIS IS70 is an effective moisture displacement, formulated to provide an ultra-thin green film for protection from corrosion of moulds and tooling whilst in store. Used extensively in the plastic moulding industry. Easy to clean or mould off.

#### **BENEFITS:**

- Suitable for use on all metals
- De-watering capability
- Protects from oxidisation and rusting
- Ultra-fine film does not interfere with precision-fit parts or with gauging and measurement
- Green colour to show treated parts
- Resists creeping into ejector pins
- Moulds off quickly


**PRODUCT CODE** 

SIZE

**PRICE** 

IS70 400ml







# Used by professionals in all trades!

Specifically developed for use where the removal of grease and grime is an everyday challenge.



# **ENGINEER'S WIPES**













Specifically developed for use where the removal of grease and grime is an everyday challenge.



**CONTACT US** 01294 311066

**TYGRISINDUSTRIAL.COM** 





### SILIXIS+

TYGRIS TG6301 is a high performance, wide temperature, non-toxic lubricant for bearings, plastics and rubber parts under light to moderate loads. This special silicone oil based, lithium complex-thickened grease is used in rubber and o-ring assembly and to lubricate ball bearings in electric motors, fans (refrigeration, oven, preheater) dryers and conveyor systems.

#### **BENEFITS:**

- Formulated to provide long service life Chemical, moisture and oxidation in high temperature bearings, with extended relubrication intervals
- Reduced carbon deposits compared to conventional high temperature bearing greases
- resistant
- Compatible with most plastics and rubber components
- Temperature Range: -40°C to +180°C

PRODUCT CODE	SIZE	PRICE
TG6301	1 Kg	



TYGRIS TG6804 is a soft grease designed specifically to prevent corrosion or rusting of exposed ferrous metal in all weather. TG6804 contains high quality corrosion inhibitors which make it particularly useful in extremes of climatic conditions, and will protect against corrosion during outdoor storage in hostile environments. It may be applied readily by a stiff brush but when in place it sets to a soft greasy film which will not melt or run off at high temperatures.

#### **BENEFITS:**

- Outdoor protection up to 12 months
- Indoor protection for at least 2 years
- Resistant to high temperature melting and runoff
- Easy to remove when required with a suitable de-greasing fluid
- Compatible with most lubricating grease (except Bentone greases)

• Temperature Range: -20 to 110°C

PRODUCT CODE	SIZE	PRICE	
TG6804	400g		

### **WR2 Calcium Grease**

TYGRIS WR2 Calcium Grease is a premium quality, water resistant grease for use in industrial and marine applications where the presence of water and humid atmospheres can effect lubricating performance and be detrimental to the protection of parts from corrosion. Suitable for plain and anti-friction bearings.

### **BENEFITS:**

- High degree of water resistance
- Excellent corrosion protection
- Good sealing properties

team101@tygrisindustrial.com

PRODUCT CODE	SIZE	PRICE
TG7204	400g	
TG7205	500g	
TG7212	12.5Kg	







### **High Speed Grease 2**

TYGRIS TG7304 is a premium grade lubricant specifically designed for very high speed anti-friction bearings. Suitable for applications in the textile spinning industry; for high speed spindles on CNC machines and wood turning equipment. TYGRIS High Speed Grease 2 can, in many cases, replace oil mist lubrication systems, thus providing a cleaner and more economical method of lubrication.

#### **BENEFITS:**

- Withstanding extremely high speeds, the grease stays in place and therefore protection against prolongs lubrication intervals
- Corrosion inhibitors protect components operating in very humid environments
- Anti-wear properties provide premature wear
- Temperature Range: -60 ° C to 130°C

PRODUCT CODE	SIZE	PRICE
TG7304	400a	




### **Heavy Duty Open Gear Grease**

TYGRIS TG7712 is a special soap complex thickened grease combining extreme pressure additives, antioxidants and corrosion inhibitors, to provide highly effective lubrication with excellent corrosion prevention. Specially developed for the lubrication of all types and sizes of open gears, including spur, helical and bevel drive gears that are subjected to extreme loads, high working temperatures and water saturated conditions. Also suitable for the lubrication of hydraulic hammers and booms.

- Easy to apply in all weathers can be applied to wet surfaces
- Bitumen free
- Withstands pressures up to 7,000kg/ cm2 (100,000 psi) which reduces wear
- Long lasting, almost dry, lubricating film does not collect dust and dirt
- Does not drip or fling off. Maintains a clean surrounding work area.
- Temperature Range: -30 to 140°C

PRODUCT CODE	SIZE	PRICE	
TG7712	12.5 ka	,	







### **Biodegradable Rope Lubricant 00**

TYGRIS TG7818 is a biodegradable, solvent free, semi-fluid wire rope lubricant designed to meet the lubrication and corrosion prevention requirements of wire ropes working under all conditions. Typical application areas are dockside cranes, draglines, water treatment and situations where a biodegradable lubricant is preferred for environmental reasons. TG7818 biodegrades naturally, providing a more environmentally friendly solution when compared to conventional rope lubricants.

#### **BENEFITS:**

- Biodegradable environmentally acceptable
- Excellent protection internally and externally extending rope service life
- Molybdenum disulphide reduces wear Significant application coverage, between strands
- Water repellent extends service intervals
- Thin film eliminates fling off and does not attract dirt
  - economic use

PRODUCT CODE	SIZE	PRICE	
TG7818	18 Ka		



### Silicone Oil 100

TYGRIS TB7825 provides a non-toxic, non-carbonising, mould release for rubber, plastics and metal die-castings, anti-foam agent. Very small quantities of the fluid are very effective as a foam control agent especially in non-aqueous systems. The very high viscosity index coupled with thermal and chemical stability, shear-breakdown resistance and rubber compatibility, makes this fluid ideal for mechanical and hydraulic uses, and provides excellent lubrication for most plastic and elastomeric surfaces.

### **BENEFITS:**

- Minimal change in physical properties over a wide temperature range, remaining thermally stable at 150°C for extended time intervals
- Low surface tension

• The fluid readily wets clean surfaces to
impart water repellency and release
characteristics

PRODUCT CODE	SIZE	PRICE
--------------	------	-------

TB7825 25 Kg



### **High Temp Grease 2**

TYGRIS High Temp Grease 2 is a premium quality lithium complex thickened grease for use in plain and anti-friction bearing surfaces in high temperature applications over long periods of time without leaving a dry residue. Providing excellent lubrication also at sub-zero and ambient temperatures, this is an extremely versatile grease.

#### **BENEFITS:**

- High temperature resistance with extended lubrication intervals
- Reduces carbon deposits at high temperatures
- Extreme pressure additives and PTFE for long component life
- Excellent corrosion and humidity resistance
- Temperature range -50°C to +220°C

PRODUCT CODE	SIZE	PRICE	
TG8504	400g		
TG8530	3 Kg		

### Silicone Valve Seal

TYGRIS TG8630 is a WRAS-approved silicone compound for the lubrication of valves and stopcocks in gas and water systems over a wide temperature range. It is resistant to many organic chemicals, hot and cold water, low pressure steam and many gases. It also provides lubrication and protection for O-rings.

#### **BENEFITS:**

- Resistant to a wide range of different Protects components from corrosion chemicals
- Due to thixotropic nature the compound thickens up after movement to ensure excellent sealing properties
- and seizure
- Temperature range -40°C to +200°C

PRODUCT CODE	SIZE	PRICE
TG8630	3 Kg	

### AquaLoad SVR

TYGRIS TG6404 is a premium quality grease containing a unique blend of corrosion and oxidation inhibitors, extreme pressure and anti-wear additives. Ideal for use in all anti-friction and plain bearings subjected to high levels of shock and vibration, heavy loads and humid conditions. TYGRIS TG6404 is a premium quality grease containing a unique blend of corrosion and oxidation inhibitors, extreme pressure and anti-wear additives. Ideal for use in all anti-friction and plain bearings subjected to high levels of shock and vibration, heavy loads and humid conditions.




- Outstanding shock, vibration resistance
- Ideal for high load applications
- Tenacious EP film offers resistance to water wash-off and effective corrosion prevention
- Good mechanical and oxidation stability
- Effective in humid conditions
- Temperature range -20°C to +140°C

PRODUCT CODE	SIZE	PRICE	
TG6404	400a		











### Very High Temp Grease 2

TYGRIS Very High Temp Grease 2 is an industrial, extreme temperature, medium consistency grease for use at temperatures of up to 600°C in applications such as oven and kiln car bearings and in furnace door and drying tunnel mechanisms. At very high temperatures, the synthetic based liquid phase evaporates, leaving a dispersion of graphite particles to reduce wear without leaving abrasive carbon ash deposits.

#### **BENEFITS:**

- No carbonisation at high temperatures
- Extends component life at high temperatures
- Graphite lubricating film reduces wear
- Synthetic fluid evaporates cleanly
- Classified as non hazardous

PRODUCT CODE	SIZE	PRICE	
TG8704	400g		
TG8730	3 Kg		



### Wire Rope Grease 00

TYGRIS TG9112 is a semi-fluid grease designed to meet the extreme lubrication and corrosion prevention requirements of wire ropes working under extreme conditions. TG9112 penetrates between the rope strands to provide integral lubrication and also internal and external protection against corrosion caused by moisture, adverse weather conditions and sea water.

- Solid lubricant reduces wear between the strands of the rope
- Water resistant film ensures long film life extending lubrication intervals
- Thin film eliminates product accumulation and does not collect abrasive particles
- Ropes are clean to handle and allow easy inspection
- Significant application coverage economic to use
- Temperature range -20°C to +120°C

PRODUCT CODE	SIZE	PRICE
TG9112	12.5 Kg	



### **Water Resistant Hub Grease**

TYGRIS TG9805 is a high performance, water resistant, hub grease with extreme water wash off resistance, high load bearing and anti-corrosion capabilities, which help extend relubrication periods and reduce maintenance costs. Designed for the use on trailer hubs and other areas where exposure to severe elements can cause premature wear.

#### **BENEFITS:**

- Extends lubrication intervals ensuring maximum cost savings in grease consumption
- Very high water resistance and corrosion prevention
- Excellent EP performance provides protection against premature wear
- Temperature range -30°C to +150°C (continuous), 200°C (intermittent)

PRODUCT CODE	SIZE	PRICE
TG9805	500g	

### **Calcium Sulphonate Grease**

TYGRIS Calcium Sulphonate Grease is a superior grade, extremely stable, lubricant with exceptional load carrying capacity, designed to extend relubrication intervals in a wide range of applications including those in extreme working conditions. Suitable for use in all types of anti-friction, plain bearings and sliding surfaces.



- Extends lubrication intervals ensuring maximum cost savings in grease consumption
- Exceptional water resistance and corrosion prevention
- Excellent EP performance provides protection against premature wear
- Temperature range -30°C to +150°C (continuous), 200°C (intermittent)

PRODUCT CODE	SIZE	PRICE
TG9804	400g	
TG9818	18 Kg	









Tackle any job that comes your way, with our selection of high performance industrial lubricants. Specially developed to fight corrosion with fast penetrating action, these lubricants do the heavy lifting when it comes to protecting your components.



### **Lithium Pin & Bush Advanced**

TYGRIS Lithium Pin & Bush Advanced is a tenacious grease designed for heavy duty applications where adhesion, shock loading and good corrosion protection is required. It has been proven ideal for use on bucket pins on heavy earth moving equipment, fifth wheels, crane slews, and also as an assembly and running in compound.

#### **BENEFITS:**

- A high level of lubricating solids keeps working surfaces apart and substantially extends component life
- Fully water resistant to extend the life of the lubricant and protect components from corrosion
- Adhesive properties provide increased lasting protection

PRODUCT CODE	SIZE	PRICE	
TG6004	400g		
TG6012	12.5 Kg		



### **Penetrating Oil**

TYGRIS TB6205 is a fast acting and efficient agent for the freeing of components that have become 'frozen' as the result of rust or corrosion. It is a combination of highly effective wetting and penetrating agents with solvents and low viscosity lubricating oil.

- Rapidly penetrates the finest clearances and cuts through rust and corrosion
- If a drop of the fluid is placed on a rusted surface the penetration and spreading, even in a vertical direction, will be observed immediately
- The fluid will readily free nuts, bolts, screws, locks, hinges and all threaded joints
- Anything that resists the action of a spanner or screwdriver should be treated with P & R Fluid, and left for a few minutes to allow penetration after which it can be readily released

PRODUCT CODE	SIZE	PRICE	
TB6205	5 Litre		







### **Lithium Grease L2**

TYGRIS TG7550 is a premium quality general purpose grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of oxidation and rust inhibitors provides good corrosion protection and long life. Used extensively for applications throughout industry and the automotive sector.

#### **BENEFITS:**

- High degree of corrosion protection
- Highly versatile general purpose grease
- Temperature range -20°C to +120°C

PRODUCT CODE	SIZE	PRICE
TG7550	50 Kg	



### **Lithium Moly Grease 2**

TYGRIS Lithium Moly Grease is a specially developed lithium complex grease, fortified with molybdenum disulphide (MoS2) solid film lubricant for applications where the grease is required to cope with more arduous conditions, such as high loads, shock loading, wet and temperature extremes. Lithium moly grease is designed for plain as well as anti-friction bearings.

- Exceptional mechanical stability extends re-lubrication intervals
- Good oxidation stability provides lasting lubrication at high temperatures
- High degree of corrosion resistance protects components operating in wet conditions
- Extreme load carrying and impact resistance properties prolongs component life
- Temperature range -20°C to +150°C (continuous), 180°C (intermittent)

PRODUCT CODE	SIZE	PRICE
TG8304	400g	
TG8312	12.5 kg	



### White Lithium Grease

TYGRIS TG8430W is a high quality multi-purpose white grease enhanced with a specially selected water repellent additive for use in applications requiring extreme water resistance. Used extensively for applications throughout industry, marine and the automotive sector; in anti-friction and plain bearings, and pumping equipment where ingress of water can be detrimental to lubrication.

#### **BENEFITS:**

- Versatile multi purpose grease
- Excellent water resistance
- Excellent corrosion protection
- Good sealing properties
- Temperature range -20°C to +140°C

PRODUCT CODE	SIZE	PRICE	
TC8430/M	3 Ka		




### **Lithium Grease EP2**

TYGRIS Lithium Grease EP2 is a premium quality multi-purpose grease for use in all anti-friction and plain bearings subject to high load conditions. Used extensively for applications throughout industry and the automotive sector.

- Excellent extreme pressure and anti-wear performance
- High degree of corrosion protection
- Highly versatile multi-purpose grease

•	「emperature range −10°C	
	:o +140°C	

PRODUCT CODE	SIZE	PRICE
TG8404	400g	
TG8405	500g	
TG8430	3 Kg	
TG8412	12.5 Kg	
TG8418	18 Kg	
TG8450	50 Kg	
TG8499	180 Kg	





### **Lithium Grease EP3**

TYGRIS Lithium Grease EP3 is a premium quality multi-purpose grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives provides a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

#### **BENEFITS:**

- Excellent extreme pressure and antiwear performance
- High degree of corrosion protection
- Highly versatile multi-purpose grease
- Temperature range -20°C to +140°C

PRODUCT CODE	SIZE	PRICE	
TG8804	400g		
TG8812	12.5 Ka		

### **Blue Lithium Complex Grease**

TYGRIS Blue Lithium Complex Grease is a specially developed multipurpose lithium complex grease for lubricating all types of anti-friction and plain bearings in industrial and automotive applications. This grease is highly effective at providing extended lubrication intervals over a wide operating temperature range. Extensively used in plant and machinery applications.



- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent EP and anti-wear performance
- High corrosion resistance protects components operating in wet conditions
- Temperature range -10°C to +140°C







### **Red Lithium Complex Grease**

TYGRIS Red Lithium Complex Grease is a specially developed multipurpose lithium complex grease for lubricating all types of anti-friction and plain bearings in industrial and automotive applications. This grease is highly effective at providing extended lubrication intervals over a wide operating temperature range.

#### **BENEFITS:**

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and antiwear performance
- High corrosion resistance protects components operating in wet conditions
- Temperature range -10°C to +140°C

PRODUCT CODE	SIZE	PRICE
TG9004	400g	
TG9012	12.5 Kg	
TG9018	18Kg	
TG9050	50Kg	
TG9099	180 Kg	




### **Lithium Grease EPO**

TYGRIS Lithium Grease is a premium quality multi-purpose semi fluid grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives imparts a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

- Excellent extreme pressure and antiwear performance
- High degree of corrosion protection
- Highly versatile multi-purpose grease
- Excellent pump-ability for centralised lubrication systems
- Temperature range -20°C to +140°C

PRODUCT CODE	SIZE	PRICE
TG9212	12.5 Kg	







### **Lithium Grease EP00**

TYGRIS Lithium Grease is a premium quality multi-purpose semi fluid grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives imparts a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

#### **BENEFITS:**

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and anti-wear performance
- High corrosion resistance protects components operating in wet conditions

PRODUCT CODE	SIZE	PRICE	
TG9330	3 Kg		
TG9312	12.5 Kg		



### Lithium Grease EP000

TYGRIS Lithium Grease is a premium quality multi-purpose semi fluid grease for use in all anti-friction and plain bearings subjected to high load conditions. The incorporation of extreme pressure and anti-wear additives imparts a high degree of wear protection against load. Used extensively for applications throughout industry and the automotive sector.

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and anti-wear performance
- High corrosion resistance protects components operating in wet conditions

PRODUCT CODE	SIZE	PRICE
TG9412	12.5 Kg	<u> </u>

**CONTACT US** 01294 311066

TYGRISINDUSTRIAL.COM











### **Metal Working Paste**

TYGRIS T500 is a soft paste which has been reinforced with the most effective extreme pressure additives to give high film strength and antiweld properties which are essential to counter the pressure developed during metal working. It can be used with hard metals to reduce heat and improve the dimensional stability of the surface finish. Designed for cutting, tapping, drilling, reaming, drawing, pressing, extruding and forming.

#### **BENEFITS:**

- Effective on stainless steel and light alloys
- Extreme pressure additives
- Extends tool life

- Fortified with molybdenum
- Improves surface finish
- Greater dimensional accuracy
- Non hazardous

PRODUCT CODE	SIZE	PRICE
T500	450 g	



### **Metal Working Fluid**

TYGRIS Metal Working Fluid is an organic oil which has been reinforced with the most effective extreme pressure additives to give high film strength and anti-weld properties which are essential to counter the pressure developed during metal working. It can be used with hard metals to reduce heat and improve the dimensional stability of the surface finish. Designed for forming, cutting, tapping, drilling, reaming, drawing, pressing and extruding.

- Effective on stainless steel and light alloys
- Extreme pressure additives
- Extends tool life

- Fortified with molybdenum
- Improves surface finish
- Greater dimensional accuracy
- Non hazardous

PRODUCT CODE	SIZE	PRICE
T510	350 ml	
T515	5 Litre	



Need to take control of corrosion? Here at TYGRIS we provide innovative solutions that improve component performance, and our selection of anti-corrosion fluids gives you the ultimate protection.



### **Atmotec 50**

TYGRIS TB5105 gives medium to short-term protection on ferrous or aluminium alloy components, sheets and tubes and is particularly suited for inter-shop protection after machining or washing operations and any indoor short term storage. This very light oil almost dry film gives excellent rust inhibition and water protection. Ideal for the storage of components and machinery. Easily washes off with hot soapy water if required.

#### **BENEFITS:**

- Effective for up to 2 years
- Very good coverage
- Very clean to use

Doesn't need to be cleaned off prior to coating

PRODUCT CODE SIZE PRICE
TB5105 5 Litre



### **Atmotec 90**

Thin film corrosion protection with water displacing properties. A high performance soft, thin film coating formulated for application by spray, roller, brush or dipping, to metal components, machinery and spares where corrosion protection is necessary for medium to long term storage, including outdoor where secondary protection is in place, and during transport.

#### **BENEFITS:**

- Excellent water displacement properties
- Neutralises acids left by fingerprints
- Up to three months outdoor protection when totally exposed to the elements
- Protects all metals
- Compatible with most plastics, paints and rubbers
- Resistant to extreme temperatures
- High coverage rates for economy

PRODUCT CODE SIZE PRICE
TB5205 5 Litre



### **WD Anti-Rust Fluid**


TYGRIS TB6105 is a stable solution containing sophisticated chemicals and petroleum derivatives together with lanolin, which is an excellent protective and lubricant. TB6105 does not contain silicones.

#### **BENEFITS:**


- Water displacement efficiency due to surfactants which have a greater affinity to water than metallic and non-metallic surfaces
- Excellent de-watering properties
- Light film no need to clean before assembly
- Contains finger print suppressant
- Low odour
- Covering Capacity 30sqm/litre

PRODUCT CODE SIZE PRICE

TB6105 5 Litre









### **Nickel Anti-Seize Compound**

TYGRIS TG8005 is a premium quality anti-seize compound containing nickel. Specially developed to reduce corrosion and seizure on applications requiring low sulphur, chlorine, and fluorine levels, such as on Nimonic, stainless steel and silver coated components. TYGRIS TG8005 is also formulated to be used in extremely high temperatures, up to 1420°C. TYGRIS TG8005 is excellent for the protection of threaded connections, exposed surfaces and flanges.

#### **BENEFITS:**

- Prevents seizing and galling during assembly and therefore reduces assembly time
- Enables the easy dismantling of components subjected to extremely high temperatures
- Chemically inert thus provides an effective anti-seize in saturated chemical environments
- Enables fast and easy dismantling of components allowing them to be reused

PRODUCT CODE	SIZE	PRICE
TG8005	500g	

# Aluminium Anti-Seize Compound

TYGRIS TG8105 is a premium quality anti-seize compound containing soft aluminium solid lubricant. Specially developed for applications on aluminium fasteners requiring low sulphur, chlorine and fluorine levels, thus reducing corrosion. This compound is formulated to be used in extreme high temperature environments of up to 760°C and is excellent for protection of threaded connections, exposed surfaces and flanges. TG8105 is compatible with plastics and metals.



- Prevents seizure and galling during assembly thus reducing assembly time
- Protects against pitting and therefore prolongs component life
- Prevents rusting, fretting and corrosion in exposed conditions
- Enables quick dismantling of components saving on maintenance time
- Enables parts to be reused after dismantling so reducing the cost of replacing components

PRODUCT CODE	SIZE	PRICE
TG8105	500g	






### **Copper Anti-Seize Compound**

TYGRIS TG8205 is a high temperature lubricant providing outstanding overall metal protection against heat, rust, seizure and corrosion. High resistance to water and acids and does not burn off under extreme stress. For use on threaded components, pins and valve stems, in a range of materials including austenitic stainless steel. Commonly used within light engineering and the automotive maintenance/repair sector.

- Water and acid resistant
- Temperature range -30°C to +1100°C
- Use on a wide range of metals
- Prevents seizure of threaded parts
- Will not burn or wash off
- Eliminates brake squeal
- Assists in assembly and disassembly of components.

PRODUCT CODE	SIZE	PRICE	
TG8205	500g		
TG8212	12.5 Kg		







When it comes to shifting stubborn dirt deposits and clinging grease, sometimes you need something a little tougher. These cleaners and degreasers have been developed to take care of stubborn dirt, grime, oil and more in industrial environments.



### **HydroTough 100**

TYGRIS HydroTough 100 is a safe and effective solution for tackling heavy fuel oils deposits, stubborn greases, bitumen, resins, waxes and aged oil contamination. HydroTough 100 is recommended for use by local authorities, tar manufacturers, highway maintenance companies, industrial cleaners and bioremediation solution providers.

#### **BENEFITS:**

- Totally safe to use and environmentally responsible
- Outlasts conventional cleaners/ degreasers
- Acts as a bio-accelerator for complete breakdown of hydrocarbons
- Prevents grease and oil build up on tools, equipment and machinery
- Extremely effective and economical in use
- Ideal for removing heavier contamination deposits
- Renders hydrocarbons non-flammable
- Aids biodegradation

PRODUCT CODE	SIZE	PRICE
TB2025	25 Litre	

### **HydroTough RI**


TYGRIS TB2325 is a safe and effective alternative to solvents or high alkaline-based detergents that are commonly used for cleaning and degreasing glass, plastics and metals (both ferrous and non-ferrous). HydroTough RI is recommended for use by manufacturers or service companies in the preparation of component parts within manufacturing or refurbishment processes.



- Totally safe to use (no caustics, chlorinated solvents, silicates or phosphates)
- Outlasts conventional cleaners/ degreasers
- Contains short-term rust inhibitors
- Ideal for cleaning and brightening metals such as Aluminium and Brass
- Prevents grease, oil and sludge build up on machinery and equipment, thus reducing maintenance downtime and costs
- Aids biodegradation of greases, oils and other hydrocarbon materials
- Highly effective and economical in use and minimises expensive disposal costs









### **Brake & Clutch Cleaner**

TYGRIS TB6005 effectively removes oil, grease, dirt and dust from brakes and clutches, helping to eliminate brake squeal and clutch slip caused by glazing and contamination. This product can also be used on many other surfaces as a powerful cleaning agent, but not on plastic or rubber components.

#### **BENEFITS:**

- Powerful cleaning and degreasing agent
- Helps eliminate brake squeal
- Assists prevention of clutch slip
- Removes oil, grease and dirt.

PRODUCT CODE	SIZE	PRICE	
TR6005	5 Litro		



### **Electrical Degreaser**

TYGRIS TB6305 is a rapid and highly effective degreasing agent with excellent performance on all deposits of oil, grease and tar.

#### **BENEFITS:**

- Efficiently cleans plastics, ferrous and non-ferrous metals, evaporating rapidly to leave a clean dry surface
- Residual free
- Fast evaporating

PRODUCT CODE	SIZE	PRICE
TB6305	5 Litre	



### **Industrial Solvent Cleaner**

TYGRIS TB7005 effectively removes oil, grease, dirt and dust from industrial machines and surfaces. This product can also be used on many other surfaces as a powerful cleaning agent, but not on plastic or rubber components.

- Powerful cleaning and degreasing agent
- Fast drying solvent formulation
- Removes oil, grease and dirt

PRODUCT CODE	SIZE	PRICE	
TB7005	5 Litre		



Correct grease application makes all the difference to how effective they are, and our selection of greasing equipment makes getting the best results possible easy! With grease guns, grease hoses and accessories, we have everything you need to get the job done right.



### **Premium Side Lever Grease Gun**

#### **BENEFITS:**

- Develops up to 6,000 psi / 413 bar
- Screwed end cap for easy cleaning and Soft rubber handle grip and knurled quick discharge of empty cartridge
- Grease capacity of 500cc for bulk fill or 400g cartridge

barrel for a firm hold

PRODUCT CODE	SIZE	PRICE
TGG502.2	500cc	



### **Premium Flexible Grease Hose**

### **BENEFITS:**

• Superior construction – inner tubing is polyamide with polyurethane sheathing, reinforced diagonally in highly tear resistant polyester

PRODUCT CODE	SIZE	PRICE
TGG508	300mm	



### **Industrial Flexible Grease Hose**

#### **BENEFITS:**

• Facilitates getting lubrication to where it's needed (Suitable Personal Protection Equipment should be worn)

PRODUCT CODE	SIZE	PRICE
TGG515	300 mm	



# **Refillable Auto Bearing Lubricator**

- Manufactured from transparent Lexan
- Setting dial (1, 3, 6 and 12 months) supply duration
- Supplied with medium tension spring with optional light & strong tension springs available for varying applications
- Suitable for use with all types of grease NLGI 0-1-2-3-4
- Operating temperatures -30°C to +132°C

PRODUCT CODE	SIZE	PRICE
TGG511	100ml	
TGG512	220ml	



PRODUCT CODE	SIZE	PRICE	
TGG510	N/a		
TGG516	1/8" BSP		
TGG517	1/8" BSPT		



## **Grease Nipple Assortment - BSPT**

- Manufactured to the most stringent quality standards TS16949 approved
- Fitting profile and dimensions are accurately controlled and conform to SAE
- Fittings with ball check use heat treated springs for increased life
- Grease fittings are heat treated to SAE J534 specification with hardness on greasing end to a minimum of 83
- on Rockwell 15N scale with a case depth of 0.005" (0.13mm) to 0.009" (0.23mm)
- Steel fittings are plated in yellow zinc with a plating thickness of 0.0002" (5 microns) conforming to SAE J534 specification and have a guaranteed salt spray life of over 75 hours to red rust

PRODUCT CODE	SIZE	PRICE	
TGG513	50 pieces		
TGG514	80 pieces		

### **Absorbents and Spill Kits**

#### **Material Type**

#### White (Oil)

Developed for the absorption of oil based spills and will not collect water or water based substances

#### Type of Spill

**Fuels** 

Solvents

**Alcohols** 



TITLE	CODE	SIZE
15-30 LITRE SPILL KITS	SK15(O)	15 Litre
	SK25(O)	25 Litre
	SK30(O)	30 Litre
50 LITRE SPILL KIT	SK50(O)	50 Litre
90 – 360 LITRE SPILL KITS	SK90(O)	90 Litre
	SK210(O)	210 Litre
	SK360(0)	360 Litre
500 - 1000 LITRE SPILL KITS	SK500(O)	500 Litre
	SK1000(O)	1000 Litre

### **Material Type**

#### **Grey (Maintenance)**

Developed for the absorption of all oil, water and common aqueous solutions

#### **Type of Spill**

Oils

Fuels

Solvents

**Alcohols** 

Water

**Common aqueous** 

solutions



TITLE	CODE	SIZE
15-25 LITRE SPILL KIT	SK15(M) SK25(M)	15 Litre 25 Litre
30-50 LITRE SPILL KIT	SK30(M) SK50(M)	30 Litre 50 Litre
90 – 360 LITRE SPILL KITS	SK90(M) SK210(M) SK360(M)	90 Litre 210 Litre 360 Litre
500 - 1000 LITRE SPILL KITS	SK500(M) SK1000(M)	500 Litre 1000 Litre

### **Material Type**

#### **Yellow (Chemical)**

Developed for the absorption of almost any liquid including concentrated acids and solutions

#### **Type of Spill**

Oils

**Fuels** 

Solvents

**Alcohols** 

Water

**Common aqueous** 

solutions

**Concentrated acids** and solutions



TITLE	CODE	SIZE
15-25 LITRE SPILL KIT	SK15 (U) SK25 (U)	15 Litre 25 Litre
50 LITRE SPILL KIT	SK50(U)	50 Litre
90 – 360 LITRE SPILL KITS	SK90(U) SK210(U) SK260(U)	90 Litre 210 Litre 360 Litre

**MAINTENANCE** 



**CHEMICAL** 

SK500(U)

SK1000(U)

500 Litre

1000 Litre



# T GRIS

# Effortlessly Keep Your Machinery Running Smoothly With TYGRIS



# The Benefits Of Automatic Lubricators

Automatic lubrication dispense small, precise amounts of lubricant at short, regular intervals.

The amount of time and personnel required for large plants, and machines located in hazardous areas mean that manual lubrication is often dangerous, impractical and expensive. Automatic lubrication as part of maintenance can resolve this issue.

More than half of all unforeseen bearing malfunctions are lubricant related! In 75% of cases, automatic lubricant dispensers help prevent bearing malfunction.

### **Automatic Lubrication...**

### **Reduces Your Costs**

- Saves Time
- Fewer Machine Breakdowns
- Due To Decreased Wear
- Lower Lubricant Consumption
- Increased Service Life Of Bearings

### **Protects The Environment**

- Needs-based Lubricant Dosage
- Low Risk Of Impurities And Contamination

Improves Work Safety Enables Monitoring And Provides An Overview

CONTACT US 01294 311066

TYGRISINDUSTRIAL.COM



### **Auto Greaser AquaLoad SVR**

The Tygris Auto-Greaser is an electronically controlled single-point lubrication system, driven by a chemical reaction. The dispenser excels through user-friendliness and a good cost-performance ratio. This product is the right choice for most lubrication applications being cost-effective, reliable, safe and ecological.

PRODUCT CODE	SIZE	PRICE
AT6412	120ml	



### **Electroil Refillable Dispenser**

The TYGRIS Electroil Refillable Dispenser is a battery-powered refillable oil dispenser, ideal for lubricating chains, spindles and linear guides. The assembly and commissioning of Electroil is very simple. The emptying options from 2 weeks to 24 months and the temperature-independent drive ensure a precise supply of oil to the lubrication point. When using a progressive distributor, up to 10 lubrication points can be supplied. Important status messages are visible at all times during operation.

#### **BENEFITS:**

- Refillable on-site
- Temperature-independent linear discharge during the complete period
- Extra-large oil container of 500 ml
- Self-sufficient operation with battery operation
- Countdown of the remaining duration on the display
- Numerous detailed status messages via display and LED

PRODUCT CODE	SIZE	PRICE
AL602	500 ml	




# Innoflex Auto-Lubrication System

The Innoflex Auto Lubrication System is a battery-operated lubrication system used when an autarchic operation is desired or necessary. The highly-efficient battery pack can optionally be set to empty the lubricant cartridge over a period of 1-36 months.

- Transport of oil and grease up to NLGI
- Connection to machinery control possible
- Delivery pressure up to 70 bar (1015 psi)
- Fault/empty reporting

- Operating temperature range -15 °C
- Temperature-independent feed rate
- Visual inspection is possible at any time

PRODUCT CODE	SIZE	PRICE	
AI 612	500 ml		



### Product Index

Page No.	Product Code	Product Description	Pag No.
3	R199	Dashboard Renovator (Cherry)	20
3	R200	Dashboard Renovator (Apple)	
3	R205	Dashboard Renovator (Cranberry)	21
3	R201	Carburettor Cleaner	21
4	R202	Brake Cleaner	22
4	R203	Engine Degreaser	22
4	R270	Dashboard Cleaner Non-Silicone	22
5	R274	Brake Cleaner High Power	23
5	IS20	PRECISION Electro Clean	23
5	IS25	PRECISION Mould & Tool Cleaner Xtra	25
6	IS27	PRECISION Mould & Tool Cleaner Supa	25
6	R235	Electrical Cleaner	25
6	R207	Industrial Cleaner Fast Drying	25
7	R240	Circuit Freezer Spray (Low GWP)	25
7	R241	Micro Air Duster (Low GWP)	25
7	R244	Glass & Mirror Cleaner	25
8	R245	Anti-Static Foaming Cleaner	26
8	R248	Air Freshener Cranberry	26
8	R251	Graffiti Remover	26
9	R252	Graffiti Remover Viscous	27
9	R255	Ink & Gum Remover Citrus Based	27
9	R258	Stainless Steel Cleaner	27
10	R261	Super Power Air Freshener Cranberry	28
10	R267	Sticky Label Remover	28
12	IS1	PRECISION Looz-n-It Penetrating Oil	28
12	IS5	PRECISION Mould Release Medium	29
13	IS9	PRECISION Mould Release Light	29
13	IS10	PRECISION Mould Release Heavy	29
13	IS13	PRECISION Mould Release Non-Silicone	30
14	IS35	PRECISION Ceramic Release Agent	30
14	IS75	PRECISION Clear Forklift Chain Lubricant	30
14	R208	Metal Working Spray	31
15	R209	Graphite Penetrating Oil	31
15	R211	Clear Fine Oil	32
15	R212	Clear Penetrating Oil	32
16	R213	Water Displacing Anti-Rust Agent	33
16	R214	Cutting & Tapping Fluid	33
17	R216	Open Gear Lubricant	34
17	R217	Silicone Lubricant	34
17	R218	Moly Dry Film Lubricant	34
18	R219	Food Safe Lubricant	37
18	R220	Chain & Wire Lubricant	37
18	R221	Weld Spatter Release (Solvent Based)	37
19	R222	Weld Spatter Release (Water Based)	37
19	R223	White Grease with PTFE	37
19	R225	Non-Silicone Mould Release	38
20	R226	Clear Grease	38
20	R228	Clear Polymer Chain Lubricant	39

Page No.	Product Code	Product Description
NO. 20	R229	Drive & Bearing Lubricant
21	R230	Clear Silicone Grease
21	R232	Super Lube Extreme Pressure
21	R233	Aluminium Anti-Seize
22	R234	Copper A-S Advanced
22	R236	Leak Detector
22	R237	PTFE Dry Film Lubricant
23	R273	Wax Chain Lube
23	R275	Seize Release Penetrating Oil
25	LMBE	Stripeline Marking Paint Blue
25	LMBK	Stripeline Marking Paint Black
25	LMGN	Stripeline Marking Paint Green
25	LMOE	Stripeline Marking Paint Orange
25	LMRD	Stripeline Marking Paint Red
25	LMW	Stripeline Marking Paint White
25	LMY	Stripeline Marking Paint Yellow
26	P300	Matt Black Paint (RAL9005)
26	P301	Satin Black Paint (RAL9005)
26	P302	Gloss Black Paint (RAL9005)
27	P303	Grey Primer Paint
27	P304	White Primer Paint
27	P305	Red Primer Paint
28	P306	Gloss White Paint (RAL9010)
28	P307	Bright Silver Paint (RAL9006)
28	P308	Black Primer Paint
29	P309	Self Etching Primer (Grey)
29	P310	Gloss Blue Paint (RAL5010)
29	P311	Gloss Green Paint (RAL6001)
30	P312	Gloss Red Paint (RAL3000)
30	P313	Gloss Yellow Paint (RAL1007)
30	P314	Gloss Orange Paint (RAL2004)
31	P315	Gloss Dark Green Paint (RAL6005)
31	P330	Black High Temperature Paint
32	R210	Heavy Duty Adhesive
32	R224	Bright Zinc Galve Spray
33	R239	Heavy Duty Zinc Galve Spray
33	R204	Battery Terminal Protector
34	R242	Clear Acrylic Lacquer
34	IS60	PRECISION Clear Mould Protector
34	IS70	PRECISION Green Mould Protector
37	TG6301	SILIXIS+
37	TG6804	Corrosion Guard Grease
37	TG7204	WR2 Calcium Grease
37	TG7205	WR2 Calcium Grease
37	TG7212	WR2 Calcium Grease
38	TG7304	High Speed Grease 2
38	TG7712	Heavy Duty Open Gear Grease
39	TG7818	BE-100 Rope Lubricant 00

### Product Index

Page No.         Product Code           39         TB7825         Silicone Oil 100           40         TG8504         High Temp Grease 2           40         TG8530         High Temp Grease 2           40         TG8630         Silicone Valve Seal           40         TG6404         AquaLoad SVR           41         TG8704         Very High Temp Grease 2           41         TG8730         Very High Temp Grease 2           41         TG9112         Wire Rope Grease 00           42         TG9805         Water Resistant Hub Grease           42         TG9804         Calcium Sulphonate Grease           42         TG9818         Calcium Sulphonate Grease
39         TB7825         Silicone Oil 100           40         TG8504         High Temp Grease 2           40         TG8530         High Temp Grease 2           40         TG8630         Silicone Valve Seal           40         TG6404         AquaLoad SVR           41         TG8704         Very High Temp Grease 2           41         TG8730         Very High Temp Grease 2           41         TG9112         Wire Rope Grease 00           42         TG9805         Water Resistant Hub Grease           42         TG9804         Calcium Sulphonate Grease
40 TG8530 High Temp Grease 2 40 TG8630 Silicone Valve Seal 40 TG6404 AquaLoad SVR 41 TG8704 Very High Temp Grease 2 41 TG8730 Very High Temp Grease 2 41 TG9112 Wire Rope Grease 00 42 TG9805 Water Resistant Hub Grease 42 TG9804 Calcium Sulphonate Grease
40 TG8630 Silicone Valve Seal 40 TG6404 AquaLoad SVR 41 TG8704 Very High Temp Grease 2 41 TG8730 Very High Temp Grease 2 41 TG9112 Wire Rope Grease 00 42 TG9805 Water Resistant Hub Grease 42 TG9804 Calcium Sulphonate Grease
40 TG6404 AquaLoad SVR 41 TG8704 Very High Temp Grease 2 41 TG8730 Very High Temp Grease 2 41 TG9112 Wire Rope Grease 00 42 TG9805 Water Resistant Hub Grease 42 TG9804 Calcium Sulphonate Grease
41 TG8704 Very High Temp Grease 2 41 TG8730 Very High Temp Grease 2 41 TG9112 Wire Rope Grease 00 42 TG9805 Water Resistant Hub Grease 42 TG9804 Calcium Sulphonate Grease
41 TG8730 Very High Temp Grease 2 41 TG9112 Wire Rope Grease 00 42 TG9805 Water Resistant Hub Grease 42 TG9804 Calcium Sulphonate Grease
41 TG9112 Wire Rope Grease 00 42 TG9805 Water Resistant Hub Grease 42 TG9804 Calcium Sulphonate Grease
42 TG9805 Water Resistant Hub Grease 42 TG9804 Calcium Sulphonate Grease
42 TG9804 Calcium Sulphonate Grease
42 TG9818 Calcium Sulphonate Crease
iz   133010   Calcium Sulphonate Grease
44 TG6004 Lithium Pin & Bush Advanced
44 TG6012 Lithium Pin & Bush Advanced
44 TB6205 Penetrating Oil
45 TG7550 Lithium Grease L2
45 TG8304 Lithium Moly Grease 2
45 TG8312 Lithium Moly Grease 2
46 TG8430W White Lithium Grease
46 TG8404 Lithium Grease EP2
46 TG8405 Lithium Grease EP2
46 TG8430 Lithium Grease EP2
46 TG8412 Lithium Grease EP2
46 TG8418 Lithium Grease EP2
46 TG8450 Lithium Grease EP2
46 TG8499 Lithium Grease EP2
50 TG8804 Lithium Grease EP3
47 TG8812 Lithium Grease EP3
47 TG8904 Blue Lithium Complex Grease
47 TG8905 Blue Lithium Complex Grease
47 TG8912 Blue Lithium Complex Grease
47 TG8918 Blue Lithium Complex Grease
47 TG8950 Blue Lithium Complex Grease
47 TG8999 Blue Lithium Complex Grease
48 TG9004 Red Lithium Complex Grease
48 TG9012 Red Lithium Complex Grease
48 TG9018 Red Lithium Complex Grease
48 TG9050 Red Lithium Complex Grease
48 TG9099 Red Lithium Complex Grease
48 TG9212 Lithium Grease EP0
49 TG9330 Lithium Grease EP00
49 TG9312 Lithium Grease EP00
49 TG9412 Lithium Grease EP000
53 T500 Metal Working Paste
53 T510 Metal Working Fluid
52 T515 Metal Working Fluid
55 TB5105 Atmotec 50
55 TB5205 Atmotec 90
55 TB6105 WD Anti-Rust Fluid

Page No.	Product Code	Product Description	
57	TG8005	Nickel Anti-Seize Compound	
57	TG8105	Aluminium Anti-Seize Compound	
58	TG8205	Copper Anti-Seize Compound	
58	TG8212	Copper Anti-Seize Compound	
60	TB2025	HydroTough 100	
60	TB2325	HydroTough RI	
61	TB6005	Brake & Clutch Cleaner	
61	TB6305	Electrical Degreaser	
61	TB7005	Industrial Solvent Cleaner	
63	TGG502.2	Premium Side Lever Grease Gun	
63	TGG508	Premium Flexible Grease Hose	
63	TGG510	Premium 4-Jaw Coupler	
63	TGG516	Industrial 4 Jaw Coupler	
63	TGG517	360 Deg Swivelling Coupler	
64	TGG511	Refillable Auto Bearing Lubricator	
64	TGG512	Refillable Auto Bearing Lubricator	
64	TGG513	Grease Nipple Assortment - BSPT	
64	TGG514	Grease Nipple Assortment - Metric	
64	TGG515	Industrial Flexible Grease Hose	
	SK15(O)	Industrial Flexible Grease Flose	
66	SK25(O)	15-30 Litre Oil Spill Kits	
66	SK30(O) SK50(O)	50 Litre Oil Spill Kits	
	SK90(O)		
66	SK210(0)	90-360 Litre Oil Spill Kits	
66	SK360(O) SK500(O)	500-1000 Litre Oil Spill Kits	
	SK1000(O) SK15(M)	·	
66	SK25(M)	15-25 Litre Maintenance Spill Kits	
66	SK30(M) SK50(M)	30-50 Litre Maintenance Spill Kits	
	SK90(M)		
66	SK210(M) SK360(M)	90-360 Litre Maintenance Spill Kits	
66	SK500(M)	500-1000 Litre Maintenance Spill Kits	
	SK1000(M) SK15(U)		
66	SK25 (U)	15-25 Litre Chemical Spill Kits	
66	SK30(U) SK50(U)	30-50 Litre Chemical Spill Kits	
-	SK90(U)		
66	SK210(U) SK360(U)	90-360 Litre Chemical Spill Kits	
66	SK500(U)	500-1000 Litre Chemical Spill Kits	
	SK1000(U) AT6412	·	
68		Auto Greaser AquaLoad SVR	
68	AL602	Electroil Refillable Dispenser	
68	AL612	Innoflex Auto-Lubrication	
71	V101	Maintain101	



### MAINTAIN101 **MULTI-PURPOSE MAINTENANCE SPRAY**

If you've been looking for a way to cut down the time spent on maintenance, then look no further.

This silicone-free spray is enhanced with performance improving enhancers including PTFE and advanced corrosion inhibitors, for a genius solution in a can. MAINTAIN101 easily penetrates and releases seized corroded components, which not only increases component life but makes any assembly or disassembly in the future much easier. This spray doesn't just help with seizure, but can guards against corrosion and drives out moisture for effective protection.

> Aside from protection, it also acts as a long-lasting lubricant that doesn't stain and keeps your parts working smoothly. This maintenance spray also provides fantastic cleaning power, and can power through dirt, grease, and grime on most surfaces! With so many uses MAINTAIN101 gives you effective Lubrication, Cleaning And Protecting in one handy 400ml can! **BENEFITS:** • Protects metal components from corrosion • Comes With 360° Valve For All Over Use • Cleans through dirt and grime **PRODUCT CODE** SIZE 400 ml

**PRICE** 

**CONTACT US** - 01294 311066 TYGRISINDUSTRIAL.COM



## Reduce Downtime, Increase Efficiency

Distributed By:

Explore the full range of TYGRIS MRO products. For data sheets or more information visit:

**TYGRISINDUSTRIAL.COM** 

