Regulation EC No 1907/2006 Art.31

Amberklene Fe10 Productname:

Ref.Nr.: UDS000349 3 20150515 (EN)

Creationdate: Replaces:

15.05.15 Version: 1.0 UDS000349 20120928

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Amberklene Fe10

Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaners - Heavy duty

1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd. Ambersil House - Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom

Tel.: +44 1278 727200 Fax.: +44 1278 425644 E-mail: hse.uk@crcind.com

1.4. Emergency telephone number

(+44)(0)1278 72 7200

Physical:

MALTA: MEDICINES AND POISONS INFO OFFICE: 2545 6504

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosols, category 1

Extremely flammable aerosol. Pressurised container: May burst if heated.

Health: Skin irritation, category 2 Causes skin irritation.

Specific target organ toxicity - single exposure, category 3

May cause drowsiness or dizziness.

Environment: Hazardous to the aquatic environment, chronic category 2

Toxic to aquatic life with long lasting effects.

Classification according to 67/548/EEC or 1999/45/EC:



Regulation EC No 1907/2006 Art.31

 Productname :
 Amberklene Fe10
 Creationdate :
 15.05.15 Version : 1.0

 Ref.Nr.:
 UDS000349_3_20150515 (EN)
 Replaces:
 UDS000349_20120928

EXTREMELY FLAMMABLE

Xi: IRRITANT

N: DANGEROUS FOR THE ENVIRONMENT

Health: R38: Irritating to skin.

R67: Vapours may cause drowsiness and dizziness.

Physical: R12: Extremely flammable. EXTREMELY FLAMMABLE

Environment: R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Product identifier: Contains:

methylcyclohexane

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Hazard pictogram(s):





Signal word: Danger

Hazard statement(s): H222 : Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H315 : Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

Precautionary statement(s): P102 : Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211 : Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P261 : Avoid breathing dust/fume/gas/mist/vapours/spray. P271 : Use only outdoors or in a well-ventilated area.

P410/412: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

P501-2: Dispose of contents/container to an authorised waste collection point.

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Hazardous ingredient CAS-nr. EC-nr w/w symbol R-phrases* Notes



Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Regulation EC No 1907/2006 Art.31

Productname: Amberklene Fe10 Creationdate: 15.05.15 Version: 1.0 Ref.Nr.: UDS000349 3 20150515 (EN) Replaces: UDS000349 20120928

	%					
methylcyclohexane	108-87-2	203-624- 3	30-60	F,Xn,N	11-38-51/53-65- 67	В
methylal	109-87-5	203-714- 2	10-30	F	11	В
Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1%)	68512-91- 4	270-990- 9	10-30	F+	12	K,G
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	64742-49- 0	920-750- 0	10-30	F,Xn,N	11-51/53-65-66- 67	В
carbon dioxide	124-38-9	204-696- 9	1-5	-	-	A,G

Explanation notes

A: substance with Community workplace exposure limit

B: substance with national established workplace exposure limit

G: exempted from the obligation to register in accordance with art.2(7)(a)of REACH Regulation No 1907/2006

K: not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)

Hazardous ingredient	Registration number	CAS- nr.	EC- nr	w/w %	Hazard Class and Category	Hazard statement	Notes
methylcyclohexane	01- 2119486992- 20	108-87- 2	203- 624-3	30- 60	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2	H225,H315,H336,H304,H411	В
methylal	01- 2119664881- 31	109-87- 5	203- 714-2	10- 30	Flam. Liq. 2	H225	В
Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3- butadiene < 0.1%)	-	68512- 91-4	270- 990-9	10- 30	Press. Gas, Flam. Gas 1	H280,H220	K,G
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	01- 2119473851- 33	64742- 49-0	920- 750-0	10- 30	Flam. Liq. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2	H225,H336,H304,H411	В
carbon dioxide		124-38- 9	204- 696-9	1-5	Press. Gas	H280	A,G

Explanation notes

A: substance with Community workplace exposure limit

B: substance with national established workplace exposure limit

G: exempted from the obligation to register in accordance with art.2(7)(a)of REACH Regulation No 1907/2006

K: not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)

(* Explanation phrases : see chapter 16)

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with eyes : If substance has got into eyes, immediately wash out with plenty of water

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash before reuse. Contact with skin:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: If swallowed do not induce vomiting because of risk of aspiration into the

lungs. If aspiration is suspected obtain immediate medical attention



Regulation EC No 1907/2006 Art.31

Productname: Amberklene Fe10

Ref.Nr.: UDS000349_3_20150515 (EN)

Creationdate : Replaces:

15.05.15 Version : 1.0 UDS000349 20120928

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : Excessive inhalation of solvent vapours may give rise to nausea, headaches

and dizziness

Ingestion: After vomiting of swallowed product aspiration into lungs is likely. Solvents

may induce chemical pneumonia.

Symptoms: sore throat, abdominal pain, nausea, vomiting

Skin contact: Irritating to skin

Symptoms: redness and pain

Eye contact : May cause irritation.

Symptoms: redness and pain

4.3. Indication of any immediate medical attention and special treatment needed

General Advice: If you feel unwell, seek medical advice (show the label where possible

If symptoms persist always call a doctor

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO,CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

6.3. Methods and material for containment and cleaning up



4 / 10

Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, TA6 4DD

Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Regulation EC No 1907/2006 Art.31

Productname: Amberklene Fe10 Creationdate: 15.05.15 Version: 1.0 Ref.Nr.: Replaces: UDS000349 3 20150515 (EN) UDS000349 20120928

Absorb spillage in suitable inert material

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

Do not breathe aerosols or vapours.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Wash thoroughly after use

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Keep out of reach of children.

7.3. Specific end use(s)

Cleaners - Heavy duty

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

Hazardous ingredient	CAS-nr.	method	
EU established exposure limits:			
carbon dioxide	124-38-9	TWA	5000 ppm
National established exposure limits, United Kingdom			
methylal	109-87-5	TWA	1000 ppm
		STEL	1250 ppm
carbon dioxide	124-38-9	TWA	5000 ppm
		STEL	15000 ppm

8.2. Exposure controls



Regulation EC No 1907/2006 Art.31

 Productname :
 Amberklene Fe10
 Creationdate :
 15.05.15 Version : 1.0

 Ref.Nr.:
 UDS000349 3 20150515 (EN)
 Replaces:
 UDS000349 20120928

Control procedures : Ensure adequate ventilation

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Personal protection: Take precautions to avoid contact with skin and eyes when handling the

product.

In all cases handle and use the product in accordance with good industrial

hygiene practices.

Ensure adequate ventilation

inhalation : In case of insufficient ventilation, wear suitable respiratory equipment.

recommended respiratory protection: Air purifying respirator equiped with organic gas/vapor cartridge (type AX)

hands and skin: When handling the product wear chemical-resistant gloves (standard EN 374).

Use a reusable glove with a minimum breakthrough time of 30 minutes. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be

changed part-way through.

Recommended gloves: (butyl rubber)

eyes: Wear safety goggles.

Environmental protection: Avoid release to the environment.

Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

Apperance : physical state : Liquid under pressure.

colour :Colorless.odour :Solvent.pH :Not applicable.

Boiling point/range : $42 \,^{\circ}\text{C}$ **Flash point :** $-6 \,^{\circ}\text{C}$

Evaporation rate : Not available.

Explosion limits : upper limit : 17.6 % lower limit : 0.7 %

Vapour pressure: Not available.

Relative density: 0.767 g/cm3 (@ 20°C). **Solubility in water:** Immiscible with water

Auto-ignition: > 200 °C **Viscosity:** Not available.

9.2. Other information

VOC: 731 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose



Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Regulation EC No 1907/2006 Art.31

Amberklene Fe10 Productname:

Ref.Nr.: UDS000349 3 20150515 (EN)

Creationdate: Replaces:

15.05.15 Version: 1.0 UDS000349 20120928

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation: Inhalation of solvent vapours may give rise to nausea, headaches and

Ingestion: After vomiting of swallowed product aspiration into lungs is likely. Solvents

may induce chemical pneumonia.

Skin contact: Irritating to skin Eye contact: May cause irritation.

Toxicological data:

Hazardous ingredient	CAS-nr.	method	
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	64742-49-0	LD50 oral rat	> 5000 mg/kg
		LC50 inhal.rat	> 20 mg/l
		LD50 derm.rabit	> 2000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, chronic category 2 Toxic to aquatic life with long lasting effects.



Regulation EC No 1907/2006 Art.31

Amberklene Fe10 Productname:

Ref.Nr.: UDS000349 3 20150515 (EN) Creationdate: Replaces:

15.05.15 Version: 1.0 UDS000349 20120928

Ecotoxicological data:

Hazardous ingredient	CAS-nr.	method	
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	64742-49-0	IC50 algae	10-30 mg/l
		LC50 fish	10-30 mg/l
		EC50 daphnia	1-10 mg/l

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Immiscible with water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: This material and its container must be disposed of in a safe way.

Do not discharge into drains or the environment, dispose to an authorised

waste collection point.

Contaminated packaging: Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number: 1950

14.2. UN proper shipping name

Proper shipping name: AEROSOLS (Methylcyclohexane)

14.3. Transport hazard class(es)



8 / 10

CRC Industries UK Limited

Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, TA6 4DD
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Regulation EC No 1907/2006 Art.31

Amberklene Fe10 Productname:

Creationdate: 15.05.15 Version: 1.0 Ref.Nr.: UDS000349 3 20150515 (EN) Replaces: UDS000349 20120928

Class: 21 ADR/RID - Classification code: 5F

14.4. Packing group

Packing group: Not applicable.

14.5. Environmental hazards

ADR/RID - Environmentally

Yes hazardous:

IMDG - Marine pollutant: Marine pollutant

IATA/ICAO - Environmentally

Yes hazardous:

14.6. Special precautions for user

ADR/RID - Tunnelcode: (D) F-D, S-U IMDG - Ems: IATA/ICAO - PAX: 203 IATA/ICAO - CAO 203

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.

Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

EU-directive 99/45/EC

Regulation (EC) No 1272/2008 (CLP)

Regulation (EC) No 1907/2006 (REACH)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation risk-phrases: R11: Highly flammable.

R12: Extremely flammable.

R38: Irritating to skin.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in



9/10

CRC Industries UK Limited

Regulation EC No 1907/2006 Art.31

Productname: Amberklene Fe10 Creationdate: 15.05.15 Version: 1.0 Ref.Nr.: UDS000349 3 20150515 (EN) Replaces: UDS000349 20120928

the aquatic environment.

*Explanation hazard statements: H220: Extremely flammable gas.

H225: Highly flammable liquid and vapour.

H280: Contains gas under pressure; may explode if heated.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not quarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

