

## SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/5

# J903 PINE DISINFECTANT

 Revision
 5

 Revision date
 2015-06-19

FOR APPLICABLE USES.         1.3. Details of the supplier of the safety data sheet         Company       Assured Solutions Ltd         Address       Unit H         Westminister Industrial Estate Measham Derbyshire DE12 7DS       Westminister Industrial Estate Measham Derbyshire         Derbyshire       Derbyshire         DE12 7DS       Westminister Industrial Estate Measham         Verb       www.chemicalsuppliers.uk.com         Telephone       +44 (0)1530 272922         Fax       +44 (0)1530 272922         Fax       +44 (0)1530 272922         Fax       sales@assuredsolutionstld.co.uk         Email address of the competent person       sales@assuredsolutionstld.co.uk         1.4. Emergency telephone number       01530 272 922         AsSURED SOLUTIONS LTD 24hrs       AsSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards Identification       1         2.1. Classification of the substar- 2.1. Classification - EC       Aquatic Chronic 3: H412;         12.2 Classification - EC       Aquatic Chronic 3: H412;         12.2 Classification - EC       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Procautionary Statement:       P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment. P103 - Read label before use. P273 - Avoid releases to the environment. P10	SECTION 1: Identification of	the substance/mixture and of the company/undertaking
REACH         ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.           1.3. Details of the supplier of the sefety data sheet         Company           Assured Solutions Ltd         Address           Unit H         Westminister Industrial Estate Measham Derbyshire DE12 7DS           Web         www.chemicalsuppiliers.uk.com           Telephone         +44 (0)1530 272922           Fax         +44 (0)1530 272921           Email         sales@assuredsolutionsltd.co.uk           sales@assuredsolutionsltd.co.uk         company           ASSURED SOLUTIONS LTD 24hrs         Section 2           SECTION 2: Hazards identification         11.4 Emergency telephone number           2.1. Classification of the substance or mixture         21.1 Classification of the substance or mixture           2.1. Classification of the substance or mixture         21.2 Classification - EC           2.1.2 Lobel elements         Aquatic Chronic 3: H412; 1272/2008           2.2. Label elements         P102 - Keep out of reach of children. Provid 11.P3 - P103 - Read label before use. P273 - Avoid release to the environment. Proceationary Statement: Precentionary Statement: Pasel 11.P3 - If by EVES: Rines cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P33 - If eye irritation persits: Get medical advice/attention.           Precentionary Statement:         P0305+P338 - IF NE VES: Rines	1.1. Product identifier	
FOR APPLICABLE USES.         1.3. Details of the supplier of the safety data sheet         Company       Assured Solutions Ltd         Address       Unit H         Westminister Industrial Estate Measham Derbyshire       Measham Derbyshire         DE12 7DS       Web         Web       www.chemicalsuppliers.uk.com         Telephone       +44 (0)1530 272922         Fax       +44 (0)1530 272921         Email address of the competent person       sales@assuredsolutionstld.co.uk         1.4. Emergency telephone number       01530 272 922         ASSURED SOLUTIONS LTD 24hrs       ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards Identification       11.2 Classification of the substar- er mixture         2.1. Classification of the substar- er value Chronic 3: H412;       121.2 Classification - EC         Aquatic Chronic 3: H412;       1272/2008         2.1. Label elements       Aquatic Chronic 3: H412; Harmful to aquatic life with long lasting effects.         Precautionary Statement: Procautionary Statement: Passer 1H 2930 F1831H-11 FVES: Rines cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Cet medical advice/attention.         Procautionary Statement: Disposal       F01 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         P304       F01 - Dispose of content	Product name	J903 PINE DISINFECTANT
Company       Assured Solutions Ltd         Address       Unit H         Westminster Industrial Estate       Measham         Derbyshire       DE12 7DS         Www.chemicalsuppliers.uk.com       +44 (0)1530 272922         Fax       +44 (0)1530 272921         Email       sales@assuredsolutionsltd.co.uk         competent person       ales@assuredsolutionsltd.co.uk         1.4. Emergency telephone number       Emergency telephone number         Company       ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification       Aquatic Chronic 3: H412;         2.1. Classification of the substance or mkture       Aquatic Chronic 3: H412;         2.2. Label elements       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         P103 - Read label before use.       P273 - Avoid release to the environment.         Precautionary Statement:       P103 - Read label before use.         P273 - Avoid release to the environment.       P205-P3743-P3743-P1 H EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposel       P501 -	REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED) FOR APPLICABLE USES.
Address       Unit H         Westminster Industrial Estate         Measham         Derbyshire         DE12 7DS         Web         www.chemicalsuppliers.uk.com         +44 (0)1530 272922         Fax       +44 (0)1530 272921         Email       sales@assuredsolutionsltd.co.uk         sales@assuredsolutionsltd.co.uk         competent person         1.4. Emergency telephone number         Company       01530 272 922         ASSURED SOLUTIONS LTD         24hrs         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         2.1. Classification - EC       Aquatic Chronic 3: H412;         1272/2008       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         P103 - Read label before use.       P273 - Avoid release to the environment.         Precautionary Statement:       P30+P351+P333 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P33-P451+P343 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Di	1.3. Details of the supplier of the	e safety data sheet
Westminster Industrial Estate Measham       Measham         Derbyshire DE12 7DS       Derbyshire DE12 7DS         Web       www.chemicalsuppliers.uk.com         1elephone       +44 (0)1500 272922         Fax       +44 (0)1500 272921         Email       sales@assuredsolutionsltd.co.uk         Email address of the competent person       sales@assuredsolutionsltd.co.uk         1.4. Emergency telephone number Company       10530 272 922         ASURED SOLUTIONS LTD 24hrs       ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification of the substance or mixture       Instance or mixture         2.1. Classification of the substance or mixture       Aquatic Chronic 3: H412; 1272/200         2.2. Label elements       Aquatic Chronic 3: H412; 1272/200         Hazard Statement Prevention       P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment.         Precautionary Statement: Response       P305+P331+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement: Disposal       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Ja37-Read label before use. P273 - Avoid release to the environment.       P305+P313 - If eye irritation persists: Get medical advice/attention.	Company	Assured Solutions Ltd
Measham Derbyshire DE12 7DS       Web     www.chemicalsuppliers.uk.com       Telephone     +44 (0)1530 272922       Fax     +44 (0)1530 272921       Email     sales@assuredsolutionsltd.co.uk       Email address of the competent person     sales@assuredsolutionsltd.co.uk       14. Emergency telephone number     01530 272 922       Company     01530 272 922       ASSURED SOLUTIONS LTD 24hrs     ASSURED SOLUTIONS LTD       21.1. Classification of the substance or mixture     2.1.2. Classification of the substance or mixture       2.1.2. Classification of the substance or mixture     Aquatic Chronic 3: H412;       222. Label elements     P102 - Keep out of reach of children. Provention       P102 - Keep out of reach of children. Provention     P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment.       Precautionary Statement: Response     P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.       Precautionary Statement: Disposal     P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES       23. Other hazards     F501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES	Address	Unit H
Derbyshire DE12 7DS       Web     Derbyshire DE12 7DS       Www.chemicalsuppliers.uk.com       Telephone     +44 (0)1530 272922       Fax     +44 (0)1530 272921       Email     sales@assuredsolutionsltd.co.uk       Email address of the competent person     sales@assuredsolutionsltd.co.uk       Telephone number     D1530 272 922       Company     ASSURED SOLUTIONS LTD       24hrs       SECTION 2: Hazards identification       21.1. Classification of the substar- 22. Label elements     Aquatic Chronic 3: H412;       Hazard Statement     Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.       Precautionary Statement:     P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment.       Precautionary Statement:     P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advic/attention.       Precautionary Statement:     P307+P351 - If eye irritation persists: Get medical advic/attention.       Precautionary Statement:     P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES       Disposal     Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES		Westminster Industrial Estate
DE12 7DS       Web     www.chemicalsuppliers.uk.com       Telephone     +44 (0)1530 272922       Fax     +44 (0)1530 272921       Email     sales@assuredsolutionstld.co.uk       Email address of the competent person     sales@assuredsolutionstld.co.uk       14. Emergency telephone number     01530 272 922       Company     01530 272 922       ASSURED SOLUTIONS LTD 24hrs     ASSURED SOLUTIONS LTD       21. Classification of the substarres     24hrs       SECTION 2: Hazards identification     Aquatic Chronic 3: H412;       21.2. Classification - EC 1272/2008     Aquatic Chronic 3: H412;       21.2. Classification - EC     Aquatic Chronic 3: H412;       Precautionary Statement     P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment.       Precautionary Statement:     P3054P331+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.       Precautionary Statement:     P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES       Disposal     Isotor to require		Measham
Web         www.chemicalsuppliers.uk.com           Telephone         +44 (0)1530 272922           Fax         +44 (0)1530 272921           Email         sales@assuredsolutionsltd.co.uk           Email address of the competent person         sales@assuredsolutionsltd.co.uk           1.4. Emergency telephone number         01530 272 922           Company         ASSURED SOLUTIONS LTD 24hrs           SECTION 2: Hazards identification         24hrs           SECTION 2: Hazards identification         Aquatic Chronic 3: H412;           21/2/2008         22. Label elements           Hazard Statement         Aquatic Chronic 3: H412;           Precautionary Statement:         P102 - Keep out of reach of children.           P103 - Read label before use.         P273 - Avoid release to the environment.           Precautionary Statement:         P305+P331+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.           P305+P331-If eye irritation persists: Get medical advice/attention.         P305+P331-If eye irritation persists: Get medical advice/attention.           Precautionary Statement:         P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES           Paspose         P305+P331-If eye irritation persists: Get medical advice/attention.		Derbyshire
Telephone       +44 (0)1530 272922         Fax       +44 (0)1530 272921         Email       sales@assuredsolutionsltd.co.uk         sales@assuredsolutionsltd.co.uk       sales@assuredsolutionsltd.co.uk         competent person       01530 272 922         Company       01530 272 922         Company       01530 272 922         ASSURED SOLUTIONS LTD       24hrs         SECTION 2: Hazards identification - EC       ASSURED SOLUTIONS LTD         2.1. Classification of the substance       rmixture         2.1. Classification - EC       Aquatic Chronic 3: H412;         272/2008       22. Label elements         Hazard Statement       P102 - Keep out of reach of children.         Precautionary Statement:       P102 - Keep out of reach of children.         Precautionary Statement:       P305+P331+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P338 - IF IN EYES: Get medical advice/attention.       P337+P331 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal       If eye irritation persists: Get medical advice/attention.		DE12 7DS
Fax       +44 (0)1530 272921         Email       sales@assuredsolutionsltd.co.uk         sales@assuredsolutionsltd.co.uk       sales@assuredsolutionsltd.co.uk         Email address of the competent person       01530 272 922         1.4. Emergency telephone number       01530 272 922         Company       ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification       24hrs         2.1. Classification of the substance or mixture       21.2. Classification of the substance or mixture         2.1. Classification - EC 1272008       Aquatic Chronic 3: H412;         2.2. Label elements       P102 - Keep out of reach of children.         Prevention       P103 - Read label before use.         P273 - Avoid release to the environment.       P273 - Avoid release to the environment.         Precautionary Statement:       P305+P3751+P33 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.       P305+P31 - J1 eye irritation persists: Get medical advice/attention.         Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal       If eye irritation persists: Get medical advice/attention.	Web	www.chemicalsuppliers.uk.com
Email       sales@assuredsolutionsltd.co.uk         Email address of the competent person       sales@assuredsolutionsltd.co.uk         1.4. Emergency telephone number       01530 272 922         Company       ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification       24hrs         SECTION 2: Hazards identification       4quatic Chronic 3: H412;         2.1. Classification of the substarce or mixture       2.1.2 Classification - EC         2.1.2. Classification - EC       Aquatic Chronic 3: H412;         2.2. Label elements       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         P103 - Read label before use.       P273 - Avoid release to the environment.         Precautionary Statement:       P305+P331+P338 - IF IN EYES: Rise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.       P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal       2.3. Other hazards	Telephone	+44 (0)1530 272922
Email address of the competent person       sales@assuredsolutionsltd.co.uk         1.4. Emergency telephone number Company       01530 272 922 ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification       Assuredsolutionsltd.co.uk         2.1. Classification of the substator or mixture       Aquatic Chronic 3: H412;         2.1.2. Classification - EC 1272/2008       Aquatic Chronic 3: H412;         2.1.2. Label elements       Aquatic Chronic 3: H412;         Hazard Statement Precautionary Statement: Provention       P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment.         Precautionary Statement: Response       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement: Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposel       Joint - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES	Fax	+44 (0)1530 272921
competent person         1.4. Emergency telephone number         Company         ASURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification         Company         ASURED SOLUTIONS LTD         Zahrs         SECTION 2: Hazards identification         Company         Aquatic Chronic 3: H412;         Company         Aquatic Chronic 3: H412;         Company         Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:         P102 - Keep out of reach of children.         P103 - Read label before use.         P273 - Avoid release to the environment.         Precautionary Statement:         P305+P351+P338 - IF IN EYES: Rinse cautiously with	Email	sales@assuredsolutionsltd.co.uk
competent person         1.4. Emergency telephone number         Company         ASURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification         Company         ASURED SOLUTIONS LTD         Zahrs         SECTION 2: Hazards identification         Company         Aquatic Chronic 3: H412;         Company         Aquatic Chronic 3: H412;         Company         Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:         P102 - Keep out of reach of children.         P103 - Read label before use.         P273 - Avoid release to the environment.         Precautionary Statement:         P305+P351+P338 - IF IN EYES: Rinse cautiously with	Email address of the	sales@assuredsolutionsltd.co.uk
Emergency telephone number Company       01530 272 922 ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         2.1. Classification - EC 1272/2008       Aquatic Chronic 3: H412;         2.2. Label elements         Hazard Statement Precautionary Statement: Response       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment.         Precautionary Statement: Response       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement: Disposal       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards       Image: Page Page Page Page Page Page Page Page	competent person	
Company       ASSURED SOLUTIONS LTD 24hrs         SECTION 2: Hazards identification         2.1. Classification of the substarce or mixture         2.1. Classification - EC 1272/2008       Aquatic Chronic 3: H412;         2.2. Label elements       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement: Prevention       P102 - Keep out of reach of children. P103 - Read label before use. P273 - Avoid release to the environment.         Precautionary Statement: Response       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement: Disposal       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Jost Paards       Jost Paards	1.4. Emergency telephone num	рег
24hrs         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         2.1.2. Classification - EC       Aquatic Chronic 3: H412;         1272/2008       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         Precautionary Statement:       P102 - Keep out of reach of children.         Precautionary Statement:       P103 - Read label before use.         P273 - Avoid release to the environment.       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Isposal       Image: Several s	Emergency telephone number	01530 272 922
SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         2.1.2. Classification - EC       Aquatic Chronic 3: H412;         1272/2008       Aquatic Chronic 3: H412;         2.2. Label elements       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         Precautionary Statement:       P103 - Read label before use.         P273 - Avoid release to the environment.       P273 - Avoid release to the environment.         Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal       2.3. Other hazards	Company	ASSURED SOLUTIONS LTD
2.1. Classification of the substance or mixture         2.1.2. Classification - EC         1272/2008         2.2. Label elements         Hazard Statement         Precautionary Statement:         Prevention         Precautionary Statement:         Precautionary Statement:         Precautionary Statement:         Precautionary Statement:         Precautionary Statement:         Parecautionary Statement:         P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal		24hrs
2.1.2. Classification - EC       Aquatic Chronic 3: H412;         1272/2008       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Pacard Statement       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         Prevention       P103 - Read label before use.         P273 - Avoid release to the environment.       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards       Image: Content set of the set of th	SECTION 2: Hazards identif	ication
1272/2008         2.2. Label elements         Hazard Statement       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         Prevention       P103 - Read label before use.         P273 - Avoid release to the environment.         Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards	2.1. Classification of the substar	nce or mixture
2.2. Label elements         Hazard Statement       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         Prevention       P103 - Read label before use.         P273 - Avoid release to the environment.         Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal	2.1.2. Classification - EC	Aquatic Chronic 3: H412;
Hazard Statement       Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.         Precautionary Statement:       P102 - Keep out of reach of children.         Prevention       P103 - Read label before use.         P273 - Avoid release to the environment.       P273 - Avoid release to the environment.         Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal       2.3. Other hazards	1272/2008	
Precautionary Statement:       P102 - Keep out of reach of children.         Prevention       P103 - Read label before use.         P273 - Avoid release to the environment.         Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards	2.2. Label elements	
Prevention       P103 - Read label before use.         P273 - Avoid release to the environment.         Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards	Hazard Statement	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:       P273 - Avoid release to the environment.         Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards	Precautionary Statement:	P102 - Keep out of reach of children.
Precautionary Statement:       P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards	Prevention	P103 - Read label before use.
Response       lenses, if present and easy to do. Continue rinsing.         P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal       2.3. Other hazards		P273 - Avoid release to the environment.
Precautionary Statement:       P337+P313 - If eye irritation persists: Get medical advice/attention.         Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         2.3. Other hazards       P337+P313 - If eye irritation persists: Get medical advice/attention.	Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Precautionary Statement:       P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES         Disposal       2.3. Other hazards	Response	
Disposal 2.3. Other hazards		P337+P313 - If eye irritation persists: Get medical advice/attention.
	-	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES
Other hazards SPILLAGE MAY CREATE SLIP HAZARD	2.3. Other hazards	
	Other hazards	SPILLAGE MAY CREATE SLIP HAZARD.

## SECTION 3: Composition/information on ingredients



### **Revision** 5 **Revision date** 2015-06-19

### 3.2. Mixtures

### 67/548/EEC / 1999/45/EC

Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
				90 - 100%		
607-620-00-6	5064-31-3	225-768-6		0 - 0.5%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
	68424-85-1	270-325-2	01-2119970550-39	0.5 - 1%	C; R34 Xn; R21/22 N; R50	
	68439-46-3			0 - 0.5%	Xn; R22 Xi; R41	
603-117-00-0	67-63-0	200-661-7		0 - 0.5%	F; R11 Xi; R36 R67	
011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	
	607-620-00-6 603-117-00-0	607-620-00-6 5064-31-3 68424-85-1 68439-46-3 603-117-00-0 67-63-0	607-620-00-6 5064-31-3 225-768-6 68424-85-1 270-325-2 68439-46-3 603-117-00-0 67-63-0 200-661-7	607-620-00-6         5064-31-3         225-768-6           68424-85-1         270-325-2         01-2119970550-39           68439-46-3         68439-46-3         200-661-7	Number         (%w/w)           90 - 100%           607-620-00-6         5064-31-3         225-768-6         0 - 0.5%           68424-85-1         270-325-2         01-2119970550-39         0.5 - 1%           68439-46-3         0 - 0.5%           603-117-00-0         67-63-0         200-661-7         0 - 0.5%	Number         (%w/w)           90 - 100%           607-620-00-6         5064-31-3         225-768-6         0 - 0.5% Carc. Cat. 3; R40 Xn; R22 Xi; R36           68424-85-1         270-325-2         01-2119970550-39         0.5 - 1% C; R34 Xn; R21/22 N; R50           68439-46-3         0 - 0.5% Xn; R22 Xi; R41           603-117-00-0         67-63-0         200-661-7

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					90 - 100%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0 - 0.5%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
Benzyl C12-16 Alkyldimethyl, Chlorides		68424-85-1	270-325-2	01-2119970550-39	0.5 - 1%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
ALCOHOL ETHOXYLATE		68439-46-3			0 - 0.5%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		0 - 0.5%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	

### SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	No Significant Hazard.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up



## **J903 PINE DISINFECTANT**

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### 8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

## DNEL: Derived no-effect level.

	No data available.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Not normally required.
8.2.2. Individual protection measures	Wear suitable protective clothing.
Eye / face protection	In case of splashing, wear:. Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance Colour	Liquid
Colour	Green
Odour	Perfumes
рH	7 NOMINAL
Initial boiling point	100
Initial boiling point Relative density	1.01 NOMINAL

Water solubility

Soluble in water.



# J903 PINE DISINFECTANT

**Revision** 5 **Revision date** 2015-06-19

	Revision date 2015-06-19
SECTION 10: Stability and r	eactivity
10.2. Chemical stability	
	Stable under normal conditions.
SECTION 11: Toxicological	information
11.1. Information on toxicologic	al effects
Acute toxicity	No data is available on this product.
Skin corrosion/irritation	May cause irritation to eyes. Seek medical attention if irritation or symptoms persist.
11.1.4. Toxicological Information	n
Benzyl C12-16 Alkyldimethyl, Chlorides	<b>Oral Rat LD50:</b> 200-2000mg/kg
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data is available on this product. Toxic to algae. Toxic to fish.
12.2. Persistence and degradat	ility
	More than 90% biodegradable.
SECTION 13: Disposal cons	siderations
General information	
	Dispose of in compliance with all local and national regulations.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for us	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
Further information	The product is not classified as dangerous for carriage.
	The product is not classified as dangerous for carriage
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory in	
15.2. Chemical safety assessme	
	No chemical Safety assessment has been carried out by the supplier.
SECTION 16: Other information	tion

### Other information



# J903 PINE DISINFECTANT

Other information	
Revision	<ul> <li>This document differs from the previous version in the following areas:.</li> <li>1 - REACH.</li> <li>2 - 2.1.2. Classification - EC 1272/2008.</li> <li>2 - Precautionary Statement: Prevention.</li> <li>2 - Precautionary Statement: Disposal.</li> </ul>
Text of risk phrases in Section 3	<ul> <li>8 - DNEL: Derived no-effect level.</li> <li>R11 - Highly flammable.</li> <li>R21/22 - Harmful in contact with skin and if swallowed.</li> <li>R22 - Harmful if swallowed.</li> <li>R34 - Causes burns.</li> </ul>
	<ul> <li>R35 - Causes severe burns.</li> <li>R36 - Irritating to eyes.</li> <li>R40 - Limited evidence of a carcinogenic effect.</li> <li>R41 - Risk of serious damage to eyes.</li> <li>R50 - Very toxic to aquatic organisms.</li> <li>R67 - Vapours may cause drowsiness and dizziness.</li> </ul>
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Carc. 2: H351 - Suspected of causing cancer . Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

